Klondike Gold Rush
National Historical Park
Skagway, Alaska

Geology, Glaciers & Gold



Skagway and the Lynn Canal

Meade Glacier

Miners Panning for Gold

WELCOME TO SKAGWAY!

In addition to its Gold Rush history, Skagway's natural history tells a fascinating story. Understanding the forces that shaped the land here brings the breathtaking scenery alive.

The following pages guide you through the local geography. They provide background information on the geologic forces which created the land, the glaciers that shaped it and the gold that made it famous. The final section is a road log - use it while driving up the first 18 miles of the Klondike Highway to see examples of the features described in this brochure.

Please enjoy your visit to Skagway, and keep an eye out for features similar to those described here as you travel throughout Southeast Alaska.

GEOLOGY

CREATION OF THE LAND

Geologic forces, acting on the land around Skagway over millions of years, determined the modern appearance of the Skagway River Valley. But the origin of the local landforms began deep within the earth.

A number of layers make up the interior of the earth. At its center is the **core**, which has a solid inside and a liquid outside. Surrounding the core is a thick, semi-solid layer of magma (like cookie dough) called the **mantle**. On top of the mantle lies the **crust**, our solid land and ocean floors, eggshell thin in comparison to the diameter of the entire planet.



Profile of the Earth's Interior

The semi-solid mantle has currents and flows very slowly. The crust floats on top and moves along with the currents. However, as a solid it cannot flow. It breaks into large chunks called **tectonic plates**.



Global Map of Tectonic Plates

There are 15 major tectonic plates worldwide. Southeast Alaska sits at the juncture of the Pacific Plate to the west and the North American Plate to the east. The flow of magma below forces these two plates together in a process called oceanic-continental convergence. The thinner Pacific Plate is being driven beneath, while the thicker North American Plate is overriding and crumpling up in the zone of contact.

LOCAL CONSEQUENCE

The collision of these two plates has resulted in three major types of geologic events: uplift, faulting and magma injections.



Local Tectonic Motion

Uplift. The crumpling of the North American Plate where it strikes the Pacific Plate is causing the relatively smooth surface of the crust to buckle and rise, similar to the hood of a car involved in a front-end impact. The land is lifting up to form mountains. The Coast Mountains surrounding the Inside Passage and Skagway is the result of this process of uplift.

Faulting. Just as the hood of a car forms dents and cracks under impact, the solid crust fractures under the pressure of oceanic-continental convergence. Fractures along which movement or slippage takes place are called faults, great cracks and lines of weakness in otherwise solid bedrock.



Local Faults

In this area the Pacific Plate is not only traveling towards the North American, it is also rotating counterclockwise. At the contact where the plates are smacking together, rather than one neat fault there are many. The faults radiate out in different directions as the plates smear and shatter in passing. Energy from the plates' movement spreads out among all the fault lines instead of concentrating in one. As a result, Skagway frequently experiences earthquakes that are too small to feel.

It is a common occurrence for rivers to find these lines of weakness to be the paths of least resistance. Some of the region's many faults lie below the Skagway and Taiya River Valleys.

Magma Injections. The underside of the North American Plate is also impacted by oceanic-continental convergence. Fractures beneath the surface are commonly filled and expanded by intruding lava-like molten magma. Trapped within solid crust, these magma chambers cool slowly until hard, becoming huge bodies of granite called plutons. Uplift drives these plutons upwards. Millions of years of weathering and erosion eat away at the miles of material on top of the plutons, eventually exposing them as the massive granitic mountains north of Skagway.

Exposed Pluton

GLACIERS REFORM THE LAND

As tectonic forces are acting at great depth, the atmosphere acts on land when it reaches the surface. Erosion and weathering start to break down the rock. At Skagway's latitude snow and ice are particularly powerful in the form of glaciers.

GLACIERS ARE RIVERS OF ICE

Glaciers form at high, cold altitudes where snowfall accumulates faster than it melts. The weight of increasing layers of snow compacts the older layers into ice. The mass begins to slide downhill, a slowly flowing river of ice.



Slow Glacial Flow

As a glacier flows downhill, it descends to warmer zones where new snow melts from year to year. The elevation where loss from melting equals accumulation from snowfall is called the **snowline**. Below the snowline, more ice is lost by melting each year than is added by snowfall. As the glacier flows down it grows thinner and narrower. Ultimately it reaches a point where the ice front advances no further, because the ice there melts as rapidly as ice flows down from above.



Snow Becomes a River of Ice

Like water, glaciers follow the path of least resistance and reshape the land as the flow through. The process of glaciation follows these three general steps:



1) Uplift causes running water to cut a **V-shaped** valley.



2) Glaciers fill the river valley, widening and straightening the channel.



3) Glaciers melt, revealing a **U-shaped** valley. If the sea later fills in the valley, it is called a **fjord**.

FEATURES OF A GLACIAL LANDSCAPE

Cirque - A bowl-shaped basin at the head of a glaciated valley produced by glacial scouring and erosion.

Crevasse - Open fractures or breaks in glacial ice. As ice flows, the base of a glacier moves more slowly than the surface, producing deep cracks and crevices in the surface of a glacier.

Arete - A narrow ridge separating two glaciated valleys.

Horn - A pyramid-like peak formed where several cirques meet.

Moraine - A ridge of sediment left behind when a glacier melts.



GLACIATION NEAR SKAGWAY

Glaciers have advanced and retreated through the Skagway area for millennia. Cycles of climate change known as the Ice Ages dominate the latest part of the Skagway area's geologic history. This period is not a single ice age, but rather a series of many cold intervals alternating with intervening warm periods like the climate today.

In Southeast Alaska uplift and the extreme northern latitude mean glaciers in this area are particularly effective earth-movers. Each subsequent period of glaciation scours out the geologic record of the previous one. Evidence of only the two most recent periods of glaciation are visible today in the Skagway Valley.

Some 49,000 years ago glaciers filled the Skagway River Valley up to the level of the craggy peaks, burdening the land with flowing ice over 5,000 feet thick. The ice ground down through the river's faulted course and carved a steep-sided, broad **U-shaped valley**. In passing it polished any projections into the valley, leaving massive, rounded rock shoulders behind.

Between 24 and 13,000 years ago a smaller ice age blanketed this area. Its glaciers barreled through the previous period's broad valleys, carving a smaller U-shaped valley into the existing valley floor.



In very recent times during a period called the Little Ice Age, only 1500 to 250 years ago, small glaciers formed at high altitudes. Harding Glacier, visible from downtown Skagway, is a remnant from this time.

Many of the highest peaks near Skagway are referred to as **nunataks**. A nunatak is an isolated hill or peak which projected through the surface of a glacier and was completely surrounded by ice or snow. As glaciers flowed over the landscape, they ground the contours beneath them smooth. The peaks above the ice escaped this grinding, leaving behind nunataks that maintain their original sharp and jagged appearance.

Snow-capped Nunataks

The Skagway Valley also includes a number of **hanging valleys**. These were formed when a large glacier, cutting a very deep valley, crossed the path of a smaller glacier. Since this glacier was not powerful enough to grind down into the mountains as deeply as the larger glacier, its valley floor stood much higher in elevation. While the glaciers were active, the mouth of the smaller one hung over the larger. An icefall, the glacial equivalent of a waterfall, emptied into the deeper valley below. Now that the glaciers have melted, a small U-shaped valley at a high altitude hangs over the landscape.

Not just the motion, but also the weight of glacial ice left its mark here. A river of ice 5,000 feet thick is quite heavy. Relative to the rest of the Earth, the crust is very thin. The weight of the glaciers bowed in the crust. Now relieved of that burden, the crust is springing back in a process called **glacial rebound**. Due to uplift and rebound, Skagway rises about 0.76 inches each year.

GOLD AND SKAGWAY

SKAGWAY'S GOLD

No gold was ever found in the Skagway Valley. The gold fields were located approximately 600 miles to the north, near the junction of the Klondike and Yukon Rivers at today's Dawson City. Skagway became internationally known solely as a gateway to the Klondike gold fields.

Promoters advertised many routes to the Klondike:

Purple - "All-Canadian" Route. Sold as a wagon route over flat prairie, it led instead 1500 miles through unimproved wilderness.

Pink - Mountain Route. Used barely navigable rivers. Traversed Canadian Rockies at elevations covered almost year-round with snow.

Blue - "All-American" Routes. Shortest routes to Klondike but led directly over glaciers. Dangers included crevasses, snow-blindness, starvation and freezing due to lack of fuel for fires in the middle of the ice.

Routes North

Green - All-Water "Rich-Man's" Route. Steamships sailed around Alaska and 2200 miles up the Yukon River. Easiest, most expensive route. Impassable for eight months a year when river was frozen.

Red - "Trail of '98". Steamship trip up Inside Passage to Skagway, followed by approximately 40-mile hike over Chilkoot or White Passes to Bennett Lake, source of Yukon River. Floated remaining 500 miles downriver to Dawson City.

Gold Rush **Stampeders** used the Skagway area for the same reason rivers and glaciers did: it was a point of geologic weakness. The faults throughout the area allowed glaciers to carve more deeply here than elsewhere. As a result the White and Chilkoot Passes had lower elevations and were passable year-round. They were the most used breaks in the Coast Mountains for hundreds of miles. Once over the passes it was a short journey down the Yukon River to Dawson City. Fast and cheap, this route attracted 90% of the Stampeders.

FORMATION OF GOLD

Gold veins sometimes form when magma intrudes into solid rock. As the magma cools and solidifies, water and other substances, including gold, separate out from the magma under high pressure, becoming superheated hydrothermal solutions. The high pressure of hot water and steam causes fissures to open in the surrounding solid rock, through which hydrothermal solutions travel.

When they cool, deposition of material occurs, especially quartz in the form of quartz veins. Any gold present solidifies inside the quartz veins. Thus, the place to look for gold is usually in quartz veins near the intrusion of a magma body.

GOLD DISCOVERED

Beneath present-day Dawson City the intrusions of quartz contained a large amount of vein gold. Millions of years of uplift eventually exposed this gold to the surface where ice and rain could erode it. Millennia of weathering broke up the vein gold into smaller pieces: nuggets and flakes of gold dust known as **placer gold**.

The placer gold washed into the streams and creeks of the Klondike River. Many times heavier than sand and dirt, the gold sank to the bottoms of the creek beds. It collected there until 1896 when the first nuggets of Klondike gold were found, sparking one of the world's great gold rushes.

Miners Displaying Klondike Gold Nuggets

First individual Stampeders and then large gold corporations continued to remove gold from the region through the early 1980's, when the price of gold fell below the cost to extract it. There is still gold "in them thar hills" and production will resume if gold prices rise again.

ROAD LOG



Route Map

ROAD LOG

Evidence of these geologic forces abounds in the Skagway Valley, and the Klondike Highway provides an excellent way to view them. This road guide will introduce you to just a few of the geologic processes and features you can see in the area.

Your journey begins in the parking lot of the Alaska Marine Highway terminal, one block south of the National Park Visitor Center, and leads north out of Skagway on the highway for 18 miles (29 km). Terms that have been introduced earlier in this guide are in **bold**. Set your odometer to zero and get going!

STOP 1 - Ferry Terminal, mile 0.0 (km 0.0)

To the south across the Lynn Canal, the tiny Harding Glacier lies near the top of its mountain. It is one of the last active glaciers remaining after thousands of years of glaciation in the area. However, it is not all the glaciers left behind. The modern appearance of the land is evidence of their passing. The Lynn Canal itself is one huge glacial valley. Now filled with water, at over 100 miles long and 1700 feet deep, it is the longest and deepest **fjord** in North America.

The Skagway Valley and White Pass lead off to the north. The two most recent significant periods of glaciation are visible here. 22,000 years ago glaciers over 5,000 feet thick formed the great valley. 13,000 years ago a smaller episode carved a narrower valley into the existing one, less than 1,000 feet deep. Note the berms on either side of Skagway, which are sides of the newer valley.



Two Levels of Glaciation

Proceed up Broadway 6 blocks to 5th Ave. and mile 0.4.

STOP 2 - Broadway and 5th St. at mile 0.4 (km 0.6)

During the gold rush, the highest tides occasionally peaked here at 5th Avenue. Now this cross street is high and dry and prime real estate.

HighTide, Oct. 27, 1897

ROAD LOG

The processes of tectonic **uplift** and glacial **rebound** combine in Skagway to lift the land about 0.76 inches/year. This means that in the 100 years since the gold rush, the land has risen over six feet.

Continue up Broadway until it ends at 15th Avenue. Go left one block, then right on State St. Continue up State St. to 22nd Avenue. Turn left onto the Klondike Highway. Proceed north until you reach the pullout at mile 5.0.

STOP 3 - Pullout at mile 5.0 (km 8.0)

Due east from here the East Fork of the Skagway River winds up away from the main channel. Note the profile of the valley – a classic **U-shaped** glacial feature. The East Fork is the site of a fault that was exploited by glaciation. Up to the right the Twin Dewey Peaks reach 5,635 feet. Although the peaks are jagged **nunataks**, below about 5,000 feet the contours of the mountains are smoother, demonstrating the maximum depth of the glaciers and their grinding force. At the top of the valley, more than six miles away, sits South Glacier, the active remnant of this great period of glaciation

U-Shaped Valley

Continue north on the highway another 2.7 miles, 1 miles past US Customs. There are three pullouts in quick succession here – pull in at the third where there are wayside exhibits.

STOP 4 – 3rd pullout near mile 7.7 (km 12.3)

The valley below was carved more recently. The river carved this valley with less power but more speed than a glacier would, resulting in steep walls and a **V-shaped** profile.

V-Shaped Valley

Across the way the pipe and the waterfall descend from Goat Lake, currently the source of Skagway's hydroelectric power. Formerly, a glacier ended here where the ice at its foot tumbled into the river valley leaving behind this **hanging valley**.

The winter route of the White Pass Trail lies below. **Stampeders** pulled heavily laden sleds on the frozen river. Summer travel was more difficult, over crude roads cut out of the steep hillsides. Note the rugged peaks surrounding the road. The presence of this valley controlled access into the interior by gold seekers and others.

Proceed north a half mile to another pullout on the right.

STOP 5 - Pullout at mile 8.2 (km 12.3)

Granite Pluton

Directly ahead is a nice example of a portion of a **pluton**. A magma chamber deep within the earth cooled slowly, forming this pluton. Through uplift and erosion, the pluton is now exposed to the sky as a uniform mass of granite. Through these processes and during its formation a pluton will be stressed and cracked, leaving behind open fractures called joints. Later on, magma intrusions may force superheated solutions, like those that deposit gold, into the joints. These then solidify as dikes. On the left side of the road here, superheated molten lava intruded into the granite, leaving behind dikes of dark basalt.

Basalt Dikes

Proceed north 3.4 miles. This section of road passes through an avalanche area so DO NOT STOP anywhere before the Moore Bridge. Cross the bridge and stop at the first pullout on the right.

STOP 6 - Moore Bridge pullout at mile 11.6 (km 18.6)

The Moore Bridge just south of this pullout is one of only about a dozen in the world with this design. The bridge is cantilevered, so that only the south end is moored to the rocks while the north end just rests on the opposite side. This design is necessary because the bridge spans a fault. The river cascading through this chasm is exploiting a pre-existing line of weakness. Should any further movement occur along this fault, the bridge may detach from the north side, but it will not fall. Repairs will be minor ones reattaching the road bed as opposed to major ones rebuilding the entire bridge.

Moore Bridge

Follow the road north until it reaches its highest elevation. Stop at the paved pullout on the LEFT side of the road at mile 14.4.

STOP 7 – Left side pullout at mile 14.4 (km 23)

Sub-continental Divide

At 3,292 feet, this is the highest point on the Klondike Highway as well as the location of a sub-continental divide. The waters of the lake and creek visible to the south flow downwards about twenty miles to the Gulf of Alaska. On the north side of this divide they flow down to the Yukon River and then 2200 miles with it to empty into the Bering Sea.

A consequence of this area's continuing uplift is that between five and twenty-two million years ago the Coast Range mountains here were lower than at present. Waters flowed southeast into the ancestral Stikine River. The modern rise of the mountains tilted "downhill" to the north and forced them into the Yukon watershed. After another million years of erosion they may change course and flow south once again.

Continue north over the border into Canada. Stop at the first pullout on the right, just over a mile beyond.

STOP 8 – Pullout with outhouses at mile 15.6 (km 25.0)

Valley at Summit

Suddenly the horizon opens up. You have passed through the area of greatest uplift and rebound. While this area is currently more stable than the Skagway Valley, it was once the center of the action.

Tens of thousands of years ago this was the site of an icefield, the zone of accumulation that fed all the glaciers flowing south. A sheet of ice a mile thick covered this great basin. As millennia of snowfall caused the ice sheet to grow and overflow the basin, rivers of ice escaped over the sides. Glaciers from the higher peaks also flowed in. All of this activity scraped the valley clean and flattened the landscape. Its high elevation has prevented vegetation from foresting the valley floor. The result is an otherworldly landscape - a "moonscape" - as raw and powerful a terrain as you are likely to see anywhere.

Drive north 0.6 miles to the gravel pullout at mile 16.3 by the red and white "Fraser Maintenance Section" sign.

STOP 9 - Gravel pullout at mile 16.2 (km 25.9)

At this stop, glaciers and many of the features of the glacial landscape are visible to the right. These include crevasses, moraines, cirques, and horns carved and chiseled out of the rock by the movement of the ice.

Glacial Features

At the height of summer, when the snow has melted, the deep blue color of glacial ice is easy to see. The dense ice absorbs every other color of the light spectrum except blue, which alone reflects back to your eye.

Proceed north to a gravel pullout at mile 18.0, just before the bridge over Summit Creek.

STOP 10 - Gravel pullout at mile 18.0 (km 28.8)

Summit Lake below has a unique color as opposed to the lakes visible from the last stop. When glaciers grind through an area, they shape the land not only by carving off and moving large chunks of rock, but also by crushing materials in their path. The passage of the ice pulverizes these materials so finely that the remnants are called glacial silt or flour. When meltwater washes this flour into lakes, it is so light that instead of settling to the bottom of the lake it hangs there, suspended in the water. As a result, glacier-fed lakes have a milky blue-green color as opposed to rain- and runoff-fed lakes that are clearer.

Summit Lake

The road log ends here. Feel free to explore the valley further by foot, skis or snowshoes.

You can drive north for an hour and a half to reach Whitehorse in the Yukon Territory or turn around and head back to Skagway. As you continue your travels through Alaska and northwest Canada, look for evidence of the colossal geologic forces at work in this part of the continent. Keep in mind that the route of these roads was dictated by the geology; diverting around an uplifted pluton or following a glaciated U-shaped valley. Understanding the processes that shaped the land makes viewing the fabulous scenery that much richer.

Glaciers, Geology, and Gold highlights the most common physical features and processes found in the area of Klondike Gold Rush National Historical Park.

Klondike Gold Rush NHP is headquartered in Skagway, Alaska at the northernmost end of the Inside Passage. Features discussed here occur in various locations in and around the National Park.

The production of this brochure was coordinated by Klondike Gold Rush NHP to educate visitors about the Skagway area's natural physical features and help visitors to enjoy them.

This brochure was funded by the National Park Service and the Alaska Natural History Association.

Photographs and figures were provided by National Park Service rangers Breton Aulick, Polly Cooper, Mark Hachtmann and Scott Hinderman, the National Archives, *This Dynamic Earth* by Jacqueline Kious and Robert Tilling, *Earth's Interior and Plate Tectonics* by Calvin and Rosanna Hamilton, the Alaska State Library Alaska Purchase Centennial Collection, Melanie Moreno and the United States Geological Survey.

For more information, contact Klondike Gold Rush NHP at:
(907) 983-2921, or
PO Box 517
Skagway, AK 99840, or
www.nps.gov/klgo

Cover photographs: Scenes of various geologic features around Skagway. (Top) Skagway and the Lynn Canal from AB Mountain; (center) the Meade Glacier near Skagway; (bottom) gold rush participants sluicing their pay dirt to separate out the gold.