



## NPS Asset Inventory Summary - By Park

ABLI Abraham Lincoln Birthplace National Historic Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	14	0.522	\$684,733	\$5,554,809	\$10,637,248	20,144	SF	
Housing*:	2	0.005	\$0	\$1,865	\$388,724	2,856	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	4	0.060	\$1,837	\$51,498	\$854,588	9,435	LF	
Waste Water Systems:	2	0.514	\$0	\$53,963	\$104,923	135	GPD	
Water Systems:	3	0.000	\$0	\$0	\$579,493	1,360	GPD	
Unpaved Roads† :	3	0.116	\$0	\$22,186	\$192,002	-	-	
Paved Roads‡:	9	0.724	-	\$1,848,634	\$2,554,246	-	-	
All Other§ :	14	0.114	\$10,134	\$801,203	\$7,058,265	-	-	
<b>TOTAL:</b>	<b>51</b>	<b>0.373</b>	<b>\$696,704</b>	<b>\$8,334,158</b>	<b>\$22,369,490</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ACAD		Acadia National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	172	0.100	\$2,468,868	\$8,475,383	\$85,003,819	289,881	SF
	Housing*:	16	0.109	\$310,143	\$1,113,675	\$10,200,897	42,505	SF
	Campgrounds:	5	0.011	\$48,360	\$165,272	\$15,681,575	285	AC
	Trails:	135	0.224	\$4,297,712	\$10,166,193	\$45,388,343	777,936	LF
	Waste Water Systems:	17	0.171	\$306,982	\$1,920,912	\$11,262,805	126,200	GPD
	Water Systems:	16	0.053	\$354,038	\$858,321	\$16,235,967	134,600	GPD
	Unpaved Roads† :	79	0.026	\$3,281,603	\$11,232,183	\$436,901,893	-	-
	Paved Roads‡:	165	0.124	-	\$19,208,791	\$155,418,369	-	-
	All Other§ :	55	0.072	\$2,619,457	\$4,455,694	\$61,829,994	-	-
	TOTAL:	660	0.069	\$13,687,163	\$57,596,424	\$837,923,663	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ADAM		Adams National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	13	0.010	\$122,878	\$299,455	\$30,426,309	51,168	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	10	0.007	\$0	\$71,466	\$10,712,484	-	-
	TOTAL:	23	0.009	\$122,878	\$370,921	\$41,138,793	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

AFBG		African Burial Ground National Monument						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.000	\$0	\$205	\$8,707,563	9,204	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	1	0.000	\$0	\$0	\$64,432	5,000	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	4	0.000	\$0	\$0	\$11,848,689	-	-	
TOTAL:	7	0.000	\$0	\$205	\$20,620,685	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

AGFO		Agate Fossil Beds National Monument						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	7	0.019	\$886	\$101,049	\$5,381,867	16,676	SF	
Housing*:	5	0.066	\$59,214	\$82,237	\$1,254,392	7,326	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	3	0.000	\$0	\$0	\$766,455	10,680	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$512,205	6,500	GPD	
Water Systems:	1	0.003	\$0	\$6,083	\$2,379,079	4,000	GPD	
Unpaved Roads† :	3	0.000	\$0	\$0	\$1,646,592	-	-	
Paved Roads‡:	6	0.251	-	\$1,802,432	\$7,182,042	-	-	
All Other§ :	10	0.025	\$0	\$108,653	\$4,417,596	-	-	
TOTAL:	36	0.089	\$60,100	\$2,100,454	\$23,540,228	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

AKRO		Alaska Regional Support Office						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	5	0.000	\$0	\$0	\$28,881,327	107,984	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.000	\$0	\$0	\$685,224	-	-	
TOTAL:	6	0.000	\$0	\$0	\$29,566,552	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ALAG		Alagnak Wild River						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.000	\$0	\$0	\$83,272	224	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.000	\$0	\$0	\$385,989	-	-	
TOTAL:	2	0.000	\$0	\$0	\$469,261	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ALFL		Alibates Flint Quarries National Monument						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	4	0.010	\$0	\$18,844	\$1,965,518	5,688	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	1	0.146	\$0	\$25,000	\$171,713	3,960	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$148,071	1,000	GPD	
Water Systems:	1	0.010	\$0	\$8,236	\$850,327	25,000	GPD	
Unpaved Roads† :	4	0.259	\$67,967	\$151,040	\$584,270	-	-	
Paved Roads‡:	2	0.155	-	\$988,627	\$6,379,193	-	-	
All Other§ :	3	0.000	\$0	\$16,822	\$68,577,499	-	-	
TOTAL:	16	0.015	\$67,967	\$1,208,569	\$78,676,591	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

ALKA		Ala Kahakai National Historic Trail					
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:	0	0.000	\$0	\$0	\$0	0	SF
Housing*:	0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
Trails:	2	0.053	\$207,095	\$215,908	\$4,107,743	14,567	LF
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
All Other§ :	0	0.000	\$0	\$0	\$0	-	-
TOTAL:	2	0.053	\$207,095	\$215,908	\$4,107,743	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ALPO Allegheny Portage Railroad National Historic Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	13	0.122	\$446,962	\$3,555,235	\$29,163,904	40,120	SF	
Housing*:	1	0.000	\$0	\$0	\$318,247	2,275	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	7	0.368	\$55,000	\$917,428	\$2,491,676	72,657	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$450,628	500	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	4	0.586	\$203,166	\$203,166	\$346,935	-	-	
Paved Roads‡:	8	0.411	-	\$3,564,074	\$8,673,876	-	-	
All Other§ :	51	0.011	\$33,560	\$1,475,226	\$129,975,447	-	-	
<b>TOTAL:</b>	<b>85</b>	<b>0.057</b>	<b>\$738,688</b>	<b>\$9,715,129</b>	<b>\$171,420,713</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

AMIS		Amistad National Recreation Area						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	59	0.045	\$4,845	\$410,410	\$9,174,312	42,587	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	9	0.062	\$0	\$118,904	\$1,931,337	79	AC
	Trails:	9	0.282	\$0	\$224,660	\$797,152	46,962	LF
	Waste Water Systems:	3	0.005	\$0	\$13,020	\$2,529,487	20,400	GPD
	Water Systems:	5	0.004	\$0	\$16,120	\$3,961,416	195,380	GPD
	Unpaved Roads† :	18	0.060	\$0	\$136,199	\$2,279,408	-	-
	Paved Roads‡:	26	0.176	-	\$4,288,102	\$24,410,596	-	-
	All Other§ :	38	0.017	\$0	\$470,939	\$27,299,839	-	-
	TOTAL:	167	0.078	\$4,845	\$5,678,354	\$72,383,548	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

AMME		American Memorial Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.030	\$52,000	\$340,358	\$11,385,915	19,865	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.173	\$12,422	\$254,883	\$1,474,526	12,006	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	1	0.018	\$0	\$37,773	\$2,059,117	2,000	GPD
	Unpaved Roads† :	5	0.106	\$0	\$164,566	\$1,557,910	-	-
	Paved Roads‡:	16	0.872	-	\$7,596,858	\$8,707,303	-	-
	All Other§ :	12	0.054	\$5,500	\$962,249	\$17,663,891	-	-
	TOTAL:	46	0.218	\$69,922	\$9,356,686	\$42,848,661	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ANCH		Alaska Public Lands Information Center Anchorage						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.161	\$0	\$274,773	\$1,706,215	3,222	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.136	\$482,977	\$960,090	\$7,072,274	-	-	
TOTAL:	3	0.141	\$482,977	\$1,234,863	\$8,778,489	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ANDE		Andersonville National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	12	0.058	\$43,138	\$571,984	\$9,863,707	23,623	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.171	\$0	\$32,841	\$191,574	1,802	LF
	Waste Water Systems:	3	0.000	\$0	\$0	\$102,022	6,900	GPD
	Water Systems:	3	0.000	\$0	\$0	\$184,147	3,345	GPD
	Unpaved Roads† :	9	0.686	\$1,021,840	\$1,041,384	\$1,518,178	-	-
	Paved Roads‡:	18	0.668	-	\$5,463,631	\$8,176,224	-	-
	All Other§ :	64	0.033	\$327,329	\$5,571,536	\$168,583,664	-	-
	TOTAL:	110	0.067	\$1,392,307	\$12,681,376	\$188,619,518	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ANIA Aniakchak National Monument and Preserve								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.210	\$0	\$47,886	\$228,514	809	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.082	\$0	\$3,124	\$37,979	-	-	
<b>TOTAL:</b>	<b>3</b>	<b>0.191</b>	<b>\$0</b>	<b>\$51,010</b>	<b>\$266,493</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ANJO		Andrew Johnson National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.025	\$59,140	\$212,298	\$8,401,663	12,667	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	7	0.000	-	\$0	\$1,053,734	-	-
	All Other§ :	15	0.011	\$0	\$268,303	\$24,759,249	-	-
	TOTAL:	32	0.014	\$59,140	\$480,601	\$34,214,647	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

ANTI		Antietam National Battlefield						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	68	0.038	\$2,225,417	\$2,885,813	\$76,469,791	166,318	SF	
Housing*:	1	0.000	\$0	\$0	\$307,654	1,920	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	11	0.000	\$0	\$0	\$2,902,147	78,479	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	12	0.023	\$0	\$56,730	\$2,419,558	-	-	
Paved Roads‡:	30	0.201	-	\$3,652,441	\$18,185,957	-	-	
All Other§ :	82	0.005	\$344,838	\$705,419	\$136,407,999	-	-	
TOTAL:	204	0.031	\$2,570,255	\$7,300,402	\$236,693,105	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

APCO		Appomattox Court House National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	37	0.063	\$189,516	\$1,491,062	\$23,761,028	56,868	SF
	Housing*:	2	0.111	\$40,000	\$131,319	\$1,184,626	7,077	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.036	\$0	\$17,877	\$493,818	24,400	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$905,598	501	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	10	0.001	\$0	\$492	\$802,224	-	-
	Paved Roads‡:	11	0.113	-	\$743,518	\$6,608,418	-	-
	All Other§ :	25	0.003	\$0	\$76,628	\$24,744,539	-	-
	TOTAL:	88	0.042	\$229,516	\$2,460,895	\$58,500,252	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

APIS		Apostle Islands National Lakeshore						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	117	0.068	\$1,581,424	\$2,719,471	\$40,246,199	52,788	SF	
Housing*:	15	0.045	\$462,829	\$1,079,632	\$24,027,477	29,321	SF	
Campgrounds:	17	0.188	\$37,785	\$90,058	\$480,047	4	AC	
Trails:	13	0.086	\$382,084	\$457,903	\$5,355,304	307,032	LF	
Waste Water Systems:	8	0.001	\$2,343	\$2,343	\$1,584,341	3,850	GPD	
Water Systems:	10	0.093	\$191,598	\$194,355	\$2,086,132	9,500	GPD	
Unpaved Roads† :	4	0.000	\$0	\$0	\$276,574	-	-	
Paved Roads‡:	11	0.373	-	\$1,754,117	\$4,704,774	-	-	
All Other§ :	94	0.046	\$1,183,170	\$1,693,892	\$37,202,070	-	-	
TOTAL:	289	0.069	\$3,841,231	\$7,991,772	\$115,962,917	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

APPA		Appalachian National Scenic Trail						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	635	0.001	\$20,608	\$37,974	\$28,121,243	129,865	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	13	0.000	\$0	\$0	\$164,686	6	AC	
Trails:	82	0.194	\$306,049	\$16,280,557	\$84,120,149	11,506,704	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	4	0.000	\$0	\$0	\$197,705	40	GPD	
Unpaved Roads† :	184	0.007	\$21,000	\$45,847	\$6,524,144	-	-	
Paved Roads‡:	16	0.000	-	\$0	\$774,643	-	-	
All Other§ :	82	0.003	\$5,671	\$44,516	\$13,216,712	-	-	
TOTAL:	1,016	0.123	\$353,328	\$16,408,894	\$133,119,282	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ARCH		Arches National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	32	0.031	\$41,400	\$426,002	\$13,702,708	31,847	SF
	Housing*:	7	0.046	\$0	\$80,755	\$1,763,986	9,979	SF
	Campgrounds:	1	0.018	\$11,378	\$22,358	\$1,213,565	52	AC
	Trails:	24	0.149	\$313,289	\$849,049	\$5,713,481	123,026	LF
	Waste Water Systems:	7	0.036	\$0	\$35,257	\$973,627	43,500	GPD
	Water Systems:	3	0.146	\$0	\$391,439	\$2,685,160	90,800	GPD
	Unpaved Roads† :	7	0.173	\$656,133	\$968,330	\$5,590,840	-	-
	Paved Roads‡:	52	0.495	-	\$30,075,487	\$60,742,168	-	-
	All Other§ :	23	0.042	\$100,099	\$116,366	\$2,778,151	-	-
	TOTAL:	156	0.346	\$1,122,299	\$32,965,042	\$95,163,687	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ARPO		Arkansas Post National Memorial						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	9	0.015	\$0	\$56,264	\$3,720,361	10,436	SF
	Housing*:	2	0.046	\$13,416	\$18,975	\$416,134	3,532	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	7	0.113	\$120,492	\$131,792	\$1,163,401	16,528	LF
	Waste Water Systems:	1	0.155	\$493,468	\$494,809	\$3,190,631	755	GPD
	Water Systems:	1	0.094	\$0	\$176,262	\$1,879,683	881	GPD
	Unpaved Roads† :	3	0.000	\$0	\$0	\$462,249	-	-
	Paved Roads‡:	7	0.172	-	\$569,334	\$3,302,040	-	-
	All Other§ :	20	0.003	\$22,644	\$146,292	\$52,337,161	-	-
	TOTAL:	50	0.024	\$650,019	\$1,593,729	\$66,471,661	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ASIS		Assateague Island NS						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	92	0.073	\$695,008	\$2,974,462	\$40,942,552	129,640	SF
	Housing*:	5	0.115	\$9,987	\$189,604	\$1,655,556	14,016	SF
	Campgrounds:	9	0.163	\$235,802	\$626,005	\$3,843,123	95	AC
	Trails:	12	0.007	\$359,005	\$725,447	\$102,212,932	26,552	LF
	Waste Water Systems:	7	0.033	\$0	\$52,958	\$1,625,651	31,500	GPD
	Water Systems:	5	0.024	\$0	\$291,248	\$12,114,572	92,600	GPD
	Unpaved Roads† :	34	0.090	\$564,762	\$1,574,442	\$17,573,485	-	-
	Paved Roads‡:	30	0.432	-	\$17,320,804	\$40,124,113	-	-
	All Other§ :	37	0.044	\$1,532,840	\$3,833,395	\$88,107,916	-	-
	TOTAL:	231	0.090	\$3,397,404	\$27,588,366	\$308,199,899	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

AZRU		Aztec Ruins National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	11	0.162	\$242,521	\$1,124,217	\$6,950,252	23,541	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	10	0.000	\$0	\$100	\$730,139	15,056	LF
	Waste Water Systems:	4	0.253	\$305,537	\$305,537	\$1,206,490	1,007,000	GPD
	Water Systems:	3	0.090	\$0	\$49,134	\$543,154	1,371,700	GPD
	Unpaved Roads† :	13	0.186	\$0	\$51,703	\$277,314	-	-
	Paved Roads‡:	8	0.456	-	\$553,099	\$1,212,027	-	-
	All Other§ :	61	0.053	\$2,739,045	\$4,252,148	\$80,718,746	-	-
	TOTAL:	110	0.069	\$3,287,103	\$6,335,938	\$91,638,122	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

BADL		Badlands National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	89	0.070	\$717,487	\$1,804,577	\$25,634,962	98,191	SF
	Housing*:	22	0.141	\$222,827	\$369,558	\$2,616,265	27,492	SF
	Campgrounds:	3	0.000	\$0	\$0	\$5,441,319	56	AC
	Trails:	18	0.032	\$77,753	\$123,624	\$3,869,513	54,846	LF
	Waste Water Systems:	9	0.022	\$32,804	\$191,801	\$8,575,224	17,692	GPD
	Water Systems:	9	0.000	\$0	\$0	\$2,221,815	9,579	GPD
	Unpaved Roads† :	25	0.047	\$705,304	\$1,098,388	\$23,493,857	-	-
	Paved Roads‡:	32	0.198	-	\$17,222,893	\$86,908,730	-	-
	All Other§ :	75	0.040	\$62,881	\$1,512,492	\$38,221,474	-	-
	TOTAL:	282	0.113	\$1,819,058	\$22,323,332	\$196,983,160	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BAND Bandelier National Monument								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	42	0.205	\$3,643,399	\$4,689,322	\$22,842,652	46,889	SF	
Housing*:	22	0.248	\$1,294,293	\$2,220,824	\$8,965,609	32,264	SF	
Campgrounds:	2	0.021	\$0	\$53,933	\$2,575,169	15	AC	
Trails:	32	0.112	\$642,651	\$1,623,963	\$14,455,305	460,799	LF	
Waste Water Systems:	8	0.099	\$97,337	\$163,474	\$1,657,887	29,879	GPD	
Water Systems:	4	0.188	\$449,544	\$573,632	\$3,050,241	25,609	GPD	
Unpaved Roads† :	18	0.028	\$4,200	\$151,673	\$5,368,589	-	-	
Paved Roads‡:	36	0.295	-	\$4,468,763	\$15,138,069	-	-	
All Other§ :	75	0.164	\$1,855,716	\$6,997,136	\$42,592,702	-	-	
<b>TOTAL:</b>	<b>239</b>	<b>0.180</b>	<b>\$7,987,139</b>	<b>\$20,942,719</b>	<b>\$116,646,223</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BELA		Bering Land Bridge National Preserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	28	0.016	\$14,559	\$96,527	\$6,038,221	15,250	SF
	Housing*:	9	0.192	\$65,702	\$945,104	\$4,932,792	15,559	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.000	\$0	\$0	\$16,589	60	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	14	0.214	\$130,331	\$130,331	\$609,538	-	-
	TOTAL:	52	0.101	\$210,592	\$1,171,962	\$11,597,140	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BEOL		Bents Old Fort National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		6	0.016	\$1,172	\$63,067	\$3,965,394	11,021	SF
Housing*:		0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:		0	0.000	\$0	\$0	\$0	0	AC
Trails:		3	0.025	\$9,500	\$9,500	\$385,941	14,334	LF
Waste Water Systems:		3	0.005	\$0	\$3,037	\$592,551	469	GPD
Water Systems:		2	0.000	\$0	\$0	\$832,695	468	GPD
Unpaved Roads† :		10	0.006	\$6,301	\$8,507	\$1,458,859	-	-
Paved Roads‡:		2	0.195	-	\$160,460	\$824,361	-	-
All Other§ :		8	0.026	\$56,023	\$440,881	\$17,285,672	-	-
<b>TOTAL:</b>		<b>34</b>	<b>0.027</b>	<b>\$72,996</b>	<b>\$685,451</b>	<b>\$25,345,474</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BIBE		Big Bend National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	180	0.037	\$340,803	\$2,410,833	\$65,998,536	231,763	SF
	Housing*:	88	0.045	\$304,068	\$1,479,189	\$33,111,168	120,255	SF
	Campgrounds:	47	0.039	\$0	\$549,706	\$13,947,830	68	AC
	Trails:	48	0.041	\$1,051,761	\$1,453,974	\$35,886,330	801,296	LF
	Waste Water Systems:	16	0.138	\$1,598,168	\$2,409,853	\$17,464,928	94,450	GPD
	Water Systems:	6	0.045	\$578,099	\$989,693	\$21,786,685	64,300	GPD
	Unpaved Roads† :	74	0.013	\$48,061	\$968,903	\$73,763,779	-	-
	Paved Roads‡:	109	0.205	-	\$77,454,702	\$378,142,253	-	-
	All Other§ :	57	0.002	\$2,295	\$36,732	\$19,034,184	-	-
	TOTAL:	625	0.133	\$3,923,254	\$87,753,585	\$659,135,692	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BICA		Bighorn Canyon National Recreation Area						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	91	0.059	\$969,551	\$2,283,294	\$38,783,344	89,687	SF
	Housing*:	14	0.001	\$0	\$6,498	\$5,536,251	32,665	SF
	Campgrounds:	8	0.006	\$76,539	\$526,828	\$87,337,097	86	AC
	Trails:	17	0.003	\$26,215	\$26,215	\$9,828,432	217,517	LF
	Waste Water Systems:	11	0.003	\$1,452	\$16,925	\$5,574,227	29,801	GPD
	Water Systems:	14	0.012	\$2,008	\$77,369	\$6,658,615	157,070	GPD
	Unpaved Roads† :	45	0.021	\$209,881	\$688,387	\$32,925,912	-	-
	Paved Roads‡:	52	0.204	-	\$38,291,589	\$187,905,242	-	-
	All Other§ :	80	0.044	\$1,155,035	\$4,028,214	\$90,863,216	-	-
	TOTAL:	332	0.099	\$2,440,682	\$45,945,319	\$465,412,337	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BICY		Big Cypress National Preserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	166	0.018	\$16,844	\$756,592	\$41,167,751	154,533	SF
	Housing*:	28	0.017	\$101,066	\$151,141	\$9,154,065	44,848	SF
	Campgrounds:	10	0.033	\$0	\$244,277	\$7,381,584	157	AC
	Trails:	60	0.054	\$6,210,203	\$8,205,711	\$151,520,956	1,518,347	LF
	Waste Water Systems:	34	0.005	\$0	\$18,776	\$3,636,012	53,000	GPD
	Water Systems:	22	0.050	\$3,345	\$460,019	\$9,222,856	183,950	GPD
	Unpaved Roads† :	51	0.009	\$89,868	\$328,962	\$36,087,962	-	-
	Paved Roads‡:	35	0.230	-	\$8,462,582	\$36,824,736	-	-
	All Other§ :	88	0.012	\$6,074	\$1,406,177	\$121,364,334	-	-
	TOTAL:	494	0.048	\$6,427,401	\$20,034,238	\$416,360,255	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

BIHO		Big Hole National Battlefield						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	14	0.021	\$30,000	\$114,355	\$5,540,237	9,494	SF
	Housing*:	6	0.196	\$283,521	\$579,714	\$2,951,783	12,110	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	8	0.017	\$16,809	\$25,389	\$1,523,062	17,593	LF
	Waste Water Systems:	2	0.178	\$83,715	\$447,114	\$2,504,962	3,001	GPD
	Water Systems:	1	0.002	\$0	\$5,108	\$2,639,729	1,140	GPD
	Unpaved Roads† :	3	0.211	\$116,950	\$169,828	\$803,311	-	-
	Paved Roads‡:	5	0.270	-	\$776,697	\$2,875,004	-	-
	All Other§ :	8	0.017	\$0	\$118,666	\$7,093,501	-	-
	TOTAL:	47	0.086	\$530,995	\$2,236,870	\$25,931,589	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

BISC		Biscayne National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	35	0.050	\$304,419	\$2,482,447	\$49,844,001	58,717	SF
	Housing*:	5	0.020	\$7,971	\$49,782	\$2,429,875	9,300	SF
	Campgrounds:	2	0.002	\$0	\$3,331	\$1,806,181	11	AC
	Trails:	10	0.066	\$256,409	\$278,283	\$4,208,450	54,799	LF
	Waste Water Systems:	4	0.000	\$0	\$0	\$1,446,217	14,400	GPD
	Water Systems:	4	0.040	\$0	\$334,340	\$8,307,168	38,700	GPD
	Unpaved Roads† :	1	0.000	\$0	\$0	\$58,991	-	-
	Paved Roads‡:	5	0.558	-	\$1,880,526	\$3,370,378	-	-
	All Other§ :	29	0.043	\$995,676	\$1,634,895	\$38,106,174	-	-
	TOTAL:	95	0.061	\$1,564,475	\$6,663,603	\$109,577,434	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BISO		Big South Fork National River and Recreation Area						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	114	0.071	\$923,823	\$2,932,751	\$41,020,878	132,266	SF
	Housing*:	3	0.144	\$28,834	\$204,498	\$1,415,922	6,604	SF
	Campgrounds:	7	0.062	\$22,675	\$702,160	\$11,281,743	84	AC
	Trails:	131	0.037	\$1,978,577	\$3,602,191	\$96,312,913	2,332,346	LF
	Waste Water Systems:	26	0.170	\$73,492	\$1,256,137	\$7,409,965	58,175	GPD
	Water Systems:	3	0.018	\$0	\$119,579	\$6,601,305	161,000	GPD
	Unpaved Roads† :	95	0.171	\$1,028,910	\$5,761,372	\$33,660,988	-	-
	Paved Roads‡:	81	0.128	-	\$11,815,268	\$92,017,728	-	-
	All Other§ :	156	0.054	\$297,705	\$2,142,334	\$39,517,962	-	-
	TOTAL:	616	0.087	\$4,354,016	\$28,536,290	\$329,239,405	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BITH		Big Thicket National Preserve					
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:	39	0.025	\$0	\$378,856	\$15,377,393	63,782	SF
Housing*:	3	0.000	\$0	\$0	\$700,380	6,698	SF
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
Trails:	13	0.106	\$244,611	\$926,000	\$8,726,586	181,515	LF
Waste Water Systems:	6	0.013	\$9,307	\$9,307	\$704,011	6,170	GPD
Water Systems:	6	0.000	\$0	\$0	\$1,688,061	6,636	GPD
Unpaved Roads† :	35	0.041	\$66,817	\$213,478	\$5,266,736	-	-
Paved Roads‡:	3	0.106	-	\$51,756	\$488,493	-	-
All Other§ :	36	0.143	\$0	\$1,733,444	\$12,142,648	-	-
TOTAL:	141	0.073	\$320,735	\$3,312,840	\$45,094,308	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BLAC		Blackstone River Valley National Heritage Corridor						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.000	\$0	\$0	\$14,203,183	9,872	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	3	0.173	\$0	\$870,638	\$5,037,975	-	-	
TOTAL:	4	0.045	\$0	\$870,638	\$19,241,158	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BLCA		Black Canyon of the Gunnison National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	32	0.021	\$81,633	\$162,312	\$7,808,440	14,603	SF
	Housing*:	3	0.042	\$17,956	\$258,644	\$6,134,924	12,793	SF
	Campgrounds:	3	0.000	\$0	\$0	\$3,855,428	40	AC
	Trails:	24	0.027	\$128,524	\$196,577	\$7,155,124	113,227	LF
	Waste Water Systems:	4	0.000	\$0	\$0	\$907,900	1,168	GPD
	Water Systems:	6	0.015	\$0	\$29,922	\$1,999,673	1,260	GPD
	Unpaved Roads† :	19	0.021	\$77,730	\$155,242	\$7,329,906	-	-
	Paved Roads‡:	23	0.228	-	\$4,317,538	\$18,895,502	-	-
	All Other§ :	25	0.169	\$37,052	\$507,026	\$2,991,610	-	-
	TOTAL:	139	0.099	\$342,894	\$5,627,262	\$57,078,509	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BLRI		Blue Ridge Parkway						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	587	0.063	\$1,273,110	\$10,208,924	\$161,650,718	628,002	SF	
Housing*:	29	0.371	\$596,129	\$2,975,547	\$8,027,590	39,737	SF	
Campgrounds:	11	0.091	\$3,228	\$1,744,699	\$19,267,268	210	AC	
Trails:	136	0.057	\$754,891	\$2,915,895	\$51,027,026	1,908,666	LF	
Waste Water Systems:	94	0.085	\$152,093	\$2,300,455	\$26,965,576	377,690	GPD	
Water Systems:	45	0.079	\$316,791	\$2,947,294	\$37,496,083	270,421	GPD	
Unpaved Roads† :	147	0.190	\$3,837,328	\$37,711,340	\$198,838,158	-	-	
Paved Roads‡:	655	0.160	-	\$407,432,190	\$2,546,698,835	-	-	
All Other§ :	1,239	0.019	\$1,252,824	\$10,480,277	\$565,693,589	-	-	
TOTAL:	2,943	0.132	\$8,186,394	\$478,716,620	\$3,615,664,843	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BLUE		Bluestone National Scenic River						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.000	\$0	\$0	\$19,931	144	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	1	0.031	\$0	\$27,247	\$893,092	42,240	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	2	0.000	\$0	\$0	\$445,467	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	2	0.104	\$0	\$33,000	\$317,424	-	-	
TOTAL:	6	0.036	\$0	\$60,247	\$1,675,913	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BOAF		Boston African-American National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.000	\$0	\$0	\$5,525,562	8,486	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	1	0.000	\$0	\$0	\$39,187	121	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	0	0.000	\$0	\$0	\$0	-	-	
TOTAL:	3	0.000	\$0	\$0	\$5,564,749	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

BOHA		Boston Harbor Islands National Recreation Area						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	63	0.106	\$3,568,110	\$8,456,770	\$80,158,589	218,029	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	3	0.000	\$0	\$0	\$24,086	43	AC	
Trails:	16	0.561	\$0	\$4,165,886	\$7,428,376	122,120	LF	
Waste Water Systems:	3	0.042	\$0	\$26,465	\$633,021	9,500	GPD	
Water Systems:	3	0.210	\$0	\$230,390	\$1,096,140	13,500	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	4	0.000	-	\$0	\$8,584,419	-	-	
All Other§ :	63	0.547	\$16,419,886	\$17,093,585	\$31,256,399	-	-	
TOTAL:	155	0.232	\$19,987,996	\$29,973,096	\$129,181,029	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BOST		Boston National Historic Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	28	0.148	\$12,593,344	\$46,126,537	\$311,933,659	755,859	SF
	Housing*:	2	0.316	\$3,644,548	\$9,396,396	\$29,708,292	68,816	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	7	0.121	\$553,225	\$1,119,825	\$9,248,799	7,833	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	1	0.342	\$2,727,957	\$2,727,957	\$7,968,524	30,000	GPD
	Unpaved Roads† :	3	0.000	\$0	\$0	\$768,885	-	-
	Paved Roads‡:	30	0.071	-	\$2,013,223	\$28,230,671	-	-
	All Other§ :	14	0.107	\$5,068,076	\$31,078,576	\$291,649,743	-	-
	TOTAL:	85	0.136	\$24,587,150	\$92,462,514	\$679,508,574	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BOWA		Booker T Washington National Monument						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	17	0.038	\$143,636	\$221,559	\$5,761,509	17,672	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	2	1.495	\$0	\$390,930	\$261,493	8,095	LF	
Waste Water Systems:	2	0.000	\$0	\$0	\$556,626	1,000	GPD	
Water Systems:	2	0.133	\$0	\$22,500	\$169,150	2,000	GPD	
Unpaved Roads† :	5	0.000	\$0	\$0	\$83,126	-	-	
Paved Roads‡:	8	0.122	-	\$255,292	\$2,101,100	-	-	
All Other§ :	9	0.004	\$0	\$246,911	\$55,173,709	-	-	
TOTAL:	45	0.018	\$143,636	\$1,137,192	\$64,106,714	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BRCA		Bryce Canyon National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	73	0.099	\$1,105,459	\$6,890,377	\$69,397,750	234,684	SF
	Housing*:	31	0.081	\$16,937	\$1,434,308	\$17,729,428	34,137	SF
	Campgrounds:	5	0.173	\$0	\$1,236,524	\$7,138,142	43,562	AC
	Trails:	52	0.044	\$87,020	\$1,120,504	\$25,296,518	411,340	LF
	Waste Water Systems:	3	0.323	\$356,778	\$3,026,900	\$9,372,087	35,129	GPD
	Water Systems:	2	0.122	\$477,071	\$1,635,075	\$13,381,396	47,600	GPD
	Unpaved Roads† :	37	0.055	\$248,720	\$764,161	\$13,833,099	-	-
	Paved Roads‡:	43	0.262	-	\$19,633,696	\$74,976,625	-	-
	All Other§ :	33	0.130	\$168,487	\$1,929,932	\$14,812,248	-	-
	TOTAL:	279	0.153	\$2,460,471	\$37,671,477	\$245,937,294	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BRVB Brown V Board of Education National Historic Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.007	\$0	\$94,672	\$14,548,915	22,116	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	1	0.000	\$0	\$0	\$648,886	-	-	
Paved Roads‡:	1	0.102	-	\$23,871	\$233,412	-	-	
All Other§ :	4	0.000	\$0	\$0	\$3,038,441	-	-	
<b>TOTAL:</b>	<b>7</b>	<b>0.006</b>	<b>\$0</b>	<b>\$118,543</b>	<b>\$18,469,654</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BUFF		Buffalo National River						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	207	0.035	\$405,980	\$1,485,270	\$41,935,196	174,976	SF
	Housing*:	18	0.071	\$30,129	\$186,460	\$2,644,298	22,674	SF
	Campgrounds:	17	0.058	\$468,556	\$979,948	\$17,038,852	161	AC
	Trails:	35	0.036	\$390,599	\$712,786	\$19,882,810	867,936	LF
	Waste Water Systems:	31	0.173	\$1,053,899	\$1,148,002	\$6,638,918	37,855	GPD
	Water Systems:	22	0.162	\$1,361,246	\$1,787,492	\$11,009,718	48,260	GPD
	Unpaved Roads† :	95	0.029	\$257,011	\$1,057,506	\$35,972,037	-	-
	Paved Roads‡:	69	0.172	-	\$4,941,022	\$28,763,275	-	-
	All Other§ :	93	0.016	\$35,010	\$445,817	\$27,731,363	-	-
	TOTAL:	587	0.067	\$4,002,430	\$12,744,302	\$191,616,467	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

BUIS Buck Island Reef National Monument								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	3	0.005	\$0	\$7,500	\$1,515,157	1,400	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	3	0.021	\$6,462	\$6,462	\$307,269	8,679	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	13	0.029	\$0	\$219,143	\$7,677,996	-	-	
<b>TOTAL:</b>	<b>19</b>	<b>0.025</b>	<b>\$6,462</b>	<b>\$233,106</b>	<b>\$9,500,422</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CABR		Cabrillo National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	17	0.027	\$87,317	\$503,809	\$18,512,803	26,893	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	6	0.292	\$0	\$854,912	\$2,924,104	21,420	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$290,870	1,000	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	12	0.236	-	\$3,749,342	\$15,866,096	-	-
	All Other§ :	29	0.009	\$0	\$102,896	\$11,587,973	-	-
	TOTAL:	65	0.106	\$87,317	\$5,210,958	\$49,181,846	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

CACH		Canyon de Chelly National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	39	0.026	\$203,663	\$590,125	\$22,910,974	100,615	SF
	Housing*:	9	0.049	\$22,178	\$111,903	\$2,268,770	17,264	SF
	Campgrounds:	4	0.206	\$0	\$211,430	\$1,026,304	3	AC
	Trails:	18	0.129	\$133,958	\$359,044	\$2,792,598	85,733	LF
	Waste Water Systems:	1	0.327	\$221,270	\$328,240	\$1,002,875	100,000	GPD
	Water Systems:	1	0.036	\$191,317	\$191,317	\$5,249,082	93,600	GPD
	Unpaved Roads† :	15	0.000	\$0	\$0	\$1,073,443	-	-
	Paved Roads‡:	30	0.191	-	\$11,480,629	\$60,094,364	-	-
	All Other§ :	20	0.127	\$985,248	\$1,472,688	\$11,609,791	-	-
	TOTAL:	137	0.136	\$1,757,634	\$14,745,375	\$108,028,201	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CACL		Castle Clinton National Monument						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	3	0.027	\$72,800	\$72,800	\$2,691,501	4,165	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	2	0.214	\$4,188,441	\$4,663,339	\$21,822,163	-	-	
TOTAL:	5	0.193	\$4,261,241	\$4,736,139	\$24,513,664	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CACO		Cape Cod National Seashore						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	185	0.045	\$3,357,201	\$6,277,159	\$140,347,893	348,099	SF
	Housing*:	84	0.035	\$298,229	\$1,005,841	\$29,055,228	119,455	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	25	0.079	\$1,321,860	\$1,428,701	\$18,097,475	133,289	LF
	Waste Water Systems:	8	0.062	\$0	\$214,785	\$3,459,095	19,250	GPD
	Water Systems:	11	0.049	\$6,461	\$573,594	\$11,782,463	30,000	GPD
	Unpaved Roads† :	7	0.516	\$0	\$956,001	\$1,852,103	-	-
	Paved Roads‡:	75	0.454	-	\$27,119,664	\$59,731,215	-	-
	All Other§ :	74	0.113	\$1,542,512	\$3,233,074	\$28,534,464	-	-
	TOTAL:	469	0.139	\$6,526,264	\$40,808,819	\$292,859,936	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CAGR		Casa Grande Ruins National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.093	\$37,079	\$680,766	\$7,328,644	31,524	SF
	Housing*:	1	0.019	\$2,157	\$4,317	\$227,776	1,300	SF
	Campgrounds:	1	0.000	\$0	\$0	\$138,493	1	AC
	Trails:	1	0.084	\$0	\$24,413	\$291,730	2,640	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$307,305	3,000	GPD
	Water Systems:	1	0.000	\$0	\$0	\$239,578	3,662	GPD
	Unpaved Roads† :	4	0.006	\$0	\$10,495	\$1,817,565	-	-
	Paved Roads‡:	4	0.402	-	\$725,779	\$1,805,350	-	-
	All Other§ :	81	0.005	\$0	\$564,929	\$121,292,491	-	-
	TOTAL:	104	0.015	\$39,237	\$2,010,699	\$133,448,930	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CAHA		Cape Hatteras National Seashore						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	205	0.114	\$6,017,049	\$23,062,515	\$202,844,130	235,126	SF
	Housing*:	38	0.186	\$960,754	\$2,515,632	\$13,546,472	56,343	SF
	Campgrounds:	6	0.043	\$19,988	\$662,743	\$15,576,771	31	AC
	Trails:	21	0.041	\$17,516	\$242,860	\$5,967,143	71,220	LF
	Waste Water Systems:	61	0.156	\$999,699	\$1,071,335	\$6,871,849	167,600	GPD
	Water Systems:	17	0.076	\$1,655,504	\$2,086,950	\$27,459,390	824,460	GPD
	Unpaved Roads† :	70	0.108	\$1,675,615	\$2,492,440	\$23,005,723	-	-
	Paved Roads‡:	104	0.078	-	\$16,392,540	\$209,399,607	-	-
	All Other§ :	129	0.003	\$3,271,804	\$7,474,450	\$2,892,160,841	-	-
	TOTAL:	651	0.016	\$14,617,929	\$56,001,466	\$3,396,831,925	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CALO		Cape Lookout National Seashore						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	160	0.005	\$1,640,371	\$4,585,101	\$895,439,813	129,215	SF
	Housing*:	6	0.283	\$466,000	\$2,514,783	\$8,896,548	17,980	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	6	0.046	\$0	\$157,000	\$3,419,103	9,599	LF
	Waste Water Systems:	55	0.189	\$129,000	\$129,000	\$683,951	55,000	GPD
	Water Systems:	4	0.000	\$0	\$0	\$2,903,893	107,200	GPD
	Unpaved Roads† :	17	0.029	\$524,443	\$602,858	\$20,693,517	-	-
	Paved Roads‡:	3	0.085	-	\$121,390	\$1,426,913	-	-
	All Other§ :	58	0.007	\$2,789,059	\$5,850,573	\$857,864,826	-	-
	TOTAL:	309	0.008	\$5,548,873	\$13,960,704	\$1,791,328,565	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CANA		Canaveral National Seashore						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	72	0.095	\$91,830	\$1,371,729	\$14,404,973	58,022	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	1	0.000	\$0	\$0	\$100,688	4	AC
	Trails:	28	0.023	\$38,650	\$43,973	\$1,943,163	14,039	LF
	Waste Water Systems:	3	0.000	\$0	\$0	\$2,458,207	1,701	GPD
	Water Systems:	2	0.000	\$0	\$0	\$1,191,692	1,700	GPD
	Unpaved Roads† :	12	0.014	\$0	\$14,332	\$1,016,328	-	-
	Paved Roads‡:	44	0.498	-	\$20,576,576	\$41,344,820	-	-
	All Other§ :	37	0.002	\$21,285	\$148,482	\$81,708,450	-	-
	TOTAL:	199	0.154	\$151,765	\$22,155,091	\$144,168,321	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CANY		Canyonlands National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	83	0.055	\$430,237	\$865,807	\$15,731,108	40,835	SF
	Housing*:	40	0.070	\$305,215	\$642,285	\$9,184,571	46,221	SF
	Campgrounds:	29	0.070	\$0	\$133,110	\$1,903,681	33	AC
	Trails:	63	0.086	\$23,870	\$1,362,472	\$15,805,983	978,024	LF
	Waste Water Systems:	9	0.001	\$0	\$2,370	\$2,504,351	39,300	GPD
	Water Systems:	3	0.013	\$59,222	\$107,933	\$8,278,445	123,000	GPD
	Unpaved Roads† :	41	0.029	\$324,158	\$816,923	\$28,326,305	-	-
	Paved Roads‡:	42	0.241	-	\$35,167,628	\$146,224,913	-	-
	All Other§ :	32	0.080	\$107,495	\$932,133	\$11,685,584	-	-
	TOTAL:	342	0.167	\$1,250,198	\$40,030,662	\$239,644,941	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

CARE		Capitol Reef National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	51	0.030	\$79,210	\$555,107	\$18,768,533	47,441	SF
	Housing*:	14	0.058	\$186,788	\$523,853	\$9,104,339	25,402	SF
	Campgrounds:	4	0.013	\$337	\$38,825	\$3,084,802	37	AC
	Trails:	20	0.052	\$23,684	\$275,011	\$5,322,190	173,134	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$2,237,229	65,000	GPD
	Water Systems:	2	0.156	\$331,538	\$1,018,290	\$6,538,069	75,000	GPD
	Unpaved Roads† :	42	0.009	\$145,631	\$211,656	\$24,867,735	-	-
	Paved Roads‡:	28	0.013	-	\$1,008,468	\$80,047,389	-	-
	All Other§ :	51	0.030	\$80,003	\$589,840	\$19,871,065	-	-
	TOTAL:	214	0.025	\$847,192	\$4,221,050	\$169,841,351	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CARI		Cane River Creole National Historical Park						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	49	0.026	\$237,064	\$780,136	\$29,461,350	63,610	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	2	0.063	\$22,772	\$48,322	\$766,338	11,350	LF	
Waste Water Systems:	3	0.000	\$0	\$0	\$250,430	1,800	GPD	
Water Systems:	2	0.000	\$0	\$0	\$1,183,710	690	GPD	
Unpaved Roads† :	12	0.001	\$0	\$1,145	\$1,996,946	-	-	
Paved Roads‡:	2	0.000	-	\$0	\$1,711,931	-	-	
All Other§ :	25	0.008	\$170,417	\$363,975	\$44,930,753	-	-	
TOTAL:	95	0.015	\$430,253	\$1,193,578	\$80,301,458	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CARL		Carl Sandburg Home National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	40	0.129	\$1,189,572	\$1,954,247	\$15,197,370	42,722	SF
	Housing*:	1	0.008	\$6,607	\$6,607	\$855,198	1,600	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	9	0.202	\$80,156	\$179,622	\$887,211	19,331	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$324,828	6,000	GPD
	Water Systems:	1	0.000	\$0	\$0	\$1,182,495	6,000	GPD
	Unpaved Roads† :	6	0.015	\$30	\$16,456	\$1,078,597	-	-
	Paved Roads‡:	4	0.126	-	\$210,137	\$1,663,967	-	-
	All Other§ :	31	0.020	\$42,166	\$5,131,431	\$255,905,931	-	-
	TOTAL:	93	0.027	\$1,318,531	\$7,498,501	\$277,095,598	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CASA		Castillo de San Marcos National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	18	0.139	\$153,943	\$565,007	\$4,069,840	17,651	SF
	Housing*:	2	0.000	\$0	\$0	\$499,822	3,249	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	4	0.356	\$0	\$166,485	\$467,761	3,359	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$264,218	3,214	GPD
	Water Systems:	2	0.000	\$0	\$0	\$166,777	3,214	GPD
	Unpaved Roads† :	6	0.916	\$0	\$384,453	\$419,898	-	-
	Paved Roads‡:	8	0.315	-	\$471,694	\$1,496,285	-	-
	All Other§ :	30	0.007	\$448,877	\$4,099,282	\$591,108,464	-	-
	TOTAL:	72	0.010	\$602,820	\$5,686,921	\$598,493,066	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CATO		Catoctin Mountain Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	144	0.099	\$24,722	\$4,739,657	\$48,004,312	117,694	SF
	Housing*:	6	0.108	\$165,020	\$288,315	\$2,680,417	10,396	SF
	Campgrounds:	8	0.137	\$0	\$483,477	\$3,521,539	60	AC
	Trails:	16	0.102	\$0	\$196,960	\$1,925,575	126,008	LF
	Waste Water Systems:	10	0.209	\$19,302	\$584,766	\$2,799,832	73,600	GPD
	Water Systems:	9	0.091	\$29,678	\$595,426	\$6,515,842	239,150	GPD
	Unpaved Roads† :	24	0.003	\$0	\$7,651	\$2,765,304	-	-
	Paved Roads‡:	27	0.154	-	\$5,131,629	\$33,358,219	-	-
	All Other§ :	31	0.153	\$10,091	\$1,305,252	\$8,504,862	-	-
	TOTAL:	275	0.121	\$248,814	\$13,333,132	\$110,075,903	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CAVE		Carlsbad Caverns National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	28	0.156	\$0	\$14,579,923	\$93,507,171	85,520	SF
	Housing*:	10	0.362	\$19,721	\$1,720,598	\$4,746,904	19,380	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	14	0.154	\$301,739	\$1,249,598	\$8,129,407	264,013	LF
	Waste Water Systems:	3	0.151	\$533,307	\$1,145,764	\$7,581,575	23,087	GPD
	Water Systems:	1	0.178	\$1,645,742	\$2,099,486	\$11,796,586	22,687	GPD
	Unpaved Roads† :	19	0.032	\$0	\$251,545	\$7,936,556	-	-
	Paved Roads‡:	15	0.020	-	\$996,775	\$48,743,300	-	-
	All Other§ :	21	0.363	\$1,055,064	\$9,019,606	\$24,815,877	-	-
	TOTAL:	111	0.150	\$3,555,573	\$31,063,296	\$207,257,375	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CAVO		Capulin Volcano National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	9	0.353	\$1,185,019	\$2,542,222	\$7,207,788	11,777	SF
	Housing*:	3	0.161	\$146,721	\$286,279	\$1,776,701	4,674	SF
	Campgrounds:	1	0.000	\$0	\$0	\$86,454	1	AC
	Trails:	4	0.068	\$0	\$38,291	\$565,990	11,538	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$752,861	3,675	GPD
	Water Systems:	1	0.635	\$377,145	\$906,787	\$1,429,098	3,675	GPD
	Unpaved Roads† :	5	0.145	\$224	\$73,788	\$507,768	-	-
	Paved Roads‡:	8	0.209	-	\$2,034,440	\$9,724,167	-	-
	All Other§ :	9	0.287	\$0	\$338,557	\$1,178,763	-	-
	TOTAL:	41	0.268	\$1,709,110	\$6,220,364	\$23,229,590	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CEBE		Cedar Creek and Belle Grove NHP						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	17	0.098	\$136,477	\$694,942	\$7,103,677	27,097	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	7	0.001	\$3,275	\$3,275	\$5,138,362	-	-
	TOTAL:	24	0.057	\$139,753	\$698,217	\$12,242,039	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

CEBR		Cedar Breaks National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	18	0.088	\$25,950	\$221,353	\$2,510,572	8,652	SF
	Housing*:	2	0.146	\$3,143	\$165,935	\$1,132,761	3,320	SF
	Campgrounds:	1	0.077	\$0	\$66,855	\$867,035	3	AC
	Trails:	9	0.114	\$0	\$128,876	\$1,127,899	45,061	LF
	Waste Water Systems:	3	0.264	\$67,336	\$144,991	\$549,656	7,767	GPD
	Water Systems:	1	0.051	\$52,139	\$388,731	\$7,549,285	12,000	GPD
	Unpaved Roads† :	4	0.000	\$0	\$0	\$233,294	-	-
	Paved Roads‡:	16	0.147	-	\$4,126,213	\$28,040,449	-	-
	All Other§ :	9	0.092	\$0	\$265,010	\$2,888,300	-	-
	TOTAL:	63	0.123	\$148,567	\$5,507,965	\$44,899,251	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CHAM		Chamizal National Memorial						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	5	0.002	\$15,893	\$32,730	\$14,609,459	43,225	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.037	\$0	\$68,464	\$1,866,229	10,560	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$190,724	2,500	GPD
	Water Systems:	2	0.028	\$10,603	\$21,658	\$784,734	5,500	GPD
	Unpaved Roads† :	1	0.000	\$0	\$0	\$90,038	-	-
	Paved Roads‡:	6	0.307	-	\$729,525	\$2,373,238	-	-
	All Other§ :	33	0.000	\$0	\$0	\$11,281,143	-	-
	TOTAL:	49	0.027	\$26,496	\$852,377	\$31,195,566	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CHAT		Chattahoochee River National Recreation Area						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	41	0.092	\$146,890	\$1,795,275	\$19,604,779	68,818	SF	
Housing*:	2	0.279	\$203,003	\$286,332	\$1,025,926	5,130	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	18	0.037	\$35,475	\$790,560	\$21,435,980	530,871	LF	
Waste Water Systems:	10	0.000	\$0	\$0	\$583,721	5,000	GPD	
Water Systems:	3	0.000	\$0	\$0	\$975,252	18,000	GPD	
Unpaved Roads† :	29	0.067	\$3,957	\$1,001,013	\$14,872,649	-	-	
Paved Roads‡:	25	0.103	-	\$4,783,812	\$46,565,496	-	-	
All Other§ :	101	0.003	\$849,079	\$7,472,563	\$2,342,491,753	-	-	
TOTAL:	229	0.007	\$1,238,404	\$16,129,555	\$2,447,555,555	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CHCH		Chickamauga and Chattanooga National Military Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	34	0.105	\$595,365	\$2,308,586	\$21,894,477	55,587	SF
	Housing*:	4	0.146	\$88,254	\$358,771	\$2,458,423	8,240	SF
	Campgrounds:	1	0.523	\$0	\$9,510	\$18,198	0	AC
	Trails:	56	0.086	\$800,884	\$1,007,610	\$11,740,761	338,684	LF
	Waste Water Systems:	5	0.352	\$382,687	\$391,928	\$1,112,139	1,059	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	17	0.171	\$274,584	\$402,500	\$2,358,495	-	-
	Paved Roads‡:	80	0.391	-	\$24,185,731	\$61,855,484	-	-
	All Other§ :	97	0.018	\$4,436,675	\$21,363,488	\$1,186,533,896	-	-
	TOTAL:	294	0.039	\$6,578,448	\$50,028,123	\$1,287,971,873	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CHCU		Chaco Culture National Historic Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	30	0.081	\$598	\$1,282,152	\$15,890,891	33,470	SF
	Housing*:	9	0.041	\$38,419	\$251,522	\$6,167,864	17,318	SF
	Campgrounds:	2	0.049	\$0	\$74,181	\$1,501,768	7	AC
	Trails:	16	0.004	\$25,221	\$26,497	\$6,191,534	139,638	LF
	Waste Water Systems:	2	0.171	\$170,178	\$768,192	\$4,482,061	25,000	GPD
	Water Systems:	1	0.013	\$84,819	\$263,420	\$20,008,872	30,000	GPD
	Unpaved Roads† :	19	0.079	\$110,534	\$238,952	\$3,028,237	-	-
	Paved Roads‡:	18	0.218	-	\$6,876,435	\$31,474,333	-	-
	All Other§ :	97	0.112	\$2,016,851	\$3,474,906	\$31,020,806	-	-
	TOTAL:	194	0.111	\$2,446,620	\$13,256,256	\$119,766,366	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CHIC		Chickasaw National Recreation Area						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	103	0.085	\$582,253	\$2,594,605	\$30,404,363	82,128	SF
	Housing*:	5	0.205	\$140,073	\$433,749	\$2,113,676	6,750	SF
	Campgrounds:	9	0.278	\$0	\$3,101,425	\$11,149,208	215	AC
	Trails:	23	0.167	\$0	\$1,508,559	\$9,015,819	118,684	LF
	Waste Water Systems:	1	0.109	\$1,452,937	\$1,452,937	\$13,360,214	360,000	GPD
	Water Systems:	2	0.017	\$528,880	\$811,540	\$47,914,018	1,565,000	GPD
	Unpaved Roads† :	51	0.044	\$189,038	\$408,656	\$9,365,378	-	-
	Paved Roads‡:	86	0.337	-	\$18,456,648	\$54,813,249	-	-
	All Other§ :	81	0.012	\$488,014	\$5,366,144	\$447,303,229	-	-
	TOTAL:	361	0.055	\$3,381,194	\$34,134,262	\$625,439,154	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CHIR		Chiricahua National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	38	0.021	\$157,074	\$206,912	\$9,721,158	21,672	SF
	Housing*:	12	0.007	\$12,946	\$21,354	\$3,065,334	11,797	SF
	Campgrounds:	1	0.020	\$0	\$12,353	\$607,061	3	AC
	Trails:	23	0.044	\$357,262	\$555,939	\$12,567,745	101,631	LF
	Waste Water Systems:	6	0.000	\$0	\$0	\$2,337,717	4,652	GPD
	Water Systems:	2	0.000	\$0	\$0	\$4,247,929	5,642	GPD
	Unpaved Roads† :	9	0.000	\$0	\$0	\$882,260	-	-
	Paved Roads‡:	17	0.132	-	\$6,077,145	\$46,119,748	-	-
	All Other§ :	25	0.015	\$0	\$71,002	\$4,722,638	-	-
	TOTAL:	133	0.082	\$527,281	\$6,944,705	\$84,271,591	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

CHIS		Channel Islands National Park						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	82	0.087	\$2,451,739	\$5,123,980	\$58,695,206	88,806	SF	
Housing*:	18	0.080	\$268,170	\$728,395	\$9,061,498	18,031	SF	
Campgrounds:	7	0.002	\$6,206	\$13,662	\$8,108,007	63	AC	
Trails:	7	0.177	\$36,901	\$1,202,059	\$6,789,015	236,434	LF	
Waste Water Systems:	9	0.000	\$0	\$0	\$3,456,805	4,250	GPD	
Water Systems:	13	0.025	\$19,851	\$410,150	\$16,450,453	24,974	GPD	
Unpaved Roads† :	19	0.000	\$0	\$3,038	\$12,706,273	-	-	
Paved Roads‡:	1	0.201	-	\$124,201	\$618,757	-	-	
All Other§ :	66	0.132	\$1,214,619	\$8,385,832	\$63,514,650	-	-	
TOTAL:	222	0.089	\$3,997,487	\$15,991,317	\$179,400,664	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

CHOH		Chesapeake and Ohio Canal National Historical Park						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	130	0.073	\$1,327,887	\$7,015,184	\$96,396,525	269,685	SF	
Housing*:	4	0.010	\$0	\$42,136	\$4,155,480	9,532	SF	
Campgrounds:	4	0.092	\$0	\$262,136	\$2,839,060	29	AC	
Trails:	191	0.066	\$20,510,550	\$45,552,155	\$692,748,320	1,054,204	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	79	0.090	\$0	\$2,191,442	\$24,409,629	-	-	
Paved Roads‡:	80	0.284	-	\$12,046,640	\$42,396,795	-	-	
All Other§ :	613	0.028	\$20,753,804	\$55,407,949	\$1,997,842,734	-	-	
TOTAL:	1,101	0.043	\$42,592,242	\$122,517,641	\$2,860,788,545	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CHPI		Charles Pinckney National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	6	0.124	\$83,465	\$1,083,507	\$8,704,186	17,052	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	3	0.114	\$0	\$14,854	\$130,719	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	6	0.001	\$0	\$7,773	\$5,847,322	-	-	
TOTAL:	15	0.075	\$83.465	\$1.106.135	\$14.682.227	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CHRI		Christiansted National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	9	0.124	\$425,277	\$1,878,594	\$15,158,181	47,767	SF	
Housing*:	3	0.000	\$0	\$0	\$4,482,343	3,750	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	1	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	2	0.000	\$0	\$0	\$104,704	-	-	
Paved Roads‡:	5	0.078	-	\$551,745	\$7,094,870	-	-	
All Other§ :	15	0.006	\$451,259	\$1,101,459	\$177,171,524	-	-	
TOTAL:	35	0.017	\$876,536	\$3,531,798	\$204,011,623	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CHSC		Little Rock Central High School National Hist Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.007	\$0	\$39,646	\$5,683,096	14,321	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$101,904	60	GPD	
Water Systems:	1	0.000	\$0	\$0	\$87,970	99	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	2	0.188	-	\$45,936	\$243,717	-	-	
All Other§ :	5	0.011	\$0	\$23,885	\$2,212,462	-	-	
TOTAL:	11	0.013	\$0	\$109,467	\$8,329,149	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CHYO Charles Young Buffalo Soldier National Monument								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.000	\$0	\$0	\$4,011,451	5,422	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	0	0.000	\$0	\$0	\$0	-	-	
<b>TOTAL:</b>	<b>1</b>	<b>0.000</b>	<b>\$0</b>	<b>\$0</b>	<b>\$4,011,451</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CIRO		City of Rocks National Reserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.000	\$0	\$0	\$394,347	1,050	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	8	0.000	\$0	\$0	\$1,291,510	2	AC
	Trails:	18	0.016	\$22,963	\$22,963	\$1,392,133	109,919	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	3	0.000	\$0	\$0	\$652,402	12,600	GPD
	Unpaved Roads† :	18	0.000	\$0	\$0	\$11,121,898	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	6	0.015	\$0	\$21,804	\$1,467,151	-	-
	TOTAL:	63	0.003	\$22,963	\$44,767	\$16,319,440	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

COLM		Colorado National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	22	0.140	\$428,756	\$1,450,305	\$10,344,811	33,662	SF
	Housing*:	3	0.025	\$26,648	\$48,578	\$1,952,811	5,530	SF
	Campgrounds:	1	0.290	\$0	\$538,474	\$1,858,666	22	AC
	Trails:	18	0.283	\$189,722	\$2,300,820	\$8,141,936	272,616	LF
	Waste Water Systems:	1	0.137	\$7,588	\$512,637	\$3,748,391	2,500	GPD
	Water Systems:	2	0.009	\$0	\$21,284	\$2,342,621	2,050	GPD
	Unpaved Roads† :	5	0.084	\$0	\$27,396	\$324,484	-	-
	Paved Roads‡:	48	0.093	-	\$7,855,262	\$84,248,076	-	-
	All Other§ :	42	0.113	\$8,808	\$1,083,752	\$9,573,777	-	-
	TOTAL:	142	0.113	\$661,522	\$13,838,509	\$122,535,573	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

COLO		Colonial National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	65	0.137	\$941,738	\$8,834,081	\$64,373,121	174,554	SF
	Housing*:	9	0.068	\$237,541	\$351,041	\$5,176,607	14,891	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	1	0.354	\$0	\$56,461	\$159,293	1	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	79	0.494	\$124,108,138	\$127,899,997	\$258,821,047	-	-
	Paved Roads‡:	29	0.082	-	\$20,256,649	\$248,539,424	-	-
	All Other§ :	97	0.044	\$2,188,240	\$10,931,929	\$248,907,873	-	-
	TOTAL:	280	0.204	\$127,475,657	\$168,330,159	\$825,977,365	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

CONG		Congaree National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	15	0.037	\$0	\$292,188	\$7,823,732	27,058	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	4	0.021	\$0	\$9,955	\$466,216	14	AC
	Trails:	9	0.255	\$497,505	\$1,952,636	\$7,658,012	195,919	LF
	Waste Water Systems:	7	0.000	\$0	\$0	\$427,129	1,020	GPD
	Water Systems:	5	0.000	\$0	\$0	\$2,771,940	127,580	GPD
	Unpaved Roads† :	9	0.781	\$0	\$863,955	\$1,106,178	-	-
	Paved Roads‡:	4	0.236	-	\$578,575	\$2,448,566	-	-
	All Other§ :	30	0.006	\$0	\$333,340	\$51,363,850	-	-
	TOTAL:	83	0.054	\$497,505	\$4,030,649	\$74,065,623	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CORO		Coronado National Memorial						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	9	0.027	\$32,395	\$78,891	\$2,934,317	8,020	SF
	Housing*:	3	0.000	\$0	\$45	\$1,372,416	4,037	SF
	Campgrounds:	1	0.000	\$0	\$0	\$88,191	0	AC
	Trails:	7	0.000	\$0	\$0	\$2,656,562	70,578	LF
	Waste Water Systems:	2	0.155	\$58,390	\$58,390	\$375,878	5,901	GPD
	Water Systems:	1	0.064	\$0	\$102,041	\$1,586,609	17,280	GPD
	Unpaved Roads† :	6	0.000	\$0	\$0	\$2,029,921	-	-
	Paved Roads‡:	14	0.004	-	\$40,844	\$11,013,203	-	-
	All Other§ :	11	0.000	\$0	\$0	\$3,166,214	-	-
	TOTAL:	54	0.011	\$90,785	\$280,212	\$25,223,312	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

COWP		Cowpens National Battlefield						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	11	0.069	\$304,544	\$368,118	\$5,298,631	17,320	SF
	Housing*:	1	0.257	\$14,812	\$47,524	\$184,609	1,675	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	4	0.152	\$195,387	\$230,885	\$1,519,670	23,852	LF
	Waste Water Systems:	4	0.000	\$0	\$0	\$249,376	7,150	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	9	0.090	\$27,734	\$82,921	\$917,248	-	-
	Paved Roads‡:	13	0.148	-	\$1,178,614	\$7,949,552	-	-
	All Other§ :	30	0.034	\$272,467	\$1,963,116	\$57,530,535	-	-
	TOTAL:	72	0.053	\$814,944	\$3,871,178	\$73,649,621	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CRLA		Crater Lake National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	75	0.080	\$7,177,463	\$8,810,356	\$109,792,601	262,173	SF
	Housing*:	23	0.079	\$787,829	\$2,046,719	\$26,039,751	55,616	SF
	Campgrounds:	3	0.025	\$7,846	\$202,230	\$8,131,550	80	AC
	Trails:	27	0.046	\$993,980	\$1,198,873	\$26,333,130	497,733	LF
	Waste Water Systems:	4	0.054	\$545,496	\$579,607	\$10,792,273	210,815	GPD
	Water Systems:	3	0.008	\$9,087	\$114,620	\$15,252,797	61,962	GPD
	Unpaved Roads† :	27	0.069	\$861,668	\$1,319,090	\$19,072,853	-	-
	Paved Roads‡:	60	0.179	-	\$84,191,207	\$470,660,570	-	-
	All Other§ :	15	0.061	\$4,320	\$1,633,818	\$26,938,908	-	-
	TOTAL:	237	0.140	\$10,387,690	\$100,096,520	\$713,014,433	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CRMO Craters of the Moon National Monument and Preserve								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	25	0.036	\$90,267	\$290,583	\$8,053,502	21,559	SF	
Housing*:	5	0.085	\$64,330	\$86,264	\$1,012,424	6,063	SF	
Campgrounds:	3	0.000	\$0	\$0	\$1,507,582	12	AC	
Trails:	13	0.123	\$0	\$241,968	\$1,964,646	72,243	LF	
Waste Water Systems:	4	0.193	\$72,918	\$102,918	\$534,444	4,000	GPD	
Water Systems:	1	0.025	\$0	\$145,281	\$5,725,993	28,800	GPD	
Unpaved Roads† :	15	0.002	\$15,954	\$28,607	\$17,400,202	-	-	
Paved Roads‡:	20	0.336	-	\$5,816,803	\$17,322,589	-	-	
All Other§ :	23	0.030	\$0	\$110,815	\$3,753,618	-	-	
<b>TOTAL:</b>	<b>109</b>	<b>0.119</b>	<b>\$243,469</b>	<b>\$6,823,238</b>	<b>\$57,275,000</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CUGA Cumberland Gap National Historical Park								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	76	0.113	\$1,499,022	\$2,576,122	\$22,728,948	90,669	SF	
Housing*:	5	0.233	\$146,389	\$353,735	\$1,518,707	7,896	SF	
Campgrounds:	1	0.080	\$53,175	\$278,254	\$3,493,736	40	AC	
Trails:	32	0.083	\$679,109	\$1,225,534	\$14,784,471	331,014	LF	
Waste Water Systems:	8	0.040	\$78,098	\$78,098	\$1,954,901	18,433	GPD	
Water Systems:	5	0.192	\$0	\$387,011	\$2,013,828	9,520	GPD	
Unpaved Roads† :	12	0.016	\$46,955	\$145,325	\$8,981,059	-	-	
Paved Roads‡:	55	0.011	-	\$7,293,020	\$672,138,854	-	-	
All Other§ :	51	0.021	\$1,470,289	\$2,515,273	\$119,007,349	-	-	
<b>TOTAL:</b>	<b>245</b>	<b>0.018</b>	<b>\$3,973,036</b>	<b>\$14,852,372</b>	<b>\$846,621,852</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

CUIS		Cumberland Island National Seashore						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	59	0.058	\$1,453,956	\$3,142,249	\$54,406,769	118,223	SF
	Housing*:	10	0.008	\$139,038	\$290,532	\$35,115,112	44,591	SF
	Campgrounds:	6	0.000	\$0	\$0	\$631,436	42	AC
	Trails:	24	0.042	\$234,027	\$337,147	\$8,064,627	189,945	LF
	Waste Water Systems:	20	0.000	\$0	\$0	\$679,795	4,895	GPD
	Water Systems:	19	0.000	\$0	\$0	\$542,070	179,490	GPD
	Unpaved Roads† :	25	0.000	\$0	\$0	\$7,489,841	-	-
	Paved Roads‡:	5	0.151	-	\$168,008	\$1,115,140	-	-
	All Other§ :	53	0.059	\$871,224	\$4,161,355	\$70,954,717	-	-
	TOTAL:	221	0.045	\$2,698,245	\$8,099,292	\$178,999,505	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

CURE		Curecanti National Recreation Area						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	92	0.073	\$808,187	\$2,055,266	\$27,968,056	68,490	SF
	Housing*:	9	0.037	\$14,764	\$407,067	\$11,100,918	26,049	SF
	Campgrounds:	16	0.014	\$0	\$178,832	\$12,795,012	123	AC
	Trails:	10	0.063	\$185,055	\$236,165	\$3,762,559	62,201	LF
	Waste Water Systems:	10	0.006	\$0	\$43,032	\$7,539,422	11,750	GPD
	Water Systems:	10	0.025	\$147,197	\$181,576	\$7,354,419	13,316	GPD
	Unpaved Roads† :	43	0.139	\$776,347	\$1,057,475	\$7,581,209	-	-
	Paved Roads‡:	66	0.113	-	\$3,021,003	\$26,712,199	-	-
	All Other§ :	78	0.082	\$492,971	\$2,694,210	\$32,749,263	-	-
	TOTAL:	334	0.072	\$2,424,522	\$9,874,624	\$137,563,056	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

CUVA		Cuyahoga Valley National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	330	0.019	\$1,319,148	\$5,225,740	\$272,699,690	589,637	SF
	Housing*:	4	0.025	\$76,877	\$129,687	\$5,137,791	11,663	SF
	Campgrounds:	2	0.000	\$0	\$0	\$277,909	8	AC
	Trails:	46	0.073	\$1,094,529	\$1,765,923	\$24,144,030	493,838	LF
	Waste Water Systems:	11	0.010	\$111,105	\$161,994	\$15,896,031	44,963	GPD
	Water Systems:	7	0.000	\$0	\$0	\$2,729,151	5,372	GPD
	Unpaved Roads† :	43	0.035	\$59,472	\$387,109	\$11,010,894	-	-
	Paved Roads‡:	56	0.125	-	\$4,692,219	\$37,442,950	-	-
	All Other§ :	221	0.015	\$3,315,196	\$7,118,712	\$476,321,158	-	-
	TOTAL:	720	0.023	\$5,976,328	\$19,481,382	\$845,659,605	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

DAAV Dayton Aviation Heritage National Historical Park								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	5	0.027	\$166,894	\$639,778	\$23,858,992	42,072	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	2	0.138	\$0	\$86,521	\$628,827	-	-	
<b>TOTAL:</b>	<b>7</b>	<b>0.030</b>	<b>\$166,894</b>	<b>\$726,299</b>	<b>\$24,487,819</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

DEMO		Deshler Morris House National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.023	\$65	\$121,884	\$5,246,165	8,375	SF	
Housing*:	1	0.043	\$0	\$187,394	\$4,366,052	6,910	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	1	0.000	\$0	\$0	\$173,426	564	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.000	\$0	\$130	\$550,979	-	-	
TOTAL:	5	0.030	\$65	\$309,407	\$10,336,622	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

DENA		Denali National Park and Preserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	220	0.011	\$174,594	\$1,009,549	\$90,292,157	206,526	SF
	Housing*:	108	0.056	\$832,219	\$1,952,669	\$35,062,272	105,970	SF
	Campgrounds:	7	0.048	\$0	\$331,548	\$6,864,757	58	AC
	Trails:	48	0.144	\$1,557,764	\$2,715,083	\$18,835,403	303,515	LF
	Waste Water Systems:	12	0.150	\$235,599	\$1,671,307	\$11,168,935	65,086	GPD
	Water Systems:	12	0.147	\$125,922	\$2,259,200	\$15,369,806	66,898	GPD
	Unpaved Roads† :	79	0.158	\$3,467,349	\$12,040,671	\$76,330,126	-	-
	Paved Roads‡:	51	0.250	-	\$24,844,587	\$99,226,595	-	-
	All Other§ :	81	0.057	\$0	\$4,550,921	\$79,696,826	-	-
	TOTAL:	618	0.119	\$6,393,448	\$51,375,534	\$432,846,875	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

DEPO Devils Postpile National Monument								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	14	0.009	\$0	\$48,437	\$5,342,607	5,923	SF	
Housing*:	5	0.000	\$0	\$0	\$918,486	2,210	SF	
Campgrounds:	4	0.137	\$0	\$94,160	\$686,471	7	AC	
Trails:	10	0.174	\$0	\$231,886	\$1,329,301	28,010	LF	
Waste Water Systems:	2	0.083	\$0	\$59,932	\$719,665	4,000	GPD	
Water Systems:	1	0.129	\$227,000	\$565,064	\$4,373,167	1,500	GPD	
Unpaved Roads† :	4	0.000	\$0	\$0	\$390,024	-	-	
Paved Roads‡:	1	0.152	-	\$209,092	\$1,377,368	-	-	
All Other§ :	7	0.088	\$186,069	\$197,204	\$2,241,672	-	-	
<b>TOTAL:</b>	<b>48</b>	<b>0.081</b>	<b>\$413,069</b>	<b>\$1,405,775</b>	<b>\$17,378,761</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

DESO		De Soto National Memorial						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	4	0.020	\$19,472	\$52,602	\$2,605,265	4,820	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	1	0.041	\$0	\$7,725	\$187,308	6,500	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	1	0.000	\$0	\$0	\$74,813	-	-	
Paved Roads‡:	1	0.221	-	\$91,042	\$411,559	-	-	
All Other§ :	10	0.000	\$0	\$0	\$2,817,962	-	-	
TOTAL:	17	0.025	\$19,472	\$151,369	\$6,096,906	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

DETO		Devils Tower National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	19	0.072	\$68,937	\$363,105	\$5,033,937	16,573	SF
	Housing*:	3	0.634	\$157,632	\$634,539	\$1,001,296	6,135	SF
	Campgrounds:	2	0.005	\$0	\$15,760	\$3,474,229	225	AC
	Trails:	6	0.080	\$103,104	\$135,647	\$1,686,079	37,843	LF
	Waste Water Systems:	8	0.005	\$9,115	\$9,115	\$1,783,710	4,125	GPD
	Water Systems:	2	0.070	\$25,710	\$193,131	\$2,775,811	3,500	GPD
	Unpaved Roads† :	6	0.125	\$57,560	\$78,156	\$625,571	-	-
	Paved Roads‡:	19	0.140	-	\$2,313,324	\$16,538,523	-	-
	All Other§ :	29	0.055	\$116,227	\$216,510	\$3,941,943	-	-
	TOTAL:	94	0.107	\$538,285	\$3,959,288	\$36,861,096	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

DEVA		Death Valley National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		150	0.050	\$1,314,620	\$5,684,263	\$113,988,470	219,047	SF
Housing*:		53	0.106	\$2,515,449	\$4,011,142	\$37,680,533	104,966	SF
Campgrounds:		52	0.080	\$6,804	\$544,125	\$6,824,100	87	AC
Trails:		5	0.299	\$746,109	\$847,376	\$2,836,696	49,526	LF
Waste Water Systems:		9	0.296	\$2,621,885	\$3,464,686	\$11,685,693	84,150	GPD
Water Systems:		9	0.010	\$329,349	\$2,881,868	\$277,613,440	2,308,000	GPD
Unpaved Roads† :		152	0.005	\$0	\$407,211	\$85,099,852	-	-
Paved Roads‡:		66	0.249	-	\$140,388,383	\$563,013,276	-	-
All Other§ :		98	0.015	\$522,886	\$988,217	\$68,023,597	-	-
<b>TOTAL:</b>		<b>594</b>	<b>0.136</b>	<b>\$8,057,102</b>	<b>\$159,217,271</b>	<b>\$1,166,765,658</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

DEWA		Delaware Water Gap National Recreation Area						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	506	0.253	\$11,180,838	\$63,655,363	\$252,080,994	761,297	SF
	Housing*:	11	0.336	\$60,893	\$1,113,599	\$3,312,565	19,398	SF
	Campgrounds:	20	0.001	\$0	\$7,862	\$7,097,966	54	AC
	Trails:	52	0.032	\$167,467	\$2,381,449	\$75,008,788	850,462	LF
	Waste Water Systems:	156	0.223	\$26,659	\$3,664,005	\$16,394,281	125,093	GPD
	Water Systems:	113	0.007	\$10,282	\$66,769	\$10,037,855	53,668	GPD
	Unpaved Roads† :	150	0.134	\$1,975,783	\$6,237,793	\$46,425,795	-	-
	Paved Roads‡:	79	0.239	-	\$57,528,595	\$241,082,908	-	-
	All Other§ :	330	0.063	\$687,966	\$5,094,562	\$80,966,293	-	-
	TOTAL:	1,417	0.191	\$14,109,887	\$139,749,996	\$732,407,446	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

DINO		Dinosaur National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	78	0.037	\$29,868	\$1,071,950	\$29,312,121	87,637	SF
	Housing*:	19	0.060	\$14,683	\$301,761	\$5,028,323	31,290	SF
	Campgrounds:	37	0.048	\$0	\$405,557	\$8,446,094	71	AC
	Trails:	22	0.083	\$0	\$147,433	\$1,784,983	103,087	LF
	Waste Water Systems:	15	0.280	\$54,397	\$481,691	\$1,718,662	100,300	GPD
	Water Systems:	7	0.033	\$2,388	\$355,581	\$10,655,656	118,500	GPD
	Unpaved Roads† :	22	0.013	\$0	\$195,015	\$15,247,081	-	-
	Paved Roads‡:	58	0.276	-	\$40,529,387	\$147,073,863	-	-
	All Other§ :	105	0.033	\$0	\$887,479	\$27,297,470	-	-
	TOTAL:	363	0.180	\$101,336	\$44,375,854	\$246,564,253	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

DRTO		Dry Tortugas National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		9	0.050	\$2,104,447	\$3,803,760	\$76,222,317	13,515	SF
Housing*:		21	0.179	\$1,055,717	\$2,092,285	\$11,685,812	29,180	SF
Campgrounds:		1	0.000	\$0	\$0	\$4,844,006	29	AC
Trails:		0	0.000	\$0	\$0	\$0	0	LF
Waste Water Systems:		1	0.008	\$7,958	\$7,958	\$1,036,818	2,000	GPD
Water Systems:		5	0.096	\$18,097	\$334,156	\$3,466,009	5,060	GPD
Unpaved Roads† :		0	0.000	\$0	\$0	\$0	-	-
Paved Roads‡:		1	0.000	-	\$0	\$256,473	-	-
All Other§ :		28	0.019	\$25,821,494	\$50,623,549	\$2,730,437,394	-	-
<b>TOTAL:</b>		<b>66</b>	<b>0.020</b>	<b>\$29,007,713</b>	<b>\$56,861,708</b>	<b>\$2,827,948,829</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

EBLA		Ebeys Landing National Historic Reserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	19	0.372	\$1,776,604	\$4,857,099	\$13,053,912	35,760	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	3	0.518	\$29,570	\$160,990	\$310,724	17,671	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	14	0.311	\$102,654	\$106,425	\$342,443	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	35	0.139	\$22,526	\$914,093	\$6,594,655	-	-
	TOTAL:	71	0.297	\$1,931,354	\$6,038,608	\$20,301,735	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

EDAL		Edgar Allan Poe National Historic Site					
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:	0	0.000	\$0	\$0	\$0	0	SF
Housing*:	1	0.587	\$753,027	\$3,438,816	\$5,858,471	9,272	SF
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
Trails:	1	0.000	\$0	\$0	\$381,099	1,038	LF
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
All Other§ :	2	0.009	\$10,903	\$16,691	\$1,925,868	-	-
TOTAL:	4	0.423	\$763,930	\$3,455,507	\$8,165,439	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

EDIS		Edison National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		24	0.147	\$2,172,316	\$9,132,398	\$62,044,259	113,257	SF
Housing*:		0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:		0	0.000	\$0	\$0	\$0	0	AC
Trails:		0	0.000	\$0	\$0	\$0	0	LF
Waste Water Systems:		0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:		0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :		2	0.020	\$0	\$5,976	\$295,766	-	-
Paved Roads‡:		6	0.285	-	\$351,883	\$1,233,117	-	-
All Other§ :		7	0.052	\$335,000	\$990,084	\$18,952,087	-	-
<b>TOTAL:</b>		<b>39</b>	<b>0.127</b>	<b>\$2,507,316</b>	<b>\$10,480,341</b>	<b>\$82,525,228</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

EFMO		Effigy Mounds National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	7	0.016	\$35,189	\$108,381	\$6,793,717	20,039	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	10	0.018	\$43,659	\$54,083	\$2,997,002	50,463	LF
	Waste Water Systems:	2	0.318	\$46,069	\$46,069	\$145,019	7,800	GPD
	Water Systems:	1	0.001	\$0	\$438	\$556,879	20,000	GPD
	Unpaved Roads† :	3	0.000	\$0	\$0	\$209,872	-	-
	Paved Roads‡:	3	0.267	-	\$430,069	\$1,611,887	-	-
	All Other§ :	16	0.006	\$0	\$94,905	\$15,901,781	-	-
	TOTAL:	42	0.026	\$124,917	\$733,946	\$28,216,157	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

EISE		Eisenhower National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		45	0.226	\$977,826	\$4,852,569	\$21,501,457	88,943	SF
Housing*:		2	0.128	\$52,509	\$224,989	\$1,763,968	9,248	SF
Campgrounds:		0	0.000	\$0	\$0	\$0	0	AC
Trails:		1	1.292	\$0	\$27,755	\$21,479	1,000	LF
Waste Water Systems:		0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:		0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :		4	0.233	\$0	\$46,589	\$199,991	-	-
Paved Roads‡:		7	0.113	-	\$311,917	\$2,771,893	-	-
All Other§ :		4	0.167	\$0	\$1,040,535	\$6,217,086	-	-
TOTAL:		63	0.200	\$1,030,336	\$6,504,355	\$32,475,874	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

ELMA		El Malpais National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	14	0.014	\$0	\$126,731	\$9,130,085	21,138	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	1	0.000	\$0	\$0	\$206,730	1	AC
	Trails:	4	0.000	\$0	\$0	\$710,272	64,192	LF
	Waste Water Systems:	3	0.000	\$0	\$0	\$532,316	1,129	GPD
	Water Systems:	3	0.008	\$0	\$9,545	\$1,159,942	411	GPD
	Unpaved Roads† :	17	0.142	\$133,940	\$788,031	\$5,534,016	-	-
	Paved Roads‡:	5	0.259	-	\$727,523	\$2,810,216	-	-
	All Other§ :	8	0.000	\$0	\$0	\$1,561,776	-	-
	TOTAL:	55	0.076	\$133,940	\$1,651,830	\$21,645,353	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ELMO		El Morro National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	9	0.119	\$116,985	\$304,978	\$2,554,258	7,355	SF
	Housing*:	6	0.038	\$12,414	\$54,161	\$1,440,704	8,978	SF
	Campgrounds:	1	0.128	\$0	\$30,539	\$238,971	6	AC
	Trails:	2	0.405	\$292,389	\$377,155	\$930,950	12,144	LF
	Waste Water Systems:	1	0.127	\$39,988	\$106,045	\$838,004	1,550	GPD
	Water Systems:	1	0.037	\$0	\$11,162	\$300,272	1,035	GPD
	Unpaved Roads† :	7	0.132	\$11,750	\$108,343	\$819,470	-	-
	Paved Roads‡:	9	0.222	-	\$879,149	\$3,963,962	-	-
	All Other§ :	11	0.067	\$57,415	\$57,415	\$861,686	-	-
	TOTAL:	47	0.161	\$530,940	\$1,928,946	\$11,948,277	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ELRO Eleanor Roosevelt National Historic Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	8	0.036	\$37,233	\$915,807	\$25,218,643	21,821	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	9	0.241	\$0	\$154,267	\$638,931	11,541	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$362,104	1,000	GPD	
Water Systems:	1	0.000	\$0	\$0	\$1,211,446	1,000	GPD	
Unpaved Roads† :	7	0.555	\$174,289	\$339,731	\$611,594	-	-	
Paved Roads‡:	3	0.031	-	\$55,713	\$1,808,219	-	-	
All Other§ :	6	0.221	\$100,000	\$15,692,291	\$70,922,907	-	-	
<b>TOTAL:</b>	<b>35</b>	<b>0.170</b>	<b>\$311,521</b>	<b>\$17,157,810</b>	<b>\$100,773,843</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

EUON		Eugene O'Neill National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	9	0.005	\$25,187	\$40,630	\$8,929,294	15,350	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.000	\$0	\$0	\$146,106	1,000	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$167,656	100	GPD
	Water Systems:	3	0.000	\$0	\$0	\$1,340,519	4,767	GPD
	Unpaved Roads† :	1	0.000	\$0	\$0	\$27,000	-	-
	Paved Roads‡:	5	0.331	-	\$711,550	\$2,147,557	-	-
	All Other§ :	5	0.069	\$2,900	\$136,188	\$1,978,075	-	-
	TOTAL:	25	0.060	\$28,087	\$888,367	\$14,736,206	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

EVER		Everglades National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	147	0.070	\$2,260,717	\$7,838,805	\$111,796,043	273,812	SF
	Housing*:	37	0.072	\$180,953	\$1,595,959	\$22,168,315	78,268	SF
	Campgrounds:	35	0.003	\$0	\$69,535	\$24,521,446	125	AC
	Trails:	36	0.052	\$698,038	\$1,328,992	\$25,599,202	768,034	LF
	Waste Water Systems:	15	0.009	\$21,312	\$192,601	\$21,012,527	198,800	GPD
	Water Systems:	20	0.020	\$60,535	\$608,115	\$29,929,964	286,000	GPD
	Unpaved Roads† :	26	0.142	\$6,217,778	\$12,431,592	\$87,261,924	-	-
	Paved Roads‡:	81	0.110	-	\$24,291,012	\$219,843,001	-	-
	All Other§ :	468	0.028	\$6,033,832	\$10,511,017	\$370,794,903	-	-
	TOTAL:	865	0.064	\$15,473,165	\$58,867,629	\$912,927,324	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FAIR Fairbanks Interagency Visitors Center								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.000	\$0	\$0	\$9,431,231	14,554	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	0	0.000	\$0	\$0	\$0	-	-	
<b>TOTAL:</b>	<b>1</b>	<b>0.000</b>	<b>\$0</b>	<b>\$0</b>	<b>\$9,431,231</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FEHA		Federal Hall National Memorial						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.055	\$390,431	\$2,899,062	\$53,001,744	45,000	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.000	\$0	\$0	\$3,679,588	-	-	
TOTAL:	2	0.051	\$390,431	\$2,899,062	\$56,681,333	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FIIS		Fire Island National Seashore						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	80	0.075	\$1,263,949	\$5,885,666	\$78,842,828	83,438	SF
	Housing*:	18	0.209	\$349,715	\$1,139,546	\$5,462,934	25,103	SF
	Campgrounds:	1	0.000	\$0	\$0	\$810,774	1	AC
	Trails:	64	0.003	\$0	\$55,178	\$18,097,866	90,556	LF
	Waste Water Systems:	8	0.030	\$56,388	\$122,332	\$4,123,588	2,102	GPD
	Water Systems:	6	0.053	\$0	\$137,532	\$2,578,882	2,100	GPD
	Unpaved Roads† :	46	0.007	\$0	\$69,379	\$9,348,335	-	-
	Paved Roads‡:	7	0.279	-	\$1,176,642	\$4,218,791	-	-
	All Other§ :	38	0.021	\$106,470	\$5,463,493	\$259,259,331	-	-
	TOTAL:	268	0.037	\$1,776,522	\$14,049,768	\$382,743,330	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

FILA		First Ladies National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.008	\$146,728	\$210,505	\$27,101,659	37,357	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	1	0.033	-	\$11,614	\$348,197	-	-	
All Other§ :	1	0.000	\$0	\$0	\$9,705	-	-	
TOTAL:	4	0.008	\$146,728	\$222,119	\$27,459,561	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FLAG		Flagstaff Areas						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	<b>Buildings:</b>	1	0.000	\$0	\$0	\$0	8,250	SF
	<b>Housing*:</b>	0	0.000	\$0	\$0	\$0	0	SF
	<b>Campgrounds:</b>	0	0.000	\$0	\$0	\$0	0	AC
	<b>Trails:</b>	0	0.000	\$0	\$0	\$0	0	LF
	<b>Waste Water Systems:</b>	0	0.000	\$0	\$0	\$0	0	GPD
	<b>Water Systems:</b>	0	0.000	\$0	\$0	\$0	0	GPD
	<b>Unpaved Roads† :</b>	0	0.000	\$0	\$0	\$0	-	-
	<b>Paved Roads‡:</b>	0	0.000	-	\$0	\$0	-	-
	<b>All Other§ :</b>	1	0.000	\$0	\$0	\$481,713	-	-
	<b>TOTAL:</b>	2	0.000	\$0	\$0	\$481,713	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FLFO		Florissant Fossil Beds National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	20	0.043	\$105,174	\$430,330	\$10,037,889	29,461	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	11	0.180	\$0	\$348,150	\$1,935,875	74,900	LF
	Waste Water Systems:	3	0.001	\$0	\$1,114	\$1,068,290	675	GPD
	Water Systems:	3	0.003	\$0	\$4,537	\$1,360,580	675	GPD
	Unpaved Roads† :	4	0.827	\$25,959	\$454,126	\$549,292	-	-
	Paved Roads‡:	3	0.395	-	\$1,597,656	\$4,041,001	-	-
	All Other§ :	11	0.525	\$0	\$420,655	\$800,761	-	-
	TOTAL:	55	0.165	\$131,133	\$3,256,567	\$19,793,688	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FLNI		Flight 93 National Memorial						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	9	0.138	\$0	\$607,857	\$4,409,035	16,293	SF
	Housing*:	1	0.118	\$0	\$31,614	\$267,520	1,750	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$534,234	1	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	3	0.041	\$200,750	\$242,663	\$5,903,234	-	-
	Paved Roads‡:	8	0.000	-	\$0	\$88,596,804	-	-
	All Other§ :	7	0.002	\$0	\$325,631	\$197,375,704	-	-
	TOTAL:	29	0.004	\$200,750	\$1,207,764	\$297,086,531	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOBO		Fort Bowie National Historic Site					
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:	5	0.069	\$0	\$115,559	\$1,681,867	5,510	SF
Housing*:	3	0.023	\$0	\$11,306	\$492,548	2,941	SF
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
Trails:	6	0.053	\$51,900	\$84,119	\$1,575,576	38,061	LF
Waste Water Systems:	1	0.000	\$0	\$0	\$415,574	3,000	GPD
Water Systems:	2	1.212	\$262,844	\$476,404	\$393,178	5,594	GPD
Unpaved Roads† :	4	0.270	\$0	\$164,392	\$609,304	-	-
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
All Other§ :	91	0.022	\$45,715	\$168,510	\$7,588,299	-	-
TOTAL:	112	0.080	\$360,459	\$1,020,290	\$12,756,347	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOBU		Fossil Butte National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	9	0.073	\$43,287	\$362,258	\$4,946,023	9,431	SF
	Housing*:	1	0.000	\$0	\$0	\$665,964	3,888	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.385	\$15,767	\$215,825	\$560,481	20,010	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$341,279	3,333	GPD
	Water Systems:	3	0.020	\$0	\$104,265	\$5,228,275	5,380	GPD
	Unpaved Roads† :	5	0.338	\$576,888	\$948,606	\$2,803,950	-	-
	Paved Roads‡:	7	0.270	-	\$2,220,547	\$8,234,328	-	-
	All Other§ :	14	0.044	\$225,237	\$261,738	\$5,991,237	-	-
	TOTAL:	43	0.143	\$861,179	\$4,113,238	\$28,771,538	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FODA		Fort Davis National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	35	0.020	\$147,723	\$549,911	\$28,088,819	60,610	SF
	Housing*:	1	0.028	\$13,651	\$13,651	\$488,139	3,900	SF
	Campgrounds:	1	0.000	\$0	\$0	\$124,392	1	AC
	Trails:	4	0.057	\$36,562	\$36,562	\$639,504	24,683	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$247,322	2,010	GPD
	Water Systems:	2	0.000	\$0	\$0	\$2,343,390	2,355	GPD
	Unpaved Roads† :	12	0.000	\$0	\$0	\$1,433,514	-	-
	Paved Roads‡:	6	0.131	-	\$254,144	\$1,941,799	-	-
	All Other§ :	118	0.018	\$106,901	\$284,788	\$16,141,411	-	-
	TOTAL:	181	0.022	\$304,837	\$1,139,056	\$51,448,291	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FODO		Fort Donelson National Battlefield						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	21	0.016	\$76,661	\$184,617	\$11,282,944	28,621	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	1	0.013	\$0	\$2,274	\$175,160	2	AC
	Trails:	3	0.079	\$18,363	\$75,444	\$949,225	33,656	LF
	Waste Water Systems:	4	0.000	\$0	\$0	\$291,445	3,100	GPD
	Water Systems:	7	0.000	\$0	\$0	\$506,122	2,050	GPD
	Unpaved Roads† :	9	0.115	\$0	\$80,063	\$699,016	-	-
	Paved Roads‡:	27	0.270	-	\$3,866,125	\$14,325,009	-	-
	All Other§ :	35	0.013	\$31,118	\$1,408,327	\$106,870,740	-	-
	TOTAL:	107	0.042	\$126,142	\$5,616,851	\$135,099,660	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

FOFR		Fort Frederica National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	13	0.161	\$52,143	\$602,850	\$3,738,792	12,969	SF
	Housing*:	2	0.064	\$36,036	\$52,106	\$819,926	4,148	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$356,454	750	GPD
	Water Systems:	1	0.000	\$0	\$0	\$590,714	200	GPD
	Unpaved Roads† :	2	0.000	\$0	\$0	\$104,473	-	-
	Paved Roads‡:	5	0.275	-	\$270,474	\$985,286	-	-
	All Other§ :	25	0.081	\$101,500	\$1,054,136	\$13,060,900	-	-
	TOTAL:	49	0.101	\$189,680	\$1,979,566	\$19,656,546	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOLA		Fort Laramie National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	27	0.061	\$550,749	\$1,541,153	\$25,451,044	60,041	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.561	\$0	\$39,613	\$70,600	11,954	LF
	Waste Water Systems:	2	0.091	\$22,246	\$22,246	\$243,709	3,510	GPD
	Water Systems:	3	0.417	\$445,913	\$667,843	\$1,603,059	10,905	GPD
	Unpaved Roads† :	4	0.014	\$0	\$53,445	\$3,757,329	-	-
	Paved Roads‡:	8	0.133	-	\$808,781	\$6,098,829	-	-
	All Other§ :	33	0.015	\$28,946	\$127,104	\$8,309,969	-	-
	TOTAL:	79	0.072	\$1,047,853	\$3,260,185	\$45,534,540	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOLS		Fort Larned National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	13	0.046	\$539,476	\$877,938	\$18,922,559	49,797	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.057	\$161	\$3,416	\$60,396	1,776	LF
	Waste Water Systems:	5	0.000	\$0	\$0	\$214,460	5,000	GPD
	Water Systems:	3	0.012	\$20,428	\$20,428	\$1,693,535	3,500	GPD
	Unpaved Roads† :	4	0.177	\$3,458	\$89,307	\$505,251	-	-
	Paved Roads‡:	2	0.079	-	\$46,525	\$588,036	-	-
	All Other§ :	16	0.000	\$5,877	\$39,859	\$93,062,127	-	-
	TOTAL:	44	0.009	\$569,399	\$1,077,474	\$115,046,363	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOMC		Fort McHenry National Monument and Historic Shrine						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.026	\$0	\$975,471	\$36,891,834	49,596	SF
	Housing*:	1	0.000	\$0	\$0	\$1,310,208	2,490	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.000	\$0	\$0	\$352,786	4,050	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	3	0.000	\$0	\$0	\$1,192,920	-	-
	Paved Roads‡:	5	0.368	-	\$1,342,945	\$3,650,468	-	-
	All Other§ :	27	0.011	\$91,446	\$1,672,787	\$151,750,042	-	-
	TOTAL:	47	0.020	\$91,446	\$3,991,204	\$195,148,258	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOMR		Fort Monroe National Historic Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	3	0.026	\$28,325	\$351,800	\$13,596,980	0	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	1	0.000	\$0	\$0	\$37,683	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	8	0.007	\$95,899	\$1,118,227	\$159,660,103	-	-
	TOTAL:	12	0.008	\$124,224	\$1,470,028	\$173,294,766	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FONE		Fort Necessity National Battlefield						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	19	0.032	\$594,154	\$1,555,594	\$48,948,186	46,674	SF
	Housing*:	1	0.145	\$132,836	\$237,517	\$1,632,968	4,400	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	9	0.232	\$111,662	\$367,285	\$1,581,160	50,556	LF
	Waste Water Systems:	1	0.007	\$0	\$4,135	\$562,044	500	GPD
	Water Systems:	1	0.203	\$27,662	\$448,788	\$2,206,997	3,000	GPD
	Unpaved Roads† :	14	0.048	\$390,351	\$550,932	\$11,485,687	-	-
	Paved Roads‡:	15	0.495	-	\$2,152,890	\$4,349,427	-	-
	All Other§ :	24	0.094	\$175,274	\$1,488,630	\$15,759,360	-	-
	TOTAL:	84	0.079	\$1,431,939	\$6,805,772	\$86,525,829	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOPO		Fort Point National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	2	0.086	\$0	\$52,180	\$610,057	986	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	6	0.200	\$0	\$614,941	\$3,078,806	8,523	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$492,886	3,000	GPD
	Water Systems:	1	0.297	\$0	\$271,732	\$915,663	88,000	GPD
	Unpaved Roads† :	2	0.462	\$0	\$213,345	\$461,766	-	-
	Paved Roads‡:	5	0.640	-	\$1,794,872	\$2,806,124	-	-
	All Other§ :	3	0.037	\$5,857,171	\$7,485,369	\$204,924,218	-	-
	TOTAL:	20	0.049	\$5,857,171	\$10,432,439	\$213,289,520	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOPU		Fort Pulaski National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		12	0.125	\$87,078	\$1,245,777	\$10,001,378	15,440	SF
Housing*:		0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:		1	0.044	\$0	\$9,140	\$206,227	2	AC
Trails:		3	0.182	\$0	\$89,833	\$494,139	9,060	LF
Waste Water Systems:		7	0.000	\$0	\$0	\$399,544	2,700	GPD
Water Systems:		3	0.005	\$0	\$4,219	\$851,744	28,000	GPD
Unpaved Roads† :		3	0.016	\$0	\$29,666	\$1,834,219	-	-
Paved Roads‡:		10	0.829	-	\$11,363,278	\$13,706,740	-	-
All Other§ :		35	0.004	\$315,431	\$3,929,619	\$933,213,396	-	-
<b>TOTAL:</b>		<b>74</b>	<b>0.017</b>	<b>\$402,510</b>	<b>\$16,671,530</b>	<b>\$960,707,387</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

FOSC		Fort Scott National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	19	0.025	\$656,669	\$1,260,098	\$50,681,621	69,700	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	3	0.035	\$33,874	\$33,874	\$969,124	7,520	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	1	0.000	\$0	\$0	\$785,030	366	GPD
	Unpaved Roads† :	2	0.000	\$0	\$0	\$505,411	-	-
	Paved Roads‡:	4	0.060	-	\$97,615	\$1,629,963	-	-
	All Other§ :	10	0.121	\$72,985	\$440,077	\$3,633,720	-	-
	TOTAL:	39	0.031	\$763,527	\$1,831,663	\$58,204,869	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOSM		Fort Smith National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	4	0.096	\$601,884	\$3,673,609	\$38,398,940	69,440	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.160	\$0	\$69,897	\$437,547	3,450	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	8	0.027	-	\$87,085	\$3,210,024	-	-
	All Other§ :	8	0.003	\$12,522	\$103,761	\$31,943,363	-	-
	TOTAL:	21	0.053	\$614,407	\$3,934,352	\$73,989,873	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOST		Fort Stanwix National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	14	0.068	\$176,285	\$1,388,359	\$20,364,129	35,690	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.197	\$0	\$134,451	\$680,770	5,121	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	1	0.000	\$0	\$0	\$139,089	1	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	1	0.761	-	\$225,304	\$295,981	-	-
	All Other§ :	27	0.001	\$22,773	\$757,712	\$978,494,386	-	-
	TOTAL:	45	0.003	\$199,058	\$2,505,826	\$999,974,356	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOSU		Fort Sumter National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	11	0.010	\$118,813	\$262,750	\$25,073,839	36,323	SF
	Housing*:	1	0.044	\$59,453	\$103,694	\$2,367,132	3,791	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	1	0.056	\$0	\$45,396	\$809,544	32,500	GPD
	Unpaved Roads† :	2	0.008	\$0	\$688	\$84,856	-	-
	Paved Roads‡:	5	0.274	-	\$1,025,674	\$3,749,709	-	-
	All Other§ :	30	0.015	\$9,428,036	\$23,523,485	\$1,552,773,184	-	-
	TOTAL:	50	0.016	\$9,606,302	\$24,961,686	\$1,584,858,263	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOTH		Fords Theatre National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.103	\$648,468	\$2,361,148	\$22,903,546	45,325	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.000	\$0	\$0	\$16,318	-	-	
TOTAL:	3	0.103	\$648,468	\$2,361,148	\$22,919,864	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOUN		Fort Union National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	8	0.010	\$9,757	\$49,380	\$5,042,001	13,717	SF
	Housing*:	3	0.002	\$0	\$2,291	\$1,104,836	5,635	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.208	\$51,501	\$67,807	\$325,587	8,200	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$780,933	500	GPD
	Water Systems:	1	0.012	\$0	\$15,359	\$1,287,957	500	GPD
	Unpaved Roads† :	4	0.000	\$0	\$0	\$1,747,685	-	-
	Paved Roads‡:	5	0.064	-	\$138,317	\$2,170,085	-	-
	All Other§ :	108	0.018	\$71,777	\$1,092,496	\$60,748,028	-	-
	TOTAL:	132	0.019	\$133,035	\$1,365,649	\$73,207,111	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOUS		Fort Union Trading Post National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	6	0.049	\$60,288	\$185,905	\$3,831,605	11,341	SF
	Housing*:	3	0.078	\$26,133	\$62,650	\$802,357	5,592	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.000	\$0	\$0	\$99,951	4,940	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$372,103	2,000	GPD
	Water Systems:	1	0.000	\$0	\$0	\$584,534	400	GPD
	Unpaved Roads† :	6	0.017	\$1,980	\$1,980	\$117,419	-	-
	Paved Roads‡:	5	0.321	-	\$580,708	\$1,811,216	-	-
	All Other§ :	5	0.010	\$42,227	\$109,270	\$10,422,417	-	-
	TOTAL:	29	0.052	\$130,628	\$940,513	\$18,041,602	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FOVA		Fort Vancouver National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	55	0.119	\$4,367,163	\$14,468,381	\$121,370,132	315,286	SF
	Housing*:	1	0.446	\$51,288	\$125,925	\$282,090	1,800	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	3	0.019	\$48,214	\$48,214	\$2,477,045	12,833	LF
	Waste Water Systems:	3	0.466	\$1,885,475	\$1,885,475	\$4,048,202	1	GPD
	Water Systems:	2	0.492	\$1,637,498	\$1,637,498	\$3,325,205	5,000	GPD
	Unpaved Roads† :	12	0.136	\$504,405	\$1,313,040	\$9,685,305	-	-
	Paved Roads‡:	7	0.238	-	\$836,178	\$3,510,421	-	-
	All Other§ :	17	0.022	\$1,540,080	\$1,697,947	\$78,303,493	-	-
	TOTAL:	100	0.099	\$10,034,124	\$22,012,659	\$223,001,894	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

FRHI		Friendship Hill National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	8	0.059	\$529,190	\$1,632,053	\$27,719,253	40,800	SF
	Housing*:	1	0.052	\$34,341	\$36,098	\$694,572	1,740	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.293	\$0	\$292,207	\$998,997	48,840	LF
	Waste Water Systems:	1	0.010	\$0	\$5,894	\$562,044	500	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	12	0.147	\$190,163	\$327,647	\$2,223,372	-	-
	Paved Roads‡:	4	0.505	-	\$1,159,041	\$2,296,484	-	-
	All Other§ :	20	0.138	\$245,742	\$2,439,554	\$17,646,993	-	-
	TOTAL:	48	0.113	\$999,436	\$5,892,493	\$52,141,716	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FRLA		Frederick Law Olmsted National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	5	0.059	\$1,071,584	\$2,004,827	\$33,936,258	24,506	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.206	\$145,471	\$521,822	\$2,535,150	-	-	
TOTAL:	6	0.069	\$1,217,055	\$2,526,649	\$36,471,408	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FRSP		Fredericksburg and Spotsylvania Battlefields Mem NMP						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	63	0.075	\$151,072	\$2,122,177	\$28,176,104	125,521	SF	
Housing*:	7	0.099	\$0	\$206,776	\$2,085,478	16,777	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	25	0.004	\$0	\$12,132	\$3,078,245	117,463	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	3	0.000	\$0	\$0	\$1,662,504	1,300	GPD	
Unpaved Roads† :	19	0.238	\$18,716	\$428,049	\$1,798,314	-	-	
Paved Roads‡:	72	0.126	-	\$6,278,805	\$49,974,799	-	-	
All Other§ :	153	0.027	\$224,000	\$2,183,629	\$80,248,429	-	-	
TOTAL:	342	0.067	\$393,788	\$11,231,568	\$167,023,873	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

FRST		First State National Monument					
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:	0	0.000	\$0	\$0	\$0	0	SF
Housing*:	0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
Trails:	0	0.000	\$0	\$0	\$0	0	LF
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
All Other§ :	1	0.000	\$0	\$0	\$22,751	-	-
TOTAL:	1	0.000	\$0	\$0	\$22,751	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GAAR Gates of the Arctic National Park and Preserve								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	27	0.009	\$15,282	\$110,770	\$12,330,993	23,780	SF	
Housing*:	14	0.160	\$130,730	\$760,033	\$4,746,176	17,019	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	7	0.000	\$0	\$0	\$2,531,745	11,546	GPD	
Water Systems:	7	0.001	\$0	\$5,842	\$4,336,500	29,012	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	30	0.001	\$0	\$11,227	\$7,960,166	-	-	
<b>TOTAL:</b>	<b>85</b>	<b>0.028</b>	<b>\$146,011</b>	<b>\$887,872</b>	<b>\$31,905,580</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GARI		Gauley River National Recreation Area						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.016	\$0	\$43,836	\$2,690,718	5,153	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	2	0.000	\$0	\$0	\$469,235	10	AC
	Trails:	3	0.555	\$0	\$308,493	\$555,824	73,992	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$70,594	500	GPD
	Water Systems:	1	0.000	\$0	\$0	\$261,936	5,000	GPD
	Unpaved Roads† :	22	0.013	\$16,472	\$430,400	\$33,707,277	-	-
	Paved Roads‡:	2	0.093	-	\$561,399	\$6,066,552	-	-
	All Other§ :	11	0.027	\$534,109	\$534,645	\$19,488,701	-	-
	TOTAL:	52	0.030	\$550,581	\$1,878,773	\$63,310,837	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GATE		Gateway National Recreation Area						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		514	0.160	\$28,054,541	\$170,088,236	\$1,065,626,885	2,533,657	SF
Housing*:		72	0.208	\$4,710,443	\$12,911,367	\$62,108,084	253,090	SF
Campgrounds:		3	0.141	\$522	\$168,453	\$1,198,493	8	AC
Trails:		56	0.143	\$2,298,006	\$6,948,511	\$48,604,826	241,137	LF
Waste Water Systems:		14	0.037	\$345,982	\$5,636,734	\$154,160,413	653,004	GPD
Water Systems:		14	0.010	\$0	\$1,047,516	\$100,571,565	1,089,800	GPD
Unpaved Roads† :		63	0.056	\$2,967,619	\$5,953,871	\$106,717,085	-	-
Paved Roads‡:		230	0.496	-	\$434,850,307	\$876,887,441	-	-
All Other§ :		175	0.015	\$24,367,786	\$78,035,824	\$5,200,195,543	-	-
<b>TOTAL:</b>		<b>1,141</b>	<b>0.094</b>	<b>\$62,744,900</b>	<b>\$715,640,819</b>	<b>\$7,616,070,335</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GEGR		General Grant National Memorial						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.006	\$0	\$95,906	\$14,964,086	15,365	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.052	\$0	\$636,449	\$12,259,078	-	-	
TOTAL:	3	0.027	\$0	\$732,355	\$27,223,164	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

GERO		George Rogers Clark National Historical Park						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	3	0.051	\$1,071,405	\$1,224,676	\$24,208,706	40,709	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	4	1.502	-	\$1,242,713	\$827,592	-	-	
All Other§ :	5	0.027	\$216,240	\$612,473	\$22,890,716	-	-	
TOTAL:	12	0.064	\$1,287,645	\$3,079,862	\$47,927,013	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GETT		Gettysburg National Military Park						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	109	0.050	\$2,585,445	\$7,816,182	\$157,151,334	439,949	SF	
Housing*:	19	0.222	\$1,340,020	\$2,977,997	\$13,424,476	61,742	SF	
Campgrounds:	1	0.240	\$0	\$67,989	\$283,355	3	AC	
Trails:	11	0.155	\$0	\$496,742	\$3,213,681	70,890	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	1	0.365	\$678,188	\$3,173,162	\$8,704,880	12,783	GPD	
Unpaved Roads† :	13	0.064	\$0	\$99,457	\$1,558,729	-	-	
Paved Roads‡:	76	0.254	-	\$19,423,902	\$76,550,554	-	-	
All Other§ :	36	0.011	\$1,770,932	\$14,815,846	\$1,378,385,012	-	-	
TOTAL:	266	0.030	\$6,374,586	\$48,871,278	\$1,639,272,022	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GEWA		George Washington Birthplace National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	26	0.015	\$26,134	\$181,925	\$11,893,615	48,264	SF
	Housing*:	2	0.032	\$33,081	\$101,621	\$3,150,476	5,045	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.000	\$0	\$0	\$1,682,241	19,458	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$1,558,241	10,500	GPD
	Water Systems:	2	0.000	\$0	\$0	\$11,012,489	65,500	GPD
	Unpaved Roads† :	7	0.000	\$0	\$0	\$761,966	-	-
	Paved Roads‡:	10	0.021	-	\$151,228	\$7,104,948	-	-
	All Other§ :	18	0.001	\$9,765	\$9,765	\$12,617,561	-	-
	TOTAL:	68	0.009	\$68,980	\$444,539	\$49,781,536	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GICL Gila Cliff Dwellings National Monument								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
<b>Buildings:</b>	16	0.166	\$204,626	\$785,114	\$4,729,722	16,333	SF	
<b>Housing*:</b>	0	0.000	\$0	\$0	\$0	0	SF	
<b>Campgrounds:</b>	0	0.000	\$0	\$0	\$0	0	AC	
<b>Trails:</b>	1	0.060	\$15,784	\$60,655	\$1,011,832	5,280	LF	
<b>Waste Water Systems:</b>	1	0.026	\$0	\$55,990	\$2,185,283	3,000	GPD	
<b>Water Systems:</b>	1	0.105	\$0	\$139,973	\$1,336,425	3,000	GPD	
<b>Unpaved Roads† :</b>	12	0.048	\$0	\$88,335	\$1,854,866	-	-	
<b>Paved Roads‡:</b>	11	0.165	-	\$924,194	\$5,608,977	-	-	
<b>All Other§ :</b>	4	0.096	\$0	\$155,637	\$1,619,361	-	-	
<b>TOTAL:</b>	46	0.120	\$220,410	\$2,209,897	\$18,346,465	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GLAC		Glacier National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	571	0.091	\$11,135,800	\$27,623,825	\$303,839,460	707,224	SF
	Housing*:	119	0.211	\$2,847,040	\$7,754,620	\$36,835,159	176,602	SF
	Campgrounds:	76	0.119	\$134,429	\$3,746,160	\$31,504,401	314	AC
	Trails:	161	0.193	\$5,276,197	\$13,575,815	\$70,339,053	3,963,372	LF
	Waste Water Systems:	30	0.047	\$3,190,845	\$3,948,413	\$84,797,864	941,450	GPD
	Water Systems:	29	0.098	\$1,446,516	\$3,430,830	\$34,881,497	876,965	GPD
	Unpaved Roads† :	78	0.002	\$18,478	\$101,270	\$42,937,244	-	-
	Paved Roads‡:	242	0.141	-	\$115,452,075	\$818,876,036	-	-
	All Other§ :	228	0.063	\$331,905	\$2,884,035	\$45,842,002	-	-
	TOTAL:	1,534	0.121	\$24,381,210	\$178,517,042	\$1,469,852,716	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GLBA		Glacier Bay National Park & Preserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	125	0.080	\$1,860,460	\$3,780,046	\$47,231,440	120,144	SF
	Housing*:	18	0.026	\$33,188	\$223,679	\$8,720,661	29,360	SF
	Campgrounds:	3	0.196	\$0	\$300,110	\$1,532,277	23	AC
	Trails:	44	0.018	\$538,221	\$653,330	\$35,406,777	528,215	LF
	Waste Water Systems:	7	0.022	\$186,950	\$253,098	\$11,558,497	51,361	GPD
	Water Systems:	7	0.011	\$144,684	\$347,926	\$31,449,937	36,982	GPD
	Unpaved Roads† :	11	0.319	\$391,908	\$544,539	\$1,709,291	-	-
	Paved Roads‡:	7	0.266	-	\$5,148,236	\$19,387,846	-	-
	All Other§ :	59	0.022	\$893,147	\$1,282,713	\$58,763,591	-	-
	TOTAL:	281	0.058	\$4,048,558	\$12,533,675	\$215,760,317	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GLCA		Glen Canyon National Recreation Area						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	288	0.039	\$470,527	\$7,929,738	\$201,209,660	698,299	SF
	Housing*:	62	0.204	\$1,447,719	\$3,535,878	\$17,322,779	100,587	SF
	Campgrounds:	11	0.012	\$0	\$619,497	\$50,482,852	178	AC
	Trails:	18	0.033	\$0	\$111,116	\$3,415,849	61,143	LF
	Waste Water Systems:	8	0.108	\$800,033	\$3,388,608	\$31,326,679	323,498	GPD
	Water Systems:	8	0.022	\$285,368	\$3,300,149	\$150,750,424	1,268,276	GPD
	Unpaved Roads† :	149	0.011	\$550,918	\$1,891,730	\$168,704,350	-	-
	Paved Roads‡:	160	0.383	-	\$71,864,664	\$187,470,301	-	-
	All Other§ :	53	0.017	\$1,387,481	\$4,667,752	\$272,162,250	-	-
	TOTAL:	757	0.090	\$4,942,046	\$97,309,134	\$1,082,845,143	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GLDE		Gloria Dei Church National Historic Site					
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:	0	0.000	\$0	\$0	\$0	0	SF
Housing*:	0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
Trails:	1	0.850	\$903,308	\$903,308	\$1,062,438	2,758	LF
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
All Other§ :	1	0.328	\$593,957	\$1,079,283	\$3,290,909	-	-
TOTAL:	2	0.455	\$1,497,266	\$1,982,591	\$4,353,347	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

GOGA		Golden Gate National Recreation Area						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	410	0.107	\$36,555,064	\$105,939,631	\$992,611,533	1,685,635	SF	
Housing*:	64	0.057	\$818,343	\$1,735,728	\$30,696,709	83,886	SF	
Campgrounds:	4	0.119	\$0	\$76,003	\$637,010	4	AC	
Trails:	119	0.149	\$1,326,857	\$17,583,938	\$117,896,721	391,998	LF	
Waste Water Systems:	14	0.522	\$5,747,660	\$8,561,414	\$16,394,329	1,327,820	GPD	
Water Systems:	16	0.325	\$918,902	\$9,761,878	\$30,069,922	1,122,521	GPD	
Unpaved Roads† :	53	0.108	\$1,155,801	\$3,165,875	\$29,203,968	-	-	
Paved Roads‡:	139	0.183	-	\$57,350,395	\$313,242,229	-	-	
All Other§ :	227	0.011	\$10,614,242	\$28,625,255	\$2,605,314,074	-	-	
TOTAL:	1,046	0.056	\$57,136,869	\$232,800,118	\$4,136,066,495	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GOIS Governors Island National Monument								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
<b>Buildings:</b>	22	0.054	\$1,949,200	\$3,111,401	\$57,359,317	142,179	SF	
<b>Housing*:</b>	0	0.000	\$0	\$0	\$0	0	SF	
<b>Campgrounds:</b>	0	0.000	\$0	\$0	\$0	0	AC	
<b>Trails:</b>	0	0.000	\$0	\$0	\$0	0	LF	
<b>Waste Water Systems:</b>	0	0.000	\$0	\$0	\$0	0	GPD	
<b>Water Systems:</b>	0	0.000	\$0	\$0	\$0	0	GPD	
<b>Unpaved Roads† :</b>	1	0.395	\$309,036	\$309,036	\$783,344	-	-	
<b>Paved Roads‡:</b>	5	0.136	-	\$364,085	\$2,683,212	-	-	
<b>All Other§ :</b>	8	0.032	\$1,382,907	\$3,168,997	\$99,888,833	-	-	
<b>TOTAL:</b>	36	0.043	\$3,641,142	\$6,953,518	\$160,714,705	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GOSP		Golden Spike National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	8	0.028	\$0	\$233,920	\$8,410,669	17,505	SF
	Housing*:	1	0.217	\$0	\$39,930	\$183,843	1,362	SF
	Campgrounds:	1	0.000	\$0	\$0	\$257,416	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	2	0.040	\$5,547	\$13,501	\$337,076	8,332	GPD
	Water Systems:	1	0.004	\$0	\$7,971	\$2,068,137	36,000	GPD
	Unpaved Roads† :	11	0.107	\$95,646	\$465,008	\$4,350,958	-	-
	Paved Roads‡:	3	0.163	-	\$348,882	\$2,135,102	-	-
	All Other§ :	14	0.016	\$498,424	\$2,221,935	\$136,854,599	-	-
	TOTAL:	41	0.022	\$599,617	\$3,331,147	\$154,597,800	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GRBA		Great Basin National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		84	0.149	\$47,797	\$3,084,127	\$20,748,496	43,054	SF
Housing*:		16	0.102	\$58,303	\$340,571	\$3,329,473	21,189	SF
Campgrounds:		10	0.165	\$58,989	\$1,068,748	\$6,474,295	86	AC
Trails:		32	0.187	\$772,326	\$2,205,252	\$11,782,080	333,107	LF
Waste Water Systems:		2	0.499	\$0	\$833,169	\$1,669,128	49,200	GPD
Water Systems:		4	0.089	\$40,721	\$704,033	\$7,870,480	129,600	GPD
Unpaved Roads† :		39	0.091	\$327,883	\$1,842,649	\$20,336,568	-	-
Paved Roads‡:		19	0.222	-	\$9,192,257	\$41,415,884	-	-
All Other§ :		28	0.045	\$0	\$310,370	\$6,913,041	-	-
<b>TOTAL:</b>		<b>234</b>	<b>0.162</b>	<b>\$1,306,019</b>	<b>\$19,581,176</b>	<b>\$120,539,444</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GRCA		Grand Canyon National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	872	0.022	\$2,615,480	\$17,471,424	\$793,822,228	1,777,639	SF
	Housing*:	338	0.061	\$134,019	\$5,289,261	\$87,273,465	457,562	SF
	Campgrounds:	9	0.057	\$463	\$1,717,663	\$30,136,722	208	AC
	Trails:	84	0.227	\$10,973,232	\$44,716,757	\$196,992,210	3,142,728	LF
	Waste Water Systems:	15	0.128	\$1,054,230	\$23,074,111	\$180,579,229	329,463	GPD
	Water Systems:	3	0.174	\$56,137,987	\$100,175,873	\$577,017,680	1,950,200	GPD
	Unpaved Roads† :	79	0.075	\$34,912	\$3,580,609	\$47,786,759	-	-
	Paved Roads‡:	212	0.274	-	\$116,338,782	\$424,198,014	-	-
	All Other§ :	236	0.064	\$395,830	\$17,093,688	\$266,613,865	-	-
	TOTAL:	1,848	0.126	\$71,346,153	\$329,458,168	\$2,604,420,172	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GRKO		Grant-Kohrs Ranch National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	65	0.097	\$10,600	\$3,152,877	\$32,613,857	84,472	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.000	\$0	\$0	\$183,930	1,200	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	2	0.000	\$0	\$0	\$25,834	200	GPD
	Unpaved Roads† :	4	0.000	\$0	\$0	\$2,224,834	-	-
	Paved Roads‡:	4	0.164	-	\$242,358	\$1,473,544	-	-
	All Other§ :	17	0.002	\$53,489	\$497,990	\$200,369,200	-	-
	TOTAL:	93	0.016	\$64,089	\$3,893,225	\$236,891,199	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GRON		Great Onyx Job Corp Civ Cons, Center (SE)						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	0	0.000	\$0	\$0	\$0	0	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.000	\$0	\$0	\$0	-	-	
TOTAL:	1	0.000	\$0	\$0	\$0	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GRPO		Grand Portage National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	17	0.038	\$507,024	\$735,228	\$19,416,712	30,434	SF
	Housing*:	2	0.003	\$2,400	\$4,404	\$1,506,080	5,398	SF
	Campgrounds:	1	0.000	\$0	\$0	\$85,708	1	AC
	Trails:	6	0.106	\$301,525	\$301,525	\$2,834,153	52,145	LF
	Waste Water Systems:	3	0.595	\$714,156	\$719,053	\$1,208,959	2,900	GPD
	Water Systems:	1	0.000	\$0	\$0	\$9,574,638	1,200	GPD
	Unpaved Roads† :	6	0.034	\$14,487	\$22,158	\$646,879	-	-
	Paved Roads‡:	2	0.110	-	\$139,431	\$1,268,065	-	-
	All Other§ :	25	0.009	\$5,063	\$131,841	\$14,683,730	-	-
	TOTAL:	63	0.040	\$1,544,655	\$2,053,640	\$51,224,924	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

GRSA		Great Sand Dunes National Monument and Preserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	19	0.039	\$309,199	\$566,414	\$14,686,982	34,945	SF
	Housing*:	11	0.121	\$6,877	\$751,830	\$6,191,385	17,829	SF
	Campgrounds:	1	0.160	\$198,618	\$754,210	\$4,712,809	10	AC
	Trails:	8	0.146	\$37,120	\$884,043	\$6,037,834	191,710	LF
	Waste Water Systems:	17	0.144	\$0	\$232,855	\$1,616,432	30,141	GPD
	Water Systems:	2	0.227	\$953,320	\$1,003,320	\$4,427,449	19,000	GPD
	Unpaved Roads† :	11	0.019	\$0	\$107,246	\$5,718,358	-	-
	Paved Roads‡:	20	0.232	-	\$3,250,815	\$14,039,311	-	-
	All Other§ :	20	0.085	\$0	\$574,373	\$6,758,782	-	-
	TOTAL:	109	0.127	\$1,505,134	\$8,125,106	\$64,189,342	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GRSM		Great Smoky Mountains National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	455	0.117	\$3,891,998	\$17,165,636	\$146,812,845	523,188	SF
	Housing*:	44	0.137	\$424,505	\$1,435,000	\$10,461,388	70,172	SF
	Campgrounds:	116	0.040	\$413,371	\$2,254,543	\$55,912,617	489	AC
	Trails:	208	0.093	\$5,303,446	\$16,351,490	\$175,810,216	3,875,319	LF
	Waste Water Systems:	27	0.572	\$4,266,929	\$7,427,271	\$12,993,546	305,500	GPD
	Water Systems:	27	0.681	\$5,106,367	\$9,694,353	\$14,237,283	683,502	GPD
	Unpaved Roads† :	198	0.048	\$3,422,702	\$7,029,213	\$145,054,955	-	-
	Paved Roads‡:	491	0.135	-	\$179,921,577	\$1,330,022,677	-	-
	All Other§ :	315	0.002	\$205,543	\$2,589,540	\$1,115,081,766	-	-
	TOTAL:	1,881	0.081	\$23,034,862	\$243,868,623	\$3,006,387,292	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GRTE		Grand Teton National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		790	0.128	\$4,798,609	\$38,369,404	\$300,075,942	1,066,318	SF
Housing*:		157	0.077	\$585,943	\$3,289,984	\$42,823,632	253,235	SF
Campgrounds:		33	0.063	\$0	\$2,616,871	\$41,251,219	1,097	AC
Trails:		30	0.149	\$8,782,706	\$14,050,002	\$94,428,220	1,912,857	LF
Waste Water Systems:		23	0.530	\$12,353,428	\$18,743,415	\$35,351,266	923,700	GPD
Water Systems:		22	0.271	\$3,281,779	\$15,212,923	\$56,052,454	966,402	GPD
Unpaved Roads† :		76	0.228	\$5,656,377	\$8,059,914	\$35,415,898	-	-
Paved Roads‡:		171	0.256	-	\$99,234,345	\$388,173,683	-	-
All Other§ :		95	0.056	\$920,687	\$2,263,826	\$40,087,734	-	-
<b>TOTAL:</b>		<b>1,397</b>	<b>0.195</b>	<b>\$36,379,527</b>	<b>\$201,840,685</b>	<b>\$1,033,660,047</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GUCO		Guilford Courthouse National Military Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	24	0.046	\$292,197	\$635,427	\$13,691,622	50,280	SF
	Housing*:	1	0.000	\$0	\$0	\$202,584	1,575	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.099	\$0	\$37,640	\$381,156	13,200	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$111,816	100	GPD
	Water Systems:	2	0.000	\$0	\$0	\$285,071	200	GPD
	Unpaved Roads† :	2	0.000	\$0	\$0	\$208,876	-	-
	Paved Roads‡:	15	0.015	-	\$113,829	\$7,545,061	-	-
	All Other§ :	49	0.051	\$153,915	\$963,804	\$18,729,036	-	-
	TOTAL:	95	0.043	\$446,111	\$1,750,700	\$41,155,223	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GUIS		Gulf Islands, FL						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	119	0.031	\$227,775	\$1,220,098	\$39,775,182	157,765	SF
	Housing*:	14	0.013	\$14,201	\$38,418	\$2,999,532	19,995	SF
	Campgrounds:	10	0.000	\$0	\$0	\$3,718,265	40	AC
	Trails:	35	0.015	\$694	\$101,094	\$6,932,692	176,127	LF
	Waste Water Systems:	7	0.000	\$0	\$3,015	\$12,707,678	527,366	GPD
	Water Systems:	10	0.005	\$0	\$37,928	\$6,905,919	572,342	GPD
	Unpaved Roads† :	18	0.000	\$0	\$0	\$917,940	-	-
	Paved Roads‡:	67	0.219	-	\$16,409,786	\$74,880,788	-	-
	All Other§ :	209	0.001	\$729,565	\$3,073,288	\$5,892,662,504	-	-
	TOTAL:	489	0.003	\$972,235	\$20,883,628	\$6,041,500,499	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GUMO		Guadalupe Mountains National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	55	0.033	\$118,379	\$500,762	\$15,090,301	54,497	SF
	Housing*:	18	0.049	\$44,050	\$241,244	\$4,880,512	31,966	SF
	Campgrounds:	16	0.028	\$0	\$60,976	\$2,159,969	25	AC
	Trails:	23	0.018	\$91,023	\$213,574	\$11,858,025	440,680	LF
	Waste Water Systems:	9	0.093	\$0	\$249,471	\$2,687,608	5,882	GPD
	Water Systems:	5	0.055	\$220,937	\$364,417	\$6,677,500	141,120	GPD
	Unpaved Roads† :	22	0.047	\$56,647	\$271,855	\$5,735,048	-	-
	Paved Roads‡:	16	0.164	-	\$3,422,382	\$20,916,148	-	-
	All Other§ :	29	0.038	\$69,588	\$207,743	\$5,485,913	-	-
	TOTAL:	193	0.073	\$600,623	\$5,532,425	\$75,491,023	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

GWCA		George Washington Carver National Monument						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	7	0.004	\$0	\$43,556	\$11,543,750	28,241	SF	
Housing*:	1	0.008	\$0	\$2,337	\$298,401	3,055	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	2	0.000	\$0	\$0	\$490,277	5,597	LF	
Waste Water Systems:	2	0.000	\$0	\$0	\$544,941	3,500	GPD	
Water Systems:	2	0.000	\$0	\$0	\$1,672,304	46,800	GPD	
Unpaved Roads† :	4	0.000	\$0	\$0	\$452,754	-	-	
Paved Roads‡:	5	0.093	-	\$104,670	\$1,122,555	-	-	
All Other§ :	19	0.004	\$0	\$70,703	\$15,960,818	-	-	
TOTAL:	42	0.007	\$0	\$221,266	\$32,085,799	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

GWMP		George Washington Memorial Parkway						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	108	0.039	\$1,537,557	\$4,404,379	\$113,648,146	321,516	SF	
Housing*:	1	0.021	\$0	\$20,000	\$969,014	2,522	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	9	0.044	\$126,926	\$994,667	\$22,853,631	265,988	LF	
Waste Water Systems:	10	0.061	\$0	\$175,699	\$2,893,804	51,478	GPD	
Water Systems:	1	0.154	\$0	\$40,000	\$260,228	10,000	GPD	
Unpaved Roads† :	23	0.000	\$0	\$0	\$34,591,728	-	-	
Paved Roads‡:	150	0.227	-	\$222,861,528	\$981,213,851	-	-	
All Other§ :	150	0.100	\$1,119,227	\$29,959,856	\$300,342,875	-	-	
TOTAL:	452	0.177	\$2,783,709	\$258,456,130	\$1,456,773,278	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

HAFC		Harper's Ferry Center						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	4	0.724	\$2,466,193	\$10,620,439	\$14,673,979	47,511	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	1	0.000	\$0	\$0	\$40,240	-	-
	Paved Roads‡:	7	1.256	-	\$1,145,082	\$911,628	-	-
	All Other§ :	1	0.038	\$0	\$585,033	\$15,291,494	-	-
	TOTAL:	13	0.399	\$2,466,193	\$12,350,553	\$30,917,341	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HAFE		Harpers Ferry National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	74	0.067	\$244,185	\$5,183,891	\$77,300,521	225,481	SF
	Housing*:	9	0.015	\$11,656	\$60,639	\$4,068,506	16,839	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	17	0.116	\$0	\$658,549	\$5,698,014	126,628	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	30	0.027	\$40,435	\$150,622	\$5,545,560	-	-
	Paved Roads‡:	28	0.230	-	\$5,016,788	\$21,816,443	-	-
	All Other§ :	67	0.034	\$85,007	\$2,827,030	\$83,981,781	-	-
	TOTAL:	225	0.070	\$381,282	\$13,897,519	\$198,410,825	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HAFO Hagerman Fossil Beds National Monument								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	16	0.089	\$0	\$418,444	\$4,724,852	13,606	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	5	0.097	\$0	\$149,019	\$1,542,185	48,623	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$222,381	191	GPD	
Water Systems:	2	0.000	\$0	\$0	\$1,331,640	10,001	GPD	
Unpaved Roads† :	10	0.000	\$0	\$0	\$1,346,139	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	9	0.038	\$0	\$148,679	\$3,894,340	-	-	
<b>TOTAL:</b>	<b>43</b>	<b>0.055</b>	<b>\$0</b>	<b>\$716,142</b>	<b>\$13,061,537</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HAGR		Hamilton Grange National Memorial						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.004	\$24,575	\$24,575	\$6,830,456	7,520	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	3	0.000	\$0	\$0	\$1,452,903	-	-	
TOTAL:	4	0.003	\$24,575	\$24,575	\$8,283,359	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HALE		Haleakala National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	67	0.087	\$1,003,215	\$1,959,265	\$22,535,751	41,896	SF
	Housing*:	8	0.033	\$58,788	\$100,626	\$3,013,179	9,110	SF
	Campgrounds:	4	0.000	\$0	\$0	\$2,335,431	22	AC
	Trails:	20	0.203	\$1,842,419	\$2,603,375	\$12,795,190	239,941	LF
	Waste Water Systems:	6	0.053	\$92,900	\$273,898	\$5,188,072	26,900	GPD
	Water Systems:	10	0.075	\$102,273	\$808,889	\$10,734,494	7,600	GPD
	Unpaved Roads† :	6	0.000	\$0	\$0	\$1,657,723	-	-
	Paved Roads‡:	23	0.139	-	\$13,806,542	\$99,078,341	-	-
	All Other§ :	60	0.081	\$365,165	\$801,465	\$9,939,699	-	-
	TOTAL:	204	0.122	\$3,464,759	\$20,354,060	\$167,277,881	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HAMP		Hampton National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	25	0.045	\$37,215	\$2,140,490	\$47,805,789	71,545	SF
	Housing*:	1	0.013	\$0	\$11,487	\$899,738	1,388	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.000	\$0	\$0	\$127,855	419	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	4	0.000	\$0	\$0	\$933,720	-	-
	Paved Roads‡:	9	0.088	-	\$98,674	\$1,127,031	-	-
	All Other§ :	9	0.101	\$12,008	\$762,402	\$7,544,083	-	-
	TOTAL:	49	0.052	\$49,223	\$3,013,053	\$58,438,215	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HAVO		Hawaii Volcanoes National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	170	0.152	\$2,207,578	\$14,639,051	\$96,272,980	279,240	SF
	Housing*:	15	0.160	\$58,788	\$698,951	\$4,360,104	18,962	SF
	Campgrounds:	9	0.007	\$0	\$11,620	\$1,609,284	13	AC
	Trails:	61	0.043	\$655,286	\$1,658,351	\$38,532,063	924,392	LF
	Waste Water Systems:	28	0.009	\$0	\$19,358	\$2,139,190	10,112	GPD
	Water Systems:	30	0.044	\$65,000	\$3,775,398	\$86,682,401	2,999,852	GPD
	Unpaved Roads† :	57	0.040	\$2,057,491	\$2,560,017	\$64,171,714	-	-
	Paved Roads‡:	21	0.299	-	\$54,476,738	\$182,159,978	-	-
	All Other§ :	105	0.086	\$88,152	\$5,334,359	\$61,712,668	-	-
	TOTAL:	496	0.155	\$5,132,295	\$83,173,843	\$537,640,383	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HEHO		Herbert Hoover National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	36	0.063	\$523,322	\$1,012,006	\$15,939,329	47,524	SF
	Housing*:	8	0.107	\$202,423	\$424,158	\$3,978,172	15,602	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	5	0.032	\$75,796	\$75,796	\$2,397,650	21,991	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$252,393	1,000	GPD
	Water Systems:	1	0.000	\$0	\$0	\$509,466	510	GPD
	Unpaved Roads† :	8	0.000	\$0	\$0	\$303,093	-	-
	Paved Roads‡:	22	0.509	-	\$3,370,227	\$6,614,797	-	-
	All Other§ :	16	0.039	\$111,723	\$1,457,392	\$37,291,105	-	-
	TOTAL:	97	0.094	\$913,265	\$6,339,580	\$67,286,005	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

HFJC		HARPERS FERRY JOB CORPS CIV CONS STR						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	0	0.000	\$0	\$0	\$0	0	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.000	\$0	\$0	\$0	-	-	
TOTAL:	1	0.000	\$0	\$0	\$0	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HOAL		Horace Albright Training Center						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	6	0.063	\$580,995	\$1,128,168	\$18,022,230	41,600	SF
	Housing*:	1	0.000	\$0	\$0	\$218,474	1,320	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	4	0.357	-	\$1,171,521	\$3,281,418	-	-
	All Other§ :	1	0.001	\$0	\$3,198	\$5,209,567	-	-
	TOTAL:	12	0.086	\$580,995	\$2,302,886	\$26,731,689	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HOBE		Horseshoe Bend National Military Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	18	0.182	\$502,000	\$655,525	\$3,608,961	12,873	SF
	Housing*:	9	0.005	\$0	\$4,868	\$942,127	6,301	SF
	Campgrounds:	1	0.000	\$0	\$0	\$7,517	0	AC
	Trails:	2	0.748	\$135,210	\$386,248	\$516,092	27,979	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$474,997	5,700	GPD
	Water Systems:	5	0.000	\$0	\$0	\$60,351	481	GPD
	Unpaved Roads† :	16	0.033	\$117,322	\$159,673	\$4,867,636	-	-
	Paved Roads‡:	16	0.374	-	\$3,189,222	\$8,528,569	-	-
	All Other§ :	28	0.005	\$13,402	\$137,892	\$26,995,426	-	-
	TOTAL:	97	0.099	\$767,934	\$4,533,429	\$46,001,676	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HOCU		Hopewell Culture National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	11	0.023	\$0	\$195,916	\$8,505,222	22,339	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	5	0.009	\$25,169	\$25,169	\$2,794,415	27,647	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$381,622	1,000	GPD
	Water Systems:	2	0.000	\$0	\$0	\$296,358	600	GPD
	Unpaved Roads† :	3	0.000	\$0	\$0	\$1,012,243	-	-
	Paved Roads‡:	5	0.110	-	\$242,643	\$2,202,465	-	-
	All Other§ :	15	0.003	\$0	\$58,033	\$22,742,265	-	-
	TOTAL:	43	0.014	\$25,169	\$521,761	\$37,934,590	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HOFR		Home of Franklin D. Roosevelt NHS						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	32	0.137	\$2,125,738	\$12,093,921	\$88,019,398	108,618	SF
	Housing*:	2	0.032	\$0	\$108,324	\$3,334,262	7,132	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	23	0.771	\$19,850	\$2,064,923	\$2,679,381	55,874	LF
	Waste Water Systems:	5	0.000	\$0	\$0	\$1,247,581	2,750	GPD
	Water Systems:	2	0.000	\$0	\$0	\$1,307,970	1,000	GPD
	Unpaved Roads† :	11	0.026	\$0	\$101,531	\$3,929,480	-	-
	Paved Roads‡:	9	0.140	-	\$624,757	\$4,478,224	-	-
	All Other§ :	11	0.022	\$42,200	\$4,021,123	\$182,151,795	-	-
	TOTAL:	95	0.066	\$2,187,788	\$19,014,579	\$287,148,091	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HOFU		Hopewell Furnance National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	41	0.087	\$206,872	\$2,906,614	\$33,361,479	87,172	SF
	Housing*:	5	0.182	\$27,620	\$380,144	\$2,092,060	12,525	SF
	Campgrounds:	1	0.373	\$0	\$29,099	\$77,979	0	AC
	Trails:	7	0.075	\$16,562	\$50,354	\$669,796	19,350	LF
	Waste Water Systems:	6	0.276	\$0	\$150,102	\$544,464	2,900	GPD
	Water Systems:	1	1.160	\$0	\$1,595,141	\$1,374,982	12,000	GPD
	Unpaved Roads† :	22	0.379	\$136,850	\$590,639	\$1,559,299	-	-
	Paved Roads‡:	4	0.594	-	\$761,357	\$1,281,675	-	-
	All Other§ :	65	0.061	\$0	\$1,766,610	\$29,105,286	-	-
	TOTAL:	152	0.117	\$387,903	\$8,230,060	\$70,067,020	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HOME		Homestead National Monument of America						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	13	0.090	\$506,392	\$793,258	\$8,821,285	27,088	SF
	Housing*:	2	0.096	\$6,498	\$48,798	\$506,258	2,842	SF
	Campgrounds:	1	0.000	\$0	\$0	\$8,066	0	AC
	Trails:	2	0.545	\$88,651	\$153,646	\$281,804	13,140	LF
	Waste Water Systems:	1	0.314	\$108,288	\$108,288	\$344,691	500	GPD
	Water Systems:	2	0.004	\$0	\$2,408	\$587,790	81,840	GPD
	Unpaved Roads† :	2	0.004	\$2,011	\$2,011	\$455,046	-	-
	Paved Roads‡:	5	0.208	-	\$1,108,297	\$5,336,775	-	-
	All Other§ :	12	0.007	\$93,162	\$260,656	\$40,020,972	-	-
	TOTAL:	40	0.044	\$805,002	\$2,477,364	\$56,362,687	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HOSP		Hot Springs National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	69	0.121	\$423,147	\$7,103,106	\$58,898,726	296,228	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	1	0.052	\$95,030	\$95,030	\$1,810,235	11	AC
	Trails:	25	0.221	\$967,461	\$1,158,360	\$5,245,997	142,055	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$155,593	2,000	GPD
	Water Systems:	5	0.207	\$225,239	\$1,534,470	\$7,417,723	743,000	GPD
	Unpaved Roads† :	4	0.000	\$0	\$0	\$24,669	-	-
	Paved Roads‡:	38	0.131	-	\$2,707,236	\$20,698,405	-	-
	All Other§ :	35	0.048	\$420,048	\$1,260,382	\$26,478,261	-	-
	TOTAL:	178	0.115	\$2,130,925	\$13,858,583	\$120,729,609	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

HOVE		Hovenweep National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	12	0.077	\$47,728	\$229,355	\$2,977,318	5,604	SF
	Housing*:	3	0.038	\$41,527	\$87,151	\$2,271,338	6,368	SF
	Campgrounds:	1	0.029	\$0	\$22,998	\$791,527	2	AC
	Trails:	8	0.019	\$0	\$28,850	\$1,528,527	39,322	LF
	Waste Water Systems:	2	0.110	\$3,288	\$92,548	\$840,060	3,118	GPD
	Water Systems:	1	0.225	\$245,163	\$267,314	\$1,187,108	3,898	GPD
	Unpaved Roads† :	10	0.078	\$0	\$23,483	\$301,680	-	-
	Paved Roads‡:	5	0.441	-	\$982,381	\$2,226,753	-	-
	All Other§ :	22	0.041	\$0	\$175,899	\$4,336,664	-	-
	TOTAL:	64	0.116	\$337,705	\$1,909,977	\$16,460,974	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HPTC		Historic Preservation Training Center						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	3	0.035	\$25,000	\$572,958	\$16,569,522	26,123	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	1	0.000	\$0	\$0	\$214,823	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	0	0.000	\$0	\$0	\$0	-	-	
TOTAL:	4	0.034	\$25,000	\$572,958	\$16,784,345	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HSTR		Harry S. Truman National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	14	0.004	\$28,637	\$67,493	\$16,255,756	29,867	SF	
Housing*:	1	0.000	\$0	\$0	\$685,008	2,363	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	2	0.212	-	\$91,837	\$433,471	-	-	
All Other§ :	8	0.003	\$0	\$11,898	\$4,081,160	-	-	
TOTAL:	25	0.008	\$28,637	\$171,228	\$21,455,396	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

HUTR Hubbell Trading Post Historic Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	16	0.151	\$188,155	\$1,815,513	\$12,013,493	41,344	SF	
Housing*:	11	0.033	\$27,989	\$100,990	\$3,093,721	21,784	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	1	0.009	\$0	\$7,348	\$814,364	4,900	GPD	
Water Systems:	1	0.000	\$0	\$0	\$1,356,642	4,000	GPD	
Unpaved Roads† :	4	0.000	\$0	\$0	\$352,185	-	-	
Paved Roads‡:	5	0.238	-	\$275,799	\$1,159,704	-	-	
All Other§ :	15	0.046	\$53,925	\$152,704	\$3,324,207	-	-	
<b>TOTAL:</b>	<b>53</b>	<b>0.106</b>	<b>\$270,069</b>	<b>\$2,352,354</b>	<b>\$22,114,316</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

INDE Independence National Historical Park								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	44	0.115	\$13,661,252	\$47,154,890	\$409,962,829	1,080,112	SF	
Housing*:	5	0.345	\$759,337	\$1,189,759	\$3,447,318	20,053	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	16	0.137	\$2,085,095	\$3,957,061	\$28,970,724	65,413	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	6	0.047	-	\$148,328	\$3,146,654	-	-	
All Other§ :	34	0.038	\$1,303,994	\$2,742,771	\$72,448,131	-	-	
<b>TOTAL:</b>	<b>105</b>	<b>0.107</b>	<b>\$17,809,678</b>	<b>\$55,192,810</b>	<b>\$517,975,657</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

INDU		Indiana Dunes National Lakeshore						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	171	0.233	\$2,819,581	\$18,920,069	\$81,069,600	322,161	SF
	Housing*:	5	0.027	\$3,821	\$45,952	\$1,675,149	7,963	SF
	Campgrounds:	5	0.090	\$0	\$115,702	\$1,290,167	14	AC
	Trails:	23	0.077	\$413,388	\$1,009,017	\$13,037,209	182,652	LF
	Waste Water Systems:	24	0.008	\$43,278	\$60,376	\$7,861,794	37,650	GPD
	Water Systems:	27	0.006	\$6,924	\$39,918	\$7,046,956	12,445	GPD
	Unpaved Roads† :	18	0.098	\$95,177	\$152,271	\$1,560,527	-	-
	Paved Roads‡:	57	0.133	-	\$9,523,508	\$71,746,367	-	-
	All Other§ :	54	0.033	\$274,455	\$1,011,475	\$31,103,493	-	-
	TOTAL:	384	0.143	\$3,656,623	\$30,878,289	\$216,391,263	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ISRO		Isle Royale National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	221	0.069	\$4,595,422	\$7,358,519	\$106,845,671	171,494	SF
	Housing*:	32	0.054	\$962,244	\$1,173,136	\$21,913,512	61,983	SF
	Campgrounds:	36	0.084	\$85,542	\$539,968	\$6,435,114	219	AC
	Trails:	49	0.065	\$1,038,149	\$2,167,908	\$33,216,230	892,842	LF
	Waste Water Systems:	5	0.027	\$200,419	\$330,328	\$12,126,194	46,500	GPD
	Water Systems:	9	0.000	\$0	\$0	\$32,488,544	173,500	GPD
	Unpaved Roads† :	1	0.000	\$0	\$0	\$105,576	-	-
	Paved Roads‡:	2	0.192	-	\$376,420	\$1,957,287	-	-
	All Other§ :	108	0.031	\$3,726,662	\$4,362,405	\$141,954,369	-	-
	TOTAL:	463	0.046	\$10,608,438	\$16,308,683	\$357,042,497	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

JAGA		James A Garfield National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.011	\$195,763	\$300,083	\$28,424,463	28,769	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.233	\$0	\$123,072	\$527,211	1,620	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	1	0.414	-	\$94,219	\$227,353	-	-
	All Other§ :	4	0.037	\$0	\$128,472	\$3,436,974	-	-
	TOTAL:	17	0.020	\$195,763	\$645,845	\$32,616,001	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

JAZZ		New Orleans Jazz National Historic Park						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	5	0.211	\$0	\$1,070,036	\$5,080,040	9,940	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	2	0.000	\$0	\$0	\$343,702	1,920	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	1	0.000	\$0	\$0	\$119,874	150	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	8	0.077	\$0	\$152,446	\$1,991,120	-	-	
TOTAL:	16	0.162	\$0	\$1,222,482	\$7,534,737	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

JECA		Jewel Cave National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.046	\$18,200	\$389,215	\$8,446,655	16,390	SF
	Housing*:	7	0.066	\$125,151	\$245,999	\$3,746,819	20,264	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.078	\$104,998	\$123,523	\$1,582,083	25,203	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$1,603,214	3,500	GPD
	Water Systems:	1	0.003	\$2,212	\$5,855	\$1,824,170	700	GPD
	Unpaved Roads† :	7	0.055	\$35,326	\$47,690	\$868,557	-	-
	Paved Roads‡:	7	0.023	-	\$400,888	\$17,465,318	-	-
	All Other§ :	6	0.121	\$314,393	\$314,393	\$2,588,334	-	-
	TOTAL:	42	0.040	\$600,280	\$1,527,562	\$38,125,150	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

JEFF		Jefferson National Expansion Memorial						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.010	\$9,021,745	\$18,661,912	\$1,783,721,807	970,792	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	5	0.019	-	\$985,207	\$50,715,253	-	-
	All Other§ :	6	0.014	\$214,998	\$3,460,709	\$245,900,108	-	-
	TOTAL:	21	0.011	\$9,236,743	\$23,107,828	\$2,080,337,168	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

JELA Jean Lafitte National Historical Park and Preserve								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	25	0.027	\$1,428,230	\$2,811,722	\$103,061,926	130,170	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	1	0.103	\$0	\$17,136	\$166,093	1	AC	
Trails:	11	0.017	\$0	\$203,185	\$11,796,778	44,941	LF	
Waste Water Systems:	5	3.699	\$0	\$1,994,778	\$539,288	26,500	GPD	
Water Systems:	1	0.000	\$0	\$0	\$63,308	400	GPD	
Unpaved Roads† :	6	0.065	\$0	\$21,081	\$325,192	-	-	
Paved Roads‡:	24	0.597	-	\$5,104,758	\$8,550,732	-	-	
All Other§ :	92	0.003	\$562,063	\$1,195,113	\$388,519,641	-	-	
<b>TOTAL:</b>	<b>165</b>	<b>0.022</b>	<b>\$1,990,293</b>	<b>\$11,347,774</b>	<b>\$513,022,957</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

JICA		Jimmy Carter National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	20	0.037	\$228,227	\$569,809	\$15,256,933	40,098	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	2	0.000	\$0	\$0	\$317,186	3,122	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$469,157	50,400	GPD	
Water Systems:	2	0.000	\$0	\$0	\$158,446	169,920	GPD	
Unpaved Roads† :	1	0.000	\$0	\$0	\$51,512	-	-	
Paved Roads‡:	6	0.526	-	\$537,382	\$1,022,371	-	-	
All Other§ :	25	0.012	\$0	\$115,527	\$9,538,620	-	-	
TOTAL:	57	0.046	\$228,227	\$1,222,718	\$26,814,225	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

JODA		John Day Fossil Beds National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	36	0.013	\$62,758	\$206,053	\$15,645,259	39,944	SF
	Housing*:	3	0.002	\$0	\$1,300	\$694,986	3,487	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	17	0.073	\$125,947	\$170,592	\$2,337,044	81,427	LF
	Waste Water Systems:	7	0.051	\$19,402	\$19,402	\$378,958	8,750	GPD
	Water Systems:	7	0.013	\$35,435	\$45,969	\$3,502,488	53,580	GPD
	Unpaved Roads† :	34	0.054	\$217,000	\$373,876	\$6,875,975	-	-
	Paved Roads‡:	9	0.250	-	\$1,465,313	\$5,868,086	-	-
	All Other§ :	27	0.007	\$0	\$78,594	\$11,506,554	-	-
	TOTAL:	140	0.050	\$460,543	\$2,361,100	\$46,809,350	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

JODR		John D Rockefeller Jr Memorial Parkway						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	78	0.009	\$39,406	\$232,851	\$25,182,398	119,518	SF	
Housing*:	2	0.055	\$2,925	\$38,035	\$693,670	6,227	SF	
Campgrounds:	3	0.000	\$0	\$614	\$2,394,044	127	AC	
Trails:	5	0.012	\$126,170	\$155,090	\$12,731,168	249,016	LF	
Waste Water Systems:	2	0.210	\$0	\$787,470	\$3,749,081	100,640	GPD	
Water Systems:	2	0.683	\$0	\$1,513,315	\$2,215,411	130,800	GPD	
Unpaved Roads† :	22	0.059	\$0	\$154,373	\$2,608,000	-	-	
Paved Roads‡:	14	0.345	-	\$11,526,425	\$33,389,001	-	-	
All Other§ :	4	0.016	\$0	\$19,479	\$1,184,754	-	-	
TOTAL:	132	0.171	\$168,501	\$14,427,654	\$84,147,526	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

JOFI		John F Kennedy National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.031	\$0	\$189,877	\$6,187,511	2,857	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.000	\$0	\$0	\$100,213	-	-	
TOTAL:	2	0.030	\$0	\$189,877	\$6,287,724	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

JOFL		Johnstown Flood National Memorial						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.139	\$1,195,133	\$4,698,973	\$33,729,458	51,262	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	5	0.043	\$29,296	\$266,709	\$6,211,414	4,028	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	3	0.069	\$20,317	\$41,457	\$605,017	-	-
	Paved Roads‡:	6	0.338	-	\$1,663,474	\$4,923,465	-	-
	All Other§ :	10	0.012	\$0	\$671,748	\$56,829,401	-	-
	TOTAL:	34	0.072	\$1,244,746	\$7,342,360	\$102,298,756	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

JOMU		John Muir National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	7	0.030	\$138,519	\$382,076	\$12,731,230	20,620	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.075	\$0	\$96,740	\$1,295,428	13,344	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$410,633	1,020	GPD
	Water Systems:	4	0.012	\$0	\$8,000	\$680,822	20,106	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	7	0.092	-	\$135,660	\$1,481,695	-	-
	All Other§ :	6	0.017	\$122,964	\$502,320	\$30,163,317	-	-
	TOTAL:	28	0.024	\$261,483	\$1,124,797	\$46,763,125	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

JOTR		Joshua Tree National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	127	0.074	\$447,237	\$3,033,441	\$40,741,815	89,807	SF
	Housing*:	10	0.032	\$51,109	\$177,360	\$5,496,704	20,960	SF
	Campgrounds:	13	0.054	\$198,435	\$1,510,063	\$28,224,200	195	AC
	Trails:	78	0.125	\$794,559	\$3,832,520	\$30,770,097	1,208,854	LF
	Waste Water Systems:	23	0.008	\$0	\$24,524	\$2,948,055	54,800	GPD
	Water Systems:	7	0.015	\$84,488	\$158,965	\$10,307,808	205,498	GPD
	Unpaved Roads† :	121	0.066	\$980,979	\$2,920,009	\$43,977,334	-	-
	Paved Roads‡:	54	0.321	-	\$68,685,488	\$213,828,737	-	-
	All Other§ :	169	0.010	\$122,790	\$2,851,444	\$295,944,616	-	-
	TOTAL:	602	0.124	\$2,679,597	\$83,193,814	\$672,239,366	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

KAHO		Kaloko-Honokohau National Historical Park						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	10	0.014	\$29,198	\$92,380	\$6,758,116	14,623	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	7	0.035	\$69,657	\$155,852	\$4,444,438	29,615	LF	
Waste Water Systems:	1	0.042	\$40,259	\$40,259	\$948,422	500	GPD	
Water Systems:	1	0.000	\$0	\$0	\$255,998	250	GPD	
Unpaved Roads† :	5	0.034	\$19,400	\$39,845	\$1,180,272	-	-	
Paved Roads‡:	2	0.101	-	\$145,397	\$1,436,649	-	-	
All Other§ :	13	0.011	\$0	\$388,503	\$35,822,573	-	-	
TOTAL:	39	0.017	\$158,513	\$862,236	\$50,846,468	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

KALA		Kalaupapa National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	254	0.029	\$941,455	\$4,199,424	\$146,231,573	262,205	SF
	Housing*:	35	0.166	\$888,262	\$1,976,068	\$11,908,347	47,229	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	5	0.247	\$313,569	\$642,266	\$2,600,840	21,418	LF
	Waste Water Systems:	13	0.035	\$0	\$27,039	\$781,430	9,100	GPD
	Water Systems:	5	0.121	\$104,237	\$1,557,278	\$12,899,306	101,850	GPD
	Unpaved Roads† :	8	0.007	\$10,840	\$27,333	\$3,721,330	-	-
	Paved Roads‡:	21	0.002	-	\$24,243	\$14,113,301	-	-
	All Other§ :	63	0.085	\$6,751,259	\$7,940,783	\$93,656,409	-	-
	TOTAL:	404	0.057	\$9,009,621	\$16,394,433	\$285,912,536	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

KATM		Katmai National Park and Preserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	152	0.163	\$256,932	\$3,932,183	\$24,060,062	60,105	SF
	Housing*:	34	0.134	\$444,567	\$1,638,046	\$12,211,412	46,295	SF
	Campgrounds:	1	0.002	\$0	\$750	\$353,559	3	AC
	Trails:	23	0.283	\$403,008	\$726,180	\$2,566,298	112,723	LF
	Waste Water Systems:	4	0.135	\$128,503	\$325,893	\$2,405,666	13,363	GPD
	Water Systems:	7	0.041	\$63,000	\$236,247	\$5,750,877	91,700	GPD
	Unpaved Roads† :	27	0.064	\$662,290	\$1,390,458	\$21,727,851	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	78	0.073	\$1,758,252	\$2,152,060	\$29,454,128	-	-
	TOTAL:	326	0.106	\$3,716,551	\$10,401,815	\$98,529,853	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

KEFJ		Kenai Fjords National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	46	0.087	\$341,046	\$1,370,799	\$15,707,663	42,054	SF
	Housing*:	7	0.082	\$38,972	\$147,851	\$1,792,901	5,415	SF
	Campgrounds:	2	0.000	\$0	\$0	\$207,856	1	AC
	Trails:	7	0.042	\$39,722	\$140,212	\$3,325,314	64,858	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$529,537	4,842	GPD
	Water Systems:	2	0.000	\$0	\$0	\$643,372	5,000	GPD
	Unpaved Roads† :	7	0.011	\$0	\$13,834	\$1,219,112	-	-
	Paved Roads‡:	5	0.129	-	\$2,177,100	\$16,888,175	-	-
	All Other§ :	25	0.128	\$16,866	\$368,853	\$2,887,988	-	-
	TOTAL:	103	0.098	\$436,605	\$4,218,649	\$43,201,919	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

KEMO		Kennesaw Mountain National Battlefield Park						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	9	0.015	\$5,158	\$127,272	\$8,361,073	25,007	SF	
Housing*:	1	0.066	\$0	\$24,000	\$362,598	1,500	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	12	0.006	\$0	\$18,799	\$2,946,847	89,659	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$111,524	2,100	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	12	0.018	\$0	\$23,119	\$1,317,539	-	-	
Paved Roads‡:	25	0.265	-	\$5,953,727	\$22,498,069	-	-	
All Other§ :	74	0.000	\$180,176	\$824,217	\$2,722,598,369	-	-	
TOTAL:	134	0.003	\$185,333	\$6,971,134	\$2,758,196,018	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

KEWE		Keweenaw National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	16	0.057	\$1,076,489	\$6,566,786	\$114,454,610	211,117	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$39,854	350	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	1	0.578	\$228,192	\$309,967	\$536,352	-	-
	Paved Roads‡:	3	0.368	-	\$261,680	\$710,327	-	-
	All Other§ :	27	0.020	\$100,896	\$171,567	\$8,776,015	-	-
	TOTAL:	48	0.059	\$1,405,576	\$7,310,000	\$124,517,158	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

KIMO Kings Mountain National Military Park								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	18	0.156	\$714,298	\$1,229,440	\$7,887,587	22,914	SF	
Housing*:	3	0.090	\$62,372	\$94,885	\$1,049,098	4,433	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	5	0.133	\$221,599	\$415,933	\$3,117,069	60,192	LF	
Waste Water Systems:	1	0.013	\$0	\$62,986	\$4,729,437	3,000	GPD	
Water Systems:	1	0.000	\$0	\$0	\$3,117,094	4,000	GPD	
Unpaved Roads† :	20	0.191	\$66,959	\$317,598	\$1,661,871	-	-	
Paved Roads‡:	5	0.211	-	\$1,102,320	\$5,224,098	-	-	
All Other§ :	24	0.056	\$399,469	\$5,702,369	\$101,185,817	-	-	
<b>TOTAL:</b>	<b>77</b>	<b>0.070</b>	<b>\$1,464,698</b>	<b>\$8,925,532</b>	<b>\$127,972,072</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

KLGO		Klondike Gold Rush National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	66	0.101	\$1,106,140	\$4,518,159	\$44,933,038	60,589	SF
	Housing*:	7	0.075	\$212,363	\$286,678	\$3,837,031	8,126	SF
	Campgrounds:	5	0.084	\$0	\$75,690	\$898,700	19	AC
	Trails:	4	0.187	\$448,901	\$743,093	\$3,977,470	96,036	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	6	0.294	\$377,081	\$703,409	\$2,389,183	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	53	0.034	\$152,162	\$370,326	\$11,016,956	-	-
	TOTAL:	141	0.100	\$2,296,647	\$6,697,355	\$67,052,377	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

KLSE		Klondike Gold Rush NHP - Seattle Unit						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.000	\$0	\$0	\$12,408,063	26,000	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.000	\$0	\$0	\$1,125,637	-	-	
TOTAL:	2	0.000	\$0	\$0	\$13,533,700	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

KNRI		Knife River Indian Village National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	11	0.025	\$63,559	\$151,280	\$6,135,476	18,546	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	4	0.000	\$0	\$0	\$3,934,039	58,116	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$339,984	400	GPD	
Water Systems:	1	0.000	\$0	\$0	\$385,952	400	GPD	
Unpaved Roads† :	9	0.000	\$0	\$0	\$276,308	-	-	
Paved Roads‡:	1	0.124	-	\$62,352	\$504,014	-	-	
All Other§ :	9	0.005	\$0	\$35,000	\$7,333,597	-	-	
TOTAL:	36	0.013	\$63,559	\$248,632	\$18,909,369	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LAVE Lava Beds National Monument								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	28	0.013	\$32,930	\$141,926	\$11,284,558	28,694	SF	
Housing*:	11	0.035	\$47,203	\$135,938	\$3,935,897	18,767	SF	
Campgrounds:	3	0.000	\$0	\$0	\$2,806,138	27	AC	
Trails:	51	0.047	\$0	\$498,537	\$10,706,716	216,596	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$1,848,538	16,000	GPD	
Water Systems:	2	0.028	\$72,925	\$155,846	\$5,472,041	18,000	GPD	
Unpaved Roads† :	9	0.179	\$0	\$970,850	\$5,422,184	-	-	
Paved Roads‡:	34	0.563	-	\$39,374,091	\$69,883,043	-	-	
All Other§ :	16	0.000	\$0	\$28,334	\$113,051,346	-	-	
<b>TOTAL:</b>	<b>155</b>	<b>0.184</b>	<b>\$153,058</b>	<b>\$41,305,520</b>	<b>\$224,410,461</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LACL		Lake Clark National Park and Preserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	74	0.038	\$16,812	\$440,478	\$11,693,087	35,780	SF
	Housing*:	21	0.113	\$190,494	\$548,963	\$4,867,037	17,190	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	10	0.097	\$0	\$240,143	\$2,475,989	269,660	LF
	Waste Water Systems:	4	0.121	\$28,904	\$256,653	\$2,123,569	4,880	GPD
	Water Systems:	3	0.037	\$0	\$50,389	\$1,363,400	2,050	GPD
	Unpaved Roads† :	13	0.047	\$0	\$74,315	\$1,570,921	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	58	0.047	\$11,710	\$292,943	\$6,249,888	-	-
	TOTAL:	183	0.063	\$247,920	\$1,903,884	\$30,343,891	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LAKE		Lake Mead National Recreation Area						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	475	0.048	\$1,433,885	\$7,770,857	\$162,171,261	539,580	SF
	Housing*:	45	0.082	\$201,599	\$1,169,119	\$14,219,959	66,284	SF
	Campgrounds:	28	0.118	\$0	\$4,159,466	\$35,299,734	127	AC
	Trails:	25	0.037	\$27,690	\$399,573	\$10,825,802	246,842	LF
	Waste Water Systems:	34	0.046	\$843,423	\$3,852,433	\$84,228,038	548,094	GPD
	Water Systems:	19	0.029	\$152,947	\$2,374,408	\$81,328,933	1,774,854	GPD
	Unpaved Roads† :	269	0.043	\$47,726	\$6,968,747	\$163,538,533	-	-
	Paved Roads‡:	139	0.411	-	\$182,907,454	\$445,549,864	-	-
	All Other§ :	225	0.041	\$630,804	\$16,683,406	\$402,710,878	-	-
	TOTAL:	1,259	0.162	\$3,338,074	\$226,285,463	\$1,399,873,002	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

LAMR		Lake Meredith National Recreation Area						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	59	0.064	\$13,836	\$551,276	\$8,624,744	36,772	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	11	0.102	\$0	\$734,861	\$7,229,691	107	AC
	Trails:	8	0.030	\$0	\$91,363	\$3,017,613	155,656	LF
	Waste Water Systems:	9	0.060	\$41,588	\$76,528	\$1,265,584	16,100	GPD
	Water Systems:	5	0.046	\$0	\$220,839	\$4,842,627	26,360	GPD
	Unpaved Roads† :	17	0.416	\$851,120	\$1,482,843	\$3,564,417	-	-
	Paved Roads‡:	64	0.182	-	\$8,020,559	\$44,010,331	-	-
	All Other§ :	23	0.074	\$888,211	\$2,283,094	\$30,676,657	-	-
	TOTAL:	196	0.130	\$1,794,755	\$13,461,361	\$103,231,665	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LARO		Lake Roosevelt National Recreation Area						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	179	0.031	\$126,299	\$1,733,015	\$56,245,320	128,447	SF
	Housing*:	14	0.021	\$0	\$53,341	\$2,499,743	13,015	SF
	Campgrounds:	35	0.046	\$88,653	\$735,234	\$15,928,052	205	AC
	Trails:	23	0.106	\$12,277	\$178,240	\$1,684,621	65,371	LF
	Waste Water Systems:	37	0.215	\$677,569	\$1,067,198	\$4,963,786	95,595	GPD
	Water Systems:	23	0.041	\$238,493	\$412,620	\$10,154,900	378,289	GPD
	Unpaved Roads† :	45	0.054	\$252,301	\$410,368	\$7,605,863	-	-
	Paved Roads‡:	114	0.245	-	\$17,758,494	\$72,392,323	-	-
	All Other§ :	92	0.078	\$2,491,336	\$6,331,308	\$80,970,840	-	-
	TOTAL:	562	0.114	\$3,886,929	\$28,679,818	\$252,445,448	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LAVO		Lassen Volcanic National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	174	0.070	\$814,274	\$3,028,679	\$43,334,354	126,004	SF
	Housing*:	40	0.129	\$300,532	\$1,032,370	\$7,985,398	45,318	SF
	Campgrounds:	11	0.047	\$0	\$616,357	\$13,183,809	126	AC
	Trails:	47	0.160	\$1,781,803	\$3,950,471	\$24,625,119	910,786	LF
	Waste Water Systems:	12	0.147	\$1,443,106	\$1,651,985	\$11,217,133	76,600	GPD
	Water Systems:	10	0.162	\$1,048,757	\$2,189,833	\$13,491,658	122,117	GPD
	Unpaved Roads† :	39	0.012	\$0	\$298,972	\$25,559,340	-	-
	Paved Roads‡:	64	0.201	-	\$31,500,298	\$156,732,003	-	-
	All Other§ :	32	0.049	\$7,017	\$1,107,436	\$22,533,705	-	-
	TOTAL:	429	0.142	\$5,395,488	\$45,376,402	\$318,662,520	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LEWI		Lewis and Clark Historic Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	18	0.029	\$336,042	\$452,341	\$15,517,358	32,100	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	7	0.145	\$10,559	\$688,530	\$4,761,210	76,782	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$1,963,129	397	GPD
	Water Systems:	1	0.000	\$0	\$0	\$542,941	650	GPD
	Unpaved Roads† :	6	0.016	\$9,362	\$28,318	\$1,738,052	-	-
	Paved Roads‡:	15	0.158	-	\$3,051,256	\$19,263,331	-	-
	All Other§ :	24	0.003	\$0	\$65,861	\$22,657,261	-	-
	TOTAL:	73	0.065	\$355,963	\$4,286,307	\$66,443,282	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LIBI Little Bighorn Battlefield National Monument								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	9	0.124	\$349,254	\$1,431,585	\$11,575,208	21,975	SF	
Housing*:	3	0.096	\$26,331	\$110,908	\$1,156,192	5,995	SF	
Campgrounds:	1	0.000	\$0	\$0	\$136,777	0	AC	
Trails:	4	0.000	\$0	\$0	\$980,400	6,523	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$1,369,960	12,690	GPD	
Water Systems:	1	0.234	\$894,457	\$1,093,204	\$4,681,732	86,400	GPD	
Unpaved Roads† :	4	0.000	\$0	\$0	\$752,174	-	-	
Paved Roads‡:	16	0.840	-	\$13,226,328	\$15,748,492	-	-	
All Other§ :	15	0.048	\$293,387	\$2,041,623	\$42,310,631	-	-	
<b>TOTAL:</b>	<b>54</b>	<b>0.227</b>	<b>\$1,563,429</b>	<b>\$17,903,649</b>	<b>\$78,711,566</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LIBO		Lincoln Boyhood National Memorial						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	21	0.005	\$0	\$45,979	\$8,921,505	26,927	SF
	Housing*:	3	0.033	\$26,974	\$26,974	\$806,654	3,708	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	11	0.076	\$103,365	\$123,370	\$1,620,148	16,898	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$472,962	1,500	GPD
	Water Systems:	1	0.307	\$0	\$225,471	\$734,565	1,000	GPD
	Unpaved Roads† :	11	0.026	\$16,319	\$165,718	\$6,255,488	-	-
	Paved Roads‡:	3	0.637	-	\$444,967	\$698,360	-	-
	All Other§ :	22	0.000	\$0	\$439	\$4,279,188	-	-
	TOTAL:	74	0.043	\$146,657	\$1,032,917	\$23,788,869	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LIHO		Lincoln Home National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	36	0.108	\$1,949,282	\$4,618,554	\$42,825,165	74,927	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.137	\$0	\$83,246	\$606,687	2,998	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	1	0.059	\$0	\$2,263	\$38,305	-	-
	Paved Roads‡:	13	0.133	-	\$708,747	\$5,344,533	-	-
	All Other§ :	7	0.031	\$0	\$315,943	\$10,280,408	-	-
	TOTAL:	59	0.097	\$1,949,282	\$5,728,753	\$59,095,099	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LIRI		Little River Canyon National Preserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	14	0.010	\$1,015	\$32,557	\$3,277,937	14,606	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	3	0.163	\$0	\$11,779	\$72,300	2	AC
	Trails:	11	0.079	\$47,682	\$95,018	\$1,209,985	64,322	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$46,434	1,000	GPD
	Water Systems:	2	0.000	\$0	\$0	\$97,140	1,000	GPD
	Unpaved Roads† :	36	0.110	\$502,220	\$870,242	\$7,937,503	-	-
	Paved Roads‡:	8	0.004	-	\$305,552	\$77,343,249	-	-
	All Other§ :	37	0.065	\$8,235	\$422,094	\$6,499,061	-	-
	TOTAL:	113	0.018	\$559,152	\$1,737,242	\$96,483,608	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

LOEA Lower East Side Tenement Museum National Hist Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.099	\$391,940	\$950,641	\$9,555,840	10,200	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.616	\$0	\$22,773	\$36,964	-	-	
<b>TOTAL:</b>	<b>2</b>	<b>0.101</b>	<b>\$391,940</b>	<b>\$973,414</b>	<b>\$9,592,804</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LONG		Longfellow National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.049	\$131,944	\$1,493,902	\$30,484,622	13,976	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.368	\$0	\$885,053	\$2,405,555	-	-	
TOTAL:	3	0.072	\$131,944	\$2,378,955	\$32,890,178	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LOWE		Lowell National Historic Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	28	0.068	\$4,967,601	\$11,349,099	\$167,157,368	303,512	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	9	0.055	\$0	\$242,731	\$4,437,600	3,346	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	5	0.022	\$0	\$106,800	\$4,863,544	-	-
	Paved Roads‡:	2	0.348	-	\$973,614	\$2,798,684	-	-
	All Other§ :	45	0.017	\$381,810	\$3,519,398	\$204,617,437	-	-
	TOTAL:	89	0.042	\$5,349,411	\$16,191,642	\$383,874,633	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

LYJO		Lyndon B Johnson National Historic Park						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	97	0.040	\$200,666	\$1,441,251	\$35,720,688	139,421	SF	
Housing*:	4	0.088	\$67,951	\$73,573	\$836,471	3,923	SF	
Campgrounds:	3	0.000	\$0	\$0	\$706,349	15	AC	
Trails:	3	0.000	\$0	\$0	\$182,922	3,560	LF	
Waste Water Systems:	13	0.037	\$9,676	\$9,676	\$261,469	3,367	GPD	
Water Systems:	10	0.083	\$4,144	\$168,922	\$2,023,421	11,160	GPD	
Unpaved Roads† :	15	0.000	\$0	\$0	\$676,825	-	-	
Paved Roads‡:	19	0.084	-	\$1,147,989	\$13,660,304	-	-	
All Other§ :	39	0.020	\$169,453	\$642,732	\$32,571,327	-	-	
TOTAL:	203	0.040	\$451,891	\$3,484,143	\$86,639,775	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MABI		Marsh-Billings-Rockefeller National Historic Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	15	0.021	\$166,451	\$316,102	\$14,755,446	39,886	SF
	Housing*:	4	0.016	\$58,256	\$254,401	\$16,288,210	40,656	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.148	\$0	\$401,348	\$2,718,295	79,200	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$309,813	2,000	GPD
	Water Systems:	2	0.178	\$26,568	\$420,038	\$2,365,979	13,000	GPD
	Unpaved Roads† :	8	0.013	\$47,026	\$68,684	\$5,185,122	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	12	0.022	\$22,317	\$399,823	\$18,205,589	-	-
	TOTAL:	44	0.031	\$320,618	\$1,860,396	\$59,828,455	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MACA		Mammoth Cave National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	141	0.103	\$1,012,808	\$9,722,772	\$93,951,511	234,533	SF
	Housing*:	7	0.033	\$2,350	\$123,171	\$3,719,919	13,126	SF
	Campgrounds:	19	0.092	\$0	\$622,329	\$6,773,657	21	AC
	Trails:	13	0.618	\$1,294,645	\$38,303,573	\$61,984,611	714,953	LF
	Waste Water Systems:	8	0.048	\$557,522	\$987,178	\$20,572,556	272,501	GPD
	Water Systems:	4	0.001	\$0	\$10,696	\$20,990,046	22,401	GPD
	Unpaved Roads† :	44	0.060	\$912,550	\$1,037,246	\$17,288,067	-	-
	Paved Roads‡:	66	0.264	-	\$22,687,729	\$85,848,146	-	-
	All Other§ :	166	0.040	\$28,680	\$2,503,412	\$62,396,752	-	-
	TOTAL:	468	0.203	\$3,808,555	\$75,998,107	\$373,525,264	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MALU		Martin Luther King Jr National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	37	0.060	\$358,108	\$3,409,781	\$56,622,959	113,012	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	2	0.000	\$0	\$0	\$500,444	-	-
	Paved Roads‡:	3	0.123	-	\$546,016	\$4,437,281	-	-
	All Other§ :	97	0.025	\$0	\$304,653	\$12,160,827	-	-
	TOTAL:	139	0.058	\$358,108	\$4,260,449	\$73,721,511	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MANA		Manassas National Battlefield Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	20	0.026	\$121,960	\$498,495	\$19,358,171	56,557	SF
	Housing*:	3	0.251	\$96,628	\$204,143	\$812,457	6,181	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	8	0.015	\$121,950	\$157,250	\$10,403,657	229,935	LF
	Waste Water Systems:	3	0.000	\$0	\$0	\$207,485	1,500	GPD
	Water Systems:	3	0.000	\$0	\$0	\$895,297	2,300	GPD
	Unpaved Roads† :	13	0.000	\$0	\$0	\$795,463	-	-
	Paved Roads‡:	25	0.239	-	\$1,920,504	\$8,040,033	-	-
	All Other§ :	57	0.012	\$622,500	\$1,029,321	\$89,305,449	-	-
	TOTAL:	132	0.029	\$963,038	\$3,809,713	\$129,818,013	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

MANZ		Manzanar National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	9	0.025	\$138,859	\$420,706	\$16,725,682	27,255	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	1	0.010	\$7,725	\$7,725	\$798,704	5,500	GPD
	Water Systems:	1	0.000	\$0	\$0	\$567,821	20,000	GPD
	Unpaved Roads† :	3	0.271	\$641,021	\$3,673,569	\$13,559,198	-	-
	Paved Roads‡:	3	0.140	-	\$795,287	\$5,671,829	-	-
	All Other§ :	24	0.064	\$25,841	\$565,698	\$8,779,778	-	-
	TOTAL:	41	0.118	\$813,446	\$5,462,986	\$46,103,012	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MASI		Manhattan Sites					
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:	0	0.000	\$0	\$0	\$0	0	SF
Housing*:	0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
Trails:	0	0.000	\$0	\$0	\$0	0	LF
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
All Other§ :	1	0.000	\$0	\$0	\$44,051	-	-
TOTAL:	1	0.000	\$0	\$0	\$44,051	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MAVA		Martin Van Buren National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	18	0.011	\$3,228	\$1,212,620	\$112,583,177	55,113	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	3	0.000	\$0	\$0	\$384,293	280	GPD
	Unpaved Roads† :	2	0.000	\$0	\$0	\$27,987	-	-
	Paved Roads‡:	1	0.369	-	\$48,575	\$131,632	-	-
	All Other§ :	2	0.136	\$0	\$222,785	\$1,641,208	-	-
	TOTAL:	26	0.013	\$3,228	\$1,483,980	\$114,768,297	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MAWA		Maggie L Walker National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	8	0.014	\$231	\$73,739	\$5,181,869	16,262	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.000	\$0	\$0	\$12,053	-	-	
TOTAL:	9	0.014	\$231	\$73,739	\$5,193,922	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MEVE		Mesa Verde National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		131	0.100	\$262,790	\$8,123,955	\$81,592,495	254,793	SF
Housing*:		40	0.153	\$382,673	\$1,978,639	\$12,934,079	53,373	SF
Campgrounds:		2	0.068	\$0	\$619,517	\$9,171,590	286	AC
Trails:		55	0.133	\$783,218	\$4,342,409	\$32,685,263	530,245	LF
Waste Water Systems:		14	0.090	\$917,855	\$2,107,187	\$23,294,616	135,500	GPD
Water Systems:		14	0.092	\$1,284,198	\$6,847,408	\$74,569,190	1,429,000	GPD
Unpaved Roads† :		33	0.090	\$614,699	\$1,593,596	\$17,643,916	-	-
Paved Roads‡:		100	0.125	-	\$29,062,750	\$232,520,496	-	-
All Other§ :		119	0.076	\$6,703,327	\$9,099,346	\$119,211,745	-	-
<b>TOTAL:</b>		<b>508</b>	<b>0.106</b>	<b>\$10,948,759</b>	<b>\$63,774,807</b>	<b>\$603,623,392</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MIIN Minidoka Internment National Monument								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	16	0.344	\$201,226	\$2,659,310	\$7,728,001	36,156	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	2	0.000	\$0	\$0	\$191,705	8,634	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	4	0.968	\$0	\$532,114	\$549,788	-	-	
Paved Roads‡:	1	0.350	-	\$25,404	\$72,666	-	-	
All Other§ :	8	0.004	\$0	\$49,320	\$12,596,257	-	-	
<b>TOTAL:</b>	<b>31</b>	<b>0.155</b>	<b>\$201,226</b>	<b>\$3,266,148</b>	<b>\$21,138,417</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MIMA		Minute Man National Historic Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	40	0.078	\$1,228,401	\$3,453,300	\$44,105,918	133,328	SF
	Housing*:	11	0.071	\$419,141	\$834,848	\$11,692,183	47,024	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	16	0.063	\$0	\$229,104	\$3,657,392	28,977	LF
	Waste Water Systems:	10	0.114	\$0	\$72,113	\$633,540	10,030	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	21	0.198	\$220,987	\$1,215,509	\$6,127,125	-	-
	Paved Roads‡:	11	0.451	-	\$1,435,818	\$3,184,875	-	-
	All Other§ :	81	0.010	\$583,820	\$2,723,501	\$278,734,727	-	-
	TOTAL:	190	0.029	\$2,452,348	\$9,964,192	\$348,135,759	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MIMI Minuteman Missile National Historic Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	4	0.015	\$12,734	\$65,254	\$4,365,029	10,143	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	1	0.123	\$89,953	\$150,910	\$1,224,730	50	GPD	
Unpaved Roads† :	1	0.000	\$0	\$0	\$66,608	-	-	
Paved Roads‡:	3	0.375	-	\$147,598	\$393,292	-	-	
All Other§ :	8	0.041	\$55,850	\$331,269	\$8,161,692	-	-	
<b>TOTAL:</b>	<b>17</b>	<b>0.049</b>	<b>\$158,537</b>	<b>\$695,031</b>	<b>\$14,211,350</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

MISS Mississippi National River and Recreation Area								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.779	\$682,355	\$682,355	\$876,469	172	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	14	0.018	\$95,000	\$95,000	\$5,368,913	-	-	
<b>TOTAL:</b>	<b>15</b>	<b>0.124</b>	<b>\$777,355</b>	<b>\$777,355</b>	<b>\$6,245,382</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MNRR		Missouri National Recreation River						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.000	\$0	\$0	\$2,266,210	8,000	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	1	0.220	\$0	\$38,122	\$173,381	-	-	
Paved Roads‡:	1	0.312	-	\$106,140	\$339,855	-	-	
All Other§ :	11	0.113	\$0	\$291,561	\$2,581,738	-	-	
TOTAL:	14	0.081	\$0	\$435,822	\$5,361,185	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MOCA		Montezuma Castle National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	14	0.076	\$167,575	\$328,495	\$4,317,838	10,907	SF
	Housing*:	4	0.015	\$0	\$19,301	\$1,256,938	6,380	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	3	0.016	\$0	\$22,309	\$1,434,489	6,965	LF
	Waste Water Systems:	3	0.117	\$0	\$131,793	\$1,123,868	3,800	GPD
	Water Systems:	2	0.000	\$0	\$0	\$384,985	4,000	GPD
	Unpaved Roads† :	4	0.026	\$0	\$3,416	\$131,601	-	-
	Paved Roads‡:	14	0.338	-	\$2,290,573	\$6,778,385	-	-
	All Other§ :	33	0.024	\$59,634	\$393,025	\$16,401,152	-	-
	TOTAL:	77	0.100	\$227,209	\$3,188,913	\$31,829,256	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MOCR		Moore's Creek National Battlefield						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.097	\$107,155	\$519,795	\$5,332,279	14,117	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	3	0.091	\$262,282	\$342,112	\$3,741,191	8,574	LF
	Waste Water Systems:	5	0.388	\$219,500	\$219,500	\$566,329	1,510	GPD
	Water Systems:	1	0.000	\$0	\$0	\$3,038,121	1,080,000	GPD
	Unpaved Roads† :	4	0.061	\$0	\$4,262	\$70,104	-	-
	Paved Roads‡:	7	0.722	-	\$1,974,030	\$2,733,664	-	-
	All Other§ :	29	0.018	\$23,000	\$214,282	\$12,136,027	-	-
	TOTAL:	59	0.119	\$611,937	\$3,273,981	\$27,617,715	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MOJA		Mojave National Preserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		120	0.060	\$1,014,316	\$2,558,747	\$42,425,743	131,657	SF
Housing*:		11	0.062	\$90,610	\$228,623	\$3,698,868	17,536	SF
Campgrounds:		8	0.012	\$0	\$35,387	\$3,033,364	31	AC
Trails:		11	0.041	\$0	\$63,423	\$1,529,692	117,110	LF
Waste Water Systems:		15	0.020	\$0	\$21,691	\$1,093,552	13,065	GPD
Water Systems:		51	0.018	\$0	\$169,245	\$9,567,437	169,544	GPD
Unpaved Roads† :		121	0.016	\$919,767	\$1,687,072	\$106,201,361	-	-
Paved Roads‡:		11	0.249	-	\$102,856,930	\$413,294,939	-	-
All Other§ :		128	0.032	\$27,942	\$1,364,361	\$42,611,784	-	-
<b>TOTAL:</b>		<b>476</b>	<b>0.175</b>	<b>\$2,052,635</b>	<b>\$108,985,477</b>	<b>\$623,456,739</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MONO Monocacy National Battlefield Park								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	28	0.125	\$276,055	\$3,892,923	\$31,088,755	76,072	SF	
Housing*:	1	0.017	\$7,416	\$7,416	\$425,395	904	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	2	0.026	\$0	\$23,740	\$924,695	3,495	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	12	0.010	\$11,564	\$17,825	\$1,800,094	-	-	
Paved Roads‡:	10	0.273	-	\$786,046	\$2,879,649	-	-	
All Other§ :	14	0.025	\$68,600	\$561,437	\$22,315,307	-	-	
<b>TOTAL:</b>	<b>67</b>	<b>0.089</b>	<b>\$363,636</b>	<b>\$5,289,389</b>	<b>\$59,433,895</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MORA		Mount Rainier National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		201	0.144	\$12,587,908	\$32,903,059	\$227,749,430	310,571	SF
Housing*:		59	0.050	\$570,420	\$2,420,629	\$48,634,897	127,466	SF
Campgrounds:		6	0.438	\$69,748	\$5,093,495	\$11,637,513	111	AC
Trails:		79	0.108	\$6,896,491	\$10,247,741	\$94,526,666	1,454,526	LF
Waste Water Systems:		11	0.141	\$1,463,322	\$3,165,034	\$22,447,986	365,000	GPD
Water Systems:		23	0.026	\$595,679	\$4,149,604	\$160,882,366	322,900	GPD
Unpaved Roads† :		5	0.180	\$338,887	\$2,674,817	\$14,866,701	-	-
Paved Roads‡:		94	0.339	-	\$222,541,219	\$655,709,802	-	-
All Other§ :		90	0.220	\$2,344,063	\$15,176,539	\$69,007,526	-	-
TOTAL:		568	0.229	\$24,866,518	\$298,372,137	\$1,305,462,888	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MORR		Morristown National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	21	0.050	\$36,937	\$2,015,582	\$40,047,508	57,903	SF
	Housing*:	10	0.024	\$93,772	\$404,627	\$17,063,645	33,874	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	8	0.021	\$0	\$63,314	\$2,962,928	68,085	LF
	Waste Water Systems:	16	0.168	\$154,603	\$177,605	\$1,057,146	9,800	GPD
	Water Systems:	15	0.000	\$0	\$0	\$733,618	11,452	GPD
	Unpaved Roads† :	6	0.028	\$0	\$20,250	\$732,629	-	-
	Paved Roads‡:	33	0.192	-	\$3,666,288	\$19,084,942	-	-
	All Other§ :	9	0.004	\$20,000	\$605,287	\$141,462,359	-	-
	TOTAL:	118	0.031	\$305,312	\$6,952,953	\$223,144,776	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

MORU		Mount Rushmore National Memorial						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	24	0.044	\$1,744,325	\$4,254,548	\$96,882,650	616,146	SF
	Housing*:	6	0.157	\$89,259	\$417,413	\$2,654,554	12,244	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	7	0.047	\$18,149	\$132,263	\$2,798,163	10,811	LF
	Waste Water Systems:	4	0.072	\$358,263	\$513,155	\$7,144,330	89,000	GPD
	Water Systems:	2	0.003	\$0	\$24,657	\$7,604,036	75,002	GPD
	Unpaved Roads† :	7	0.001	\$0	\$20,745	\$21,988,518	-	-
	Paved Roads‡:	11	0.165	-	\$842,247	\$5,114,634	-	-
	All Other§ :	28	0.008	\$594,146	\$978,638	\$115,322,769	-	-
	TOTAL:	89	0.028	\$2,804,143	\$7,183,665	\$259,509,653	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

MUWO		Muir Woods National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	38	0.111	\$631,447	\$1,357,056	\$12,196,180	32,236	SF
	Housing*:	4	0.093	\$66,647	\$123,203	\$1,323,812	3,987	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	11	0.155	\$204,704	\$3,134,752	\$20,164,264	35,245	LF
	Waste Water Systems:	1	0.177	\$330,356	\$674,775	\$3,803,071	79,200	GPD
	Water Systems:	1	0.457	\$0	\$922,395	\$2,017,937	171,360	GPD
	Unpaved Roads† :	5	0.007	\$5,000	\$6,750	\$984,276	-	-
	Paved Roads‡:	5	0.392	-	\$1,746,659	\$4,461,165	-	-
	All Other§ :	6	0.000	\$0	\$0	\$645,131	-	-
	TOTAL:	71	0.175	\$1,238,154	\$7,965,590	\$45,595,836	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NABR		Natural Bridges National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	21	0.089	\$88,086	\$519,820	\$5,814,273	16,093	SF
	Housing*:	7	0.037	\$7,274	\$190,933	\$5,161,450	13,736	SF
	Campgrounds:	1	0.318	\$76,330	\$101,334	\$318,629	3	AC
	Trails:	13	0.060	\$0	\$153,948	\$2,548,112	73,713	LF
	Waste Water Systems:	1	0.182	\$205,909	\$241,054	\$1,323,969	2,500	GPD
	Water Systems:	1	0.007	\$3,464	\$10,999	\$1,515,688	5,280	GPD
	Unpaved Roads† :	5	0.000	\$0	\$0	\$375,638	-	-
	Paved Roads‡:	16	0.280	-	\$7,157,606	\$25,529,025	-	-
	All Other§ :	23	0.023	\$17,012	\$215,361	\$9,389,437	-	-
	TOTAL:	88	0.165	\$398,075	\$8,591,055	\$51,976,220	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NACE National Capital Parks-East								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	152	0.223	\$2,993,587	\$41,535,043	\$186,122,364	365,421	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	4	0.033	\$0	\$138,265	\$4,194,805	27	AC	
Trails:	18	0.215	\$0	\$3,898,746	\$18,126,879	207,285	LF	
Waste Water Systems:	2	0.000	\$0	\$0	\$2,950,146	31,600	GPD	
Water Systems:	1	0.083	\$0	\$44,039	\$532,619	10,000	GPD	
Unpaved Roads† :	127	0.006	\$451,866	\$1,116,454	\$198,079,832	-	-	
Paved Roads‡:	150	0.151	-	\$112,720,521	\$748,663,017	-	-	
All Other§ :	114	0.027	\$67,603	\$109,697,280	\$4,078,671,512	-	-	
<b>TOTAL:</b>	<b>568</b>	<b>0.051</b>	<b>\$3,513,057</b>	<b>\$269,150,347</b>	<b>\$5,237,341,174</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NAMA		National Mall & Memorial Parks						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	82	0.025	\$3,799,160	\$27,564,720	\$1,105,728,216	647,693	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$14,614,124	400,000	GPD	
Water Systems:	2	0.000	\$0	\$0	\$75,027,220	1,733,000	GPD	
Unpaved Roads† :	17	0.033	\$0	\$378,550	\$11,429,704	-	-	
Paved Roads‡:	76	0.359	-	\$73,035,425	\$203,280,944	-	-	
All Other§ :	173	0.240	\$446,190,325	\$751,763,246	\$3,128,107,149	-	-	
TOTAL:	351	0.188	\$449,989,485	\$852,741,941	\$4,538,187,357	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NATC		Natchez National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	33	0.064	\$694,605	\$2,290,824	\$35,554,193	85,494	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	6	0.000	\$0	\$0	\$2,732,307	-	-
	Paved Roads‡:	1	0.606	-	\$161,789	\$267,042	-	-
	All Other§ :	24	0.041	\$118,077	\$559,665	\$13,531,018	-	-
	TOTAL:	64	0.058	\$812,681	\$3,012,278	\$52,084,560	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NATR		Natchez Trace Parkway						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	173	0.113	\$688,661	\$4,987,519	\$44,057,727	197,640	SF
	Housing*:	5	0.105	\$5,500	\$124,281	\$1,188,431	6,088	SF
	Campgrounds:	3	0.019	\$0	\$104,517	\$5,513,630	28	AC
	Trails:	54	0.030	\$473,942	\$673,016	\$22,358,955	502,655	LF
	Waste Water Systems:	25	0.076	\$401,208	\$559,202	\$7,338,925	73,650	GPD
	Water Systems:	19	0.070	\$360,260	\$514,244	\$7,383,710	14,657	GPD
	Unpaved Roads† :	6	0.001	\$0	\$3,300	\$4,336,749	-	-
	Paved Roads‡:	844	0.225	-	\$383,156,003	\$1,703,370,675	-	-
	All Other§ :	165	0.048	\$1,085,467	\$13,412,751	\$278,458,626	-	-
	TOTAL:	1,294	0.195	\$3,015,039	\$403,534,832	\$2,074,007,428	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NAVA		Navajo National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	30	0.095	\$34,779	\$466,508	\$4,918,009	13,425	SF
	Housing*:	7	0.127	\$115,678	\$172,694	\$1,362,516	9,672	SF
	Campgrounds:	2	0.053	\$0	\$59,949	\$1,138,955	5	AC
	Trails:	5	0.056	\$0	\$120,507	\$2,159,032	56,496	LF
	Waste Water Systems:	1	0.022	\$0	\$53,662	\$2,475,974	1,200	GPD
	Water Systems:	1	0.008	\$14,031	\$20,341	\$2,594,721	1,200	GPD
	Unpaved Roads† :	10	0.080	\$0	\$105,117	\$1,308,719	-	-
	Paved Roads‡:	12	0.179	-	\$575,171	\$3,217,897	-	-
	All Other§ :	13	0.167	\$0	\$514,773	\$3,076,273	-	-
	TOTAL:	81	0.094	\$164,488	\$2,088,722	\$22,252,095	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

NCRO National Capital Regional Office								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	4	0.289	\$4,370,719	\$13,793,716	\$47,674,895	108,934	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	0	0.000	\$0	\$0	\$0	-	-	
<b>TOTAL:</b>	<b>4</b>	<b>0.289</b>	<b>\$4,370,719</b>	<b>\$13,793,716</b>	<b>\$47,674,895</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NEBE		New Bedford Whaling National Historic Park						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	4	0.055	\$67,768	\$657,145	\$11,925,144	17,933	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	8	0.000	\$0	\$0	\$19,363,214	-	-	
TOTAL:	12	0.021	\$67,768	\$657,145	\$31,288,357	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NEJE		New Jersey Coastal Heritage Trail Route						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	0	0.000	\$0	\$0	\$0	0	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	1	0.000	\$0	\$0	\$129,076	1,584,000	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	0	0.000	\$0	\$0	\$0	-	-	
TOTAL:	1	0.000	\$0	\$0	\$129,076	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NEPE		Nez Perce National Historic Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	26	0.061	\$692,553	\$1,171,189	\$19,112,730	47,266	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	5	0.000	\$0	\$0	\$376,759	4,031	LF
	Waste Water Systems:	4	0.000	\$0	\$0	\$1,672,283	15,000	GPD
	Water Systems:	6	0.044	\$214,298	\$219,298	\$4,969,827	198,006	GPD
	Unpaved Roads† :	4	0.055	\$35,265	\$47,607	\$857,874	-	-
	Paved Roads‡:	12	0.051	-	\$548,450	\$10,842,691	-	-
	All Other§ :	16	0.100	\$132,806	\$1,459,410	\$14,546,438	-	-
	TOTAL:	73	0.066	\$1,074,922	\$3,445,955	\$52,378,602	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NERI		New River Gorge National River						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	194	0.066	\$1,243,826	\$4,906,292	\$73,990,404	273,306	SF
	Housing*:	14	0.214	\$94,987	\$622,939	\$2,916,216	20,169	SF
	Campgrounds:	12	0.126	\$25,395	\$239,028	\$1,902,409	17	AC
	Trails:	44	0.083	\$975,304	\$1,310,164	\$15,827,738	444,939	LF
	Waste Water Systems:	7	0.008	\$33,314	\$33,314	\$4,343,940	45,400	GPD
	Water Systems:	3	0.027	\$23,717	\$36,998	\$1,373,455	750	GPD
	Unpaved Roads† :	72	0.047	\$187,949	\$1,824,371	\$38,651,869	-	-
	Paved Roads‡:	29	0.193	-	\$3,240,130	\$16,802,460	-	-
	All Other§ :	134	0.078	\$5,154	\$3,543,996	\$45,428,938	-	-
	TOTAL:	509	0.078	\$2,589,646	\$15,757,232	\$201,237,428	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NERO		Northeast Regional Office						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.000	\$0	\$0	\$383,679	1,038	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.160	\$0	\$267,416	\$1,674,131	-	-	
TOTAL:	3	0.130	\$0	\$267,416	\$2,057,810	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NICO Nicodemus National Historic Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	4	0.168	\$345,659	\$613,234	\$3,651,050	7,255	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$49,914	375	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	8	0.051	\$0	\$71,826	\$1,414,608	-	-	
<b>TOTAL:</b>	<b>13</b>	<b>0.134</b>	<b>\$345,659</b>	<b>\$685,059</b>	<b>\$5,115,573</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NIOB Niobrara National Scenic Riverway								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.000	\$0	\$0	\$1,899,800	8,000	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	4	0.105	\$0	\$33,865	\$323,187	-	-	
<b>TOTAL:</b>	<b>5</b>	<b>0.015</b>	<b>\$0</b>	<b>\$33,865</b>	<b>\$2,222,988</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

NISI      Ninety Six National Historic Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
<b>Buildings:</b>	10	0.069	\$78,044	\$252,850	\$3,639,682	9,642	SF	
<b>Housing*:</b>	0	0.000	\$0	\$0	\$0	0	SF	
<b>Campgrounds:</b>	0	0.000	\$0	\$0	\$0	0	AC	
<b>Trails:</b>	7	0.102	\$63,955	\$189,623	\$1,860,506	76,948	LF	
<b>Waste Water Systems:</b>	3	0.000	\$0	\$0	\$49,226	3,000	GPD	
<b>Water Systems:</b>	1	0.000	\$0	\$0	\$180,617	500	GPD	
<b>Unpaved Roads† :</b>	2	0.321	\$11,389	\$15,375	\$47,967	-	-	
<b>Paved Roads‡:</b>	3	0.831	-	\$431,068	\$518,433	-	-	
<b>All Other§ :</b>	24	0.050	\$155,580	\$3,793,255	\$75,175,256	-	-	
<b>TOTAL:</b>	50	0.057	\$308,969	\$4,682,170	\$81,471,687	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NOCA		North Cascades National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	249	0.042	\$252,376	\$2,217,976	\$53,035,668	148,182	SF
	Housing*:	46	0.028	\$159,275	\$446,378	\$16,191,262	58,556	SF
	Campgrounds:	44	0.056	\$34,158	\$961,749	\$17,308,887	100	AC
	Trails:	70	0.078	\$2,358,295	\$3,537,050	\$45,340,691	2,063,249	LF
	Waste Water Systems:	12	0.341	\$1,989,167	\$2,072,700	\$6,070,968	96,900	GPD
	Water Systems:	17	0.014	\$0	\$204,280	\$14,292,733	412,240	GPD
	Unpaved Roads† :	129	0.034	\$244,368	\$927,291	\$27,261,979	-	-
	Paved Roads‡:	65	0.086	-	\$2,634,356	\$30,680,682	-	-
	All Other§ :	130	0.036	\$836,190	\$1,823,969	\$50,902,600	-	-
	TOTAL:	762	0.057	\$5,873,829	\$14,825,749	\$261,085,471	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

NPSA		National Park of American Samoa						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.041	\$0	\$109,895	\$2,654,756	13,023	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	15	0.130	\$0	\$211,353	\$1,624,086	67,550	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	1	0.000	\$0	\$0	\$128,438	500	GPD
	Unpaved Roads† :	5	0.096	\$245,500	\$457,312	\$4,783,848	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	11	0.021	\$0	\$116,270	\$5,616,543	-	-
	TOTAL:	42	0.060	\$245,500	\$894,829	\$14,807,671	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

OBRI		Obed River					
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:	6	0.034	\$0	\$9,905	\$287,273	576	SF
Housing*:	0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:	1	0.128	\$0	\$18,698	\$146,356	2	AC
Trails:	5	0.076	\$68	\$48,854	\$645,027	10,503	LF
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :	4	0.040	\$0	\$36,867	\$922,375	-	-
Paved Roads‡:	6	0.391	-	\$252,674	\$646,374	-	-
All Other§ :	9	0.014	\$0	\$11,057	\$815,477	-	-
TOTAL:	31	0.109	\$68	\$378,055	\$3,462,882	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

OCJO Oconaluftee Job Corps Civ. Cons. Center (APC)								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	0	0.000	\$0	\$0	\$0	0	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.000	\$0	\$0	\$0	-	-	
<b>TOTAL:</b>	<b>1</b>	<b>0.000</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

OCMU		Ocmulgee National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	6	0.081	\$1,025,169	\$1,028,237	\$12,730,678	34,667	SF
	Housing*:	2	0.153	\$102,970	\$319,402	\$2,093,220	3,645	SF
	Campgrounds:	1	0.000	\$0	\$0	\$20,796	1	AC
	Trails:	13	0.024	\$0	\$40,823	\$1,668,191	28,540	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	1	0.000	\$0	\$0	\$23,036	7	GPD
	Unpaved Roads† :	3	0.283	\$161,910	\$246,070	\$869,351	-	-
	Paved Roads‡:	8	0.831	-	\$3,613,683	\$4,346,628	-	-
	All Other§ :	28	0.003	\$0	\$27,905	\$8,444,144	-	-
	TOTAL:	62	0.175	\$1,290,048	\$5,276,119	\$30,196,043	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

OLYM		Olympic National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	<b>Buildings:</b>	468	0.046	\$2,216,065	\$7,323,997	\$159,159,484	405,719	SF
	<b>Housing*:</b>	46	0.087	\$319,307	\$1,469,447	\$16,971,648	76,309	SF
	<b>Campgrounds:</b>	20	0.135	\$174,524	\$3,240,385	\$24,084,122	192	AC
	<b>Trails:</b>	67	0.032	\$3,870,903	\$5,392,680	\$165,996,745	3,266,561	LF
	<b>Waste Water Systems:</b>	16	0.068	\$1,373,062	\$1,963,113	\$28,830,405	392,250	GPD
	<b>Water Systems:</b>	17	0.021	\$546,751	\$733,771	\$34,557,905	185,152	GPD
	<b>Unpaved Roads† :</b>	47	0.117	\$15,433,239	\$17,469,038	\$148,757,223	-	-
	<b>Paved Roads‡:</b>	125	0.170	-	\$89,503,942	\$527,006,100	-	-
	<b>All Other§ :</b>	290	0.058	\$1,037,658	\$6,150,012	\$105,563,569	-	-
	<b>TOTAL:</b>	1,096	0.110	\$24,971,509	\$133,246,385	\$1,210,927,202	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ORCA		Oregon Caves National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	11	0.716	\$519,859	\$12,190,869	\$17,034,288	40,957	SF
	Housing*:	3	0.088	\$529,039	\$757,201	\$8,597,742	14,400	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	5	0.066	\$21,700	\$118,014	\$1,788,555	40,559	LF
	Waste Water Systems:	3	0.000	\$0	\$0	\$1,074,486	11,000	GPD
	Water Systems:	2	1.210	\$582,262	\$2,051,993	\$1,696,103	12,500	GPD
	Unpaved Roads† :	2	0.000	\$0	\$0	\$91,551	-	-
	Paved Roads‡:	15	0.109	-	\$1,226,303	\$11,207,737	-	-
	All Other§ :	7	0.009	\$0	\$56,952	\$6,019,768	-	-
	TOTAL:	48	0.345	\$1,652,860	\$16,401,332	\$47,510,230	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

ORPI		Organ Pipe Cactus National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	32	0.036	\$92,530	\$464,797	\$13,069,450	34,699	SF	
Housing*:	11	0.054	\$2,770	\$150,641	\$2,777,691	20,870	SF	
Campgrounds:	20	0.058	\$0	\$90,845	\$1,560,452	37	AC	
Trails:	15	0.087	\$69,293	\$229,330	\$2,636,073	157,820	LF	
Waste Water Systems:	6	0.000	\$0	\$516	\$4,591,766	19,500	GPD	
Water Systems:	1	0.010	\$0	\$26,058	\$2,633,651	12,400	GPD	
Unpaved Roads† :	19	0.020	\$1,533	\$182,498	\$9,022,873	-	-	
Paved Roads‡:	42	0.256	-	\$6,581,580	\$25,662,844	-	-	
All Other§ :	41	0.003	\$8,972	\$197,020	\$75,397,278	-	-	
TOTAL:	187	0.058	\$175,097	\$7,923,286	\$137,352,078	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

OSTB		Old Santa Fe Trail Building National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	4	0.053	\$1,856,991	\$1,914,814	\$36,279,923	41,220	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	1	0.340	\$0	\$30,522	\$89,646	500	GPD	
Water Systems:	1	0.000	\$0	\$0	\$55,900	500	GPD	
Unpaved Roads† :	3	0.034	\$0	\$24,818	\$728,691	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	3	0.051	\$69,302	\$71,362	\$1,389,499	-	-	
TOTAL:	12	0.053	\$1,926,293	\$2,041,517	\$38,543,660	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

OZAR		Ozark National Scenic Riverways						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	216	0.110	\$3,206,058	\$6,026,822	\$54,821,748	156,977	SF
	Housing*:	15	0.269	\$469,310	\$1,105,027	\$4,114,239	26,866	SF
	Campgrounds:	27	0.047	\$198,029	\$800,095	\$17,028,722	281	AC
	Trails:	40	0.152	\$1,019,835	\$1,593,433	\$10,508,153	419,763	LF
	Waste Water Systems:	22	0.049	\$1,628,935	\$1,803,472	\$36,543,458	97,000	GPD
	Water Systems:	19	0.082	\$1,004,850	\$1,267,084	\$15,465,290	30,325	GPD
	Unpaved Roads† :	139	0.102	\$1,544,979	\$6,145,243	\$60,209,192	-	-
	Paved Roads‡:	124	0.347	-	\$15,052,574	\$43,430,057	-	-
	All Other§ :	139	0.047	\$1,350,813	\$2,650,417	\$56,106,959	-	-
	TOTAL:	741	0.122	\$10,422,809	\$36,444,167	\$298,227,818	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PAAL		Palo Alto Battlefield National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	7	0.076	\$48,345	\$210,207	\$2,758,305	9,439	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	7	0.092	\$14,173	\$114,944	\$1,245,423	11,425	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	4	0.050	\$9,845	\$51,389	\$1,033,624	-	-
	Paved Roads‡:	3	0.214	-	\$206,725	\$966,323	-	-
	All Other§ :	16	0.037	\$0	\$251,192	\$6,760,504	-	-
	TOTAL:	37	0.065	\$72,363	\$834,457	\$12,764,179	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PAGR Paterson Great Falls National Historical Park								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	3	0.108	\$155,204	\$556,546	\$5,173,939	0	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	4	0.225	\$1,641	\$91,257	\$405,582	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	3	0.155	\$0	\$133,242	\$857,805	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	11	0.204	\$0	\$373,808	\$1,836,541	-	-	
<b>TOTAL:</b>	<b>21</b>	<b>0.140</b>	<b>\$156,846</b>	<b>\$1,154,853</b>	<b>\$8,273,867</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PAIS		Padre Island National Seashore						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	35	0.107	\$267,982	\$1,931,403	\$17,985,030	56,665	SF
	Housing*:	3	0.061	\$0	\$24,174	\$395,232	3,916	SF
	Campgrounds:	4	0.007	\$0	\$15,338	\$2,251,214	33	AC
	Trails:	6	0.065	\$30,307	\$32,037	\$492,947	5,354	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$2,432,333	25,000	GPD
	Water Systems:	1	0.309	\$48,886	\$701,480	\$2,266,575	7,376	GPD
	Unpaved Roads† :	12	0.023	\$588,494	\$902,896	\$39,439,005	-	-
	Paved Roads‡:	14	0.681	-	\$12,239,633	\$17,983,459	-	-
	All Other§ :	23	0.038	\$1,146,122	\$1,640,503	\$43,196,221	-	-
	TOTAL:	99	0.138	\$2,081,791	\$17,487,463	\$126,442,016	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PARA		Parashant National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		16	0.043	\$48,917	\$179,641	\$4,170,527	10,939	SF
Housing*:		0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:		0	0.000	\$0	\$0	\$0	0	AC
Trails:		6	0.000	\$0	\$0	\$1,201,456	49,210	LF
Waste Water Systems:		1	0.000	\$0	\$0	\$44,986	1,000	GPD
Water Systems:		2	0.000	\$0	\$0	\$838,199	600	GPD
Unpaved Roads† :		23	0.017	\$294,439	\$354,174	\$21,046,567	-	-
Paved Roads‡:		0	0.000	-	\$0	\$0	-	-
All Other§ :		24	0.236	\$23,073	\$631,226	\$2,672,635	-	-
<b>TOTAL:</b>		<b>72</b>	<b>0.039</b>	<b>\$366,429</b>	<b>\$1,165,041</b>	<b>\$29,974,369</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PECO		Pecos National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	38	0.248	\$693,627	\$5,076,862	\$20,504,058	50,573	SF
	Housing*:	2	0.081	\$80,902	\$80,902	\$1,000,869	3,275	SF
	Campgrounds:	1	0.000	\$0	\$0	\$75,306	0	AC
	Trails:	4	0.087	\$146,192	\$151,206	\$1,742,778	33,220	LF
	Waste Water Systems:	8	0.289	\$284,972	\$284,972	\$985,959	3,382	GPD
	Water Systems:	8	0.071	\$0	\$84,280	\$1,187,291	1,649	GPD
	Unpaved Roads† :	9	0.124	\$604,512	\$849,719	\$6,847,169	-	-
	Paved Roads‡:	7	0.254	-	\$506,361	\$1,991,034	-	-
	All Other§ :	49	0.030	\$540,556	\$1,026,749	\$34,391,536	-	-
	TOTAL:	126	0.117	\$2,350,761	\$8,061,051	\$68,725,999	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

PEFO		Petrified Forest National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	38	0.154	\$671,856	\$4,147,321	\$26,859,488	101,036	SF
	Housing*:	17	0.230	\$383,741	\$1,952,137	\$8,505,065	66,810	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	10	0.068	\$53,077	\$651,627	\$9,517,751	28,651	LF
	Waste Water Systems:	8	0.110	\$372,015	\$813,509	\$7,383,862	22,660	GPD
	Water Systems:	2	0.198	\$2,561,735	\$2,617,767	\$13,241,528	20,125	GPD
	Unpaved Roads† :	15	0.045	\$0	\$141,765	\$3,168,415	-	-
	Paved Roads‡:	41	0.438	-	\$42,434,610	\$96,815,799	-	-
	All Other§ :	36	0.141	\$205,589	\$1,696,275	\$12,021,267	-	-
	TOTAL:	167	0.307	\$4,248,013	\$54,455,010	\$177,513,175	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PERI		Pea Ridge National Military Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	12	0.043	\$78,218	\$231,432	\$5,381,276	21,739	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	4	0.076	\$0	\$79,266	\$1,041,131	93,635	LF
	Waste Water Systems:	4	0.000	\$0	\$0	\$269,050	8,550	GPD
	Water Systems:	1	0.011	\$13,675	\$13,675	\$1,293,810	12,000	GPD
	Unpaved Roads† :	5	0.000	\$0	\$0	\$1,132,538	-	-
	Paved Roads‡:	16	0.162	-	\$1,653,140	\$10,199,878	-	-
	All Other§ :	21	0.000	\$0	\$26,591	\$118,263,552	-	-
	TOTAL:	63	0.015	\$91,893	\$2,004,104	\$137,581,235	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PETE		Petersburg National Battlefield						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	44	0.082	\$964,448	\$1,422,203	\$17,299,621	67,942	SF
	Housing*:	3	0.039	\$10,396	\$39,550	\$1,017,847	7,555	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	48	0.070	\$417,737	\$432,558	\$6,220,700	133,088	LF
	Waste Water Systems:	1	0.552	\$229,730	\$229,730	\$415,986	8,000	GPD
	Water Systems:	1	0.167	\$30,656	\$30,656	\$183,965	1,650	GPD
	Unpaved Roads† :	14	0.000	\$0	\$0	\$2,535,678	-	-
	Paved Roads‡:	50	0.018	-	\$298,960	\$16,709,398	-	-
	All Other§ :	115	0.135	\$4,537,948	\$6,300,392	\$46,680,278	-	-
	TOTAL:	276	0.096	\$6,190,916	\$8,754,049	\$91,063,473	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PETR		Petroglyph National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	20	0.108	\$82,454	\$707,560	\$6,529,278	19,357	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	11	0.123	\$0	\$235,534	\$1,919,479	39,068	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$106,420	300	GPD
	Water Systems:	1	0.000	\$0	\$0	\$142,396	400	GPD
	Unpaved Roads† :	11	0.045	\$0	\$92,227	\$2,061,037	-	-
	Paved Roads‡:	5	0.131	-	\$393,549	\$3,008,403	-	-
	All Other§ :	24	0.108	\$0	\$714,925	\$6,593,718	-	-
	TOTAL:	73	0.105	\$82,454	\$2,143,795	\$20,360,733	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PEVI Perrys Victory and International Peace Memorial								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	5	0.196	\$16,377,009	\$40,706,835	\$207,876,750	61,840	SF	
Housing*:	6	0.194	\$124,220	\$591,207	\$3,046,712	12,000	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	1	0.035	\$38,376	\$38,376	\$1,088,996	2,966	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	6	0.087	-	\$217,399	\$2,500,622	-	-	
All Other§ :	8	0.208	\$831,498	\$2,821,743	\$13,536,703	-	-	
<b>TOTAL:</b>	<b>26</b>	<b>0.195</b>	<b>\$17,371,102</b>	<b>\$44,375,560</b>	<b>\$228,049,782</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PFMD Park Facility Management Division								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	0	0.000	\$0	\$0	\$0	0	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.000	\$0	\$0	\$0	-	-	
<b>TOTAL:</b>	<b>1</b>	<b>0.000</b>	<b>\$0</b>	<b>\$0</b>	<b>\$0</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PINN		Pinnacles National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		64	0.060	\$126,444	\$839,449	\$14,058,656	36,554	SF
Housing*:		15	0.006	\$0	\$30,050	\$5,084,720	20,142	SF
Campgrounds:		1	0.008	\$0	\$47,600	\$6,128,293	20	AC
Trails:		21	0.028	\$334,658	\$591,505	\$21,481,288	206,974	LF
Waste Water Systems:		11	0.255	\$1,558,591	\$1,558,591	\$6,113,323	21,575	GPD
Water Systems:		6	0.025	\$0	\$204,800	\$8,240,507	57,310	GPD
Unpaved Roads† :		16	0.050	\$270,000	\$342,265	\$6,816,747	-	-
Paved Roads‡:		23	0.160	-	\$4,647,438	\$29,034,017	-	-
All Other§ :		26	0.010	\$75,000	\$209,666	\$20,980,088	-	-
<b>TOTAL:</b>		<b>183</b>	<b>0.072</b>	<b>\$2,364,694</b>	<b>\$8,471,364</b>	<b>\$117,937,638</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PIPE		Pipestone National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	5	0.023	\$139,990	\$158,387	\$6,939,083	13,220	SF
	Housing*:	1	0.000	\$0	\$0	\$289,947	1,775	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	3	0.005	\$0	\$3,891	\$811,451	7,346	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$550,800	3,000	GPD
	Water Systems:	1	0.000	\$0	\$0	\$651,800	3,000	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	8	0.150	-	\$728,791	\$4,859,719	-	-
	All Other§ :	10	0.237	\$552,000	\$582,589	\$2,462,579	-	-
	TOTAL:	29	0.089	\$691,990	\$1,473,658	\$16,565,378	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

PIRO		Pictured Rocks National Lakeshore						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	79	0.016	\$158,038	\$475,372	\$30,338,087	64,532	SF
	Housing*:	10	0.029	\$954	\$48,627	\$1,701,715	11,451	SF
	Campgrounds:	18	0.016	\$2,735	\$83,675	\$5,074,947	90	AC
	Trails:	43	0.034	\$98,223	\$592,793	\$17,610,020	504,291	LF
	Waste Water Systems:	13	0.022	\$10,796	\$10,796	\$501,004	4,520	GPD
	Water Systems:	19	0.002	\$5,839	\$7,971	\$3,331,215	5,630	GPD
	Unpaved Roads† :	34	0.056	\$368,757	\$472,555	\$8,468,738	-	-
	Paved Roads‡:	16	0.233	-	\$3,462,135	\$14,861,371	-	-
	All Other§ :	63	0.018	\$689	\$124,753	\$6,993,326	-	-
	TOTAL:	295	0.059	\$646,030	\$5,278,678	\$88,880,423	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PISP		Pipe Spring National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	17	0.034	\$132,717	\$517,416	\$15,002,441	31,848	SF
	Housing*:	4	0.067	\$512	\$55,363	\$820,663	4,670	SF
	Campgrounds:	1	0.000	\$0	\$0	\$111,657	0	AC
	Trails:	3	0.062	\$23,567	\$28,268	\$452,876	5,173	LF
	Waste Water Systems:	1	0.576	\$110,298	\$110,298	\$191,532	1,333	GPD
	Water Systems:	2	0.041	\$109,624	\$233,714	\$5,670,229	72,000	GPD
	Unpaved Roads† :	10	0.090	\$0	\$25,873	\$287,345	-	-
	Paved Roads‡:	2	0.512	-	\$511,408	\$998,582	-	-
	All Other§ :	25	0.011	\$5,088	\$191,572	\$17,369,008	-	-
	TOTAL:	65	0.041	\$381,807	\$1,673,913	\$40,904,332	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

POCH		Port Chicago Naval Magazine					
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:	0	0.000	\$0	\$0	\$0	0	SF
Housing*:	0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
Trails:	0	0.000	\$0	\$0	\$0	0	LF
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
All Other§ :	3	0.001	\$0	\$500	\$780,934	-	-
TOTAL:	3	0.001	\$0	\$500	\$780,934	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PORE		Point Reyes National Seashore						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	353	0.068	\$7,390,959	\$20,608,514	\$303,035,291	622,937	SF
	Housing*:	36	0.133	\$1,512,221	\$4,300,942	\$32,398,170	71,853	SF
	Campgrounds:	9	0.003	\$0	\$220,652	\$88,104,229	2,631	AC
	Trails:	73	0.136	\$122,592	\$10,676,819	\$78,786,436	632,747	LF
	Waste Water Systems:	59	0.150	\$508,089	\$2,678,256	\$17,809,705	20,835	GPD
	Water Systems:	27	0.093	\$1,049,010	\$3,411,443	\$36,824,004	87,125	GPD
	Unpaved Roads† :	78	0.095	\$1,435,178	\$7,564,372	\$79,422,750	-	-
	Paved Roads‡:	45	0.383	-	\$49,242,485	\$128,513,579	-	-
	All Other§ :	160	0.020	\$447,262	\$7,617,892	\$388,708,786	-	-
	TOTAL:	840	0.092	\$12,465,311	\$106,321,376	\$1,153,602,949	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PRES		Presidio of San Francisco						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	20	0.036	\$363,765	\$9,079,189	\$251,417,062	144,564	SF
	Housing*:	1	0.000	\$0	\$0	\$11,834,281	38,844	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	35	0.009	\$0	\$140,209	\$15,411,631	39,413	LF
	Waste Water Systems:	1	1.074	\$896,883	\$1,068,148	\$994,524	216,000	GPD
	Water Systems:	1	0.335	\$82,303	\$95,773	\$286,080	151,000	GPD
	Unpaved Roads† :	2	0.000	\$0	\$0	\$112,228	-	-
	Paved Roads‡:	12	0.012	-	\$280,469	\$23,948,639	-	-
	All Other§ :	24	0.007	\$1,180,087	\$2,222,728	\$341,018,794	-	-
	TOTAL:	96	0.020	\$2,523,038	\$12,886,516	\$645,023,238	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PRWI		Prince William Forest Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		269	0.061	\$939,006	\$4,585,804	\$74,798,870	202,163	SF
Housing*:		6	0.033	\$4,976	\$69,588	\$2,120,407	8,993	SF
Campgrounds:		10	0.007	\$0	\$145,427	\$20,963,906	196	AC
Trails:		24	0.001	\$0	\$10,970	\$10,849,539	151,718	LF
Waste Water Systems:		15	0.801	\$1,330,845	\$4,847,707	\$6,055,325	11,203	GPD
Water Systems:		9	0.019	\$0	\$303,039	\$16,235,149	2,004,782	GPD
Unpaved Roads† :		40	0.014	\$63,143	\$166,405	\$12,227,233	-	-
Paved Roads‡:		36	0.062	-	\$3,696,362	\$59,665,075	-	-
All Other§ :		53	0.007	\$0	\$2,873,118	\$393,628,574	-	-
<b>TOTAL:</b>		<b>462</b>	<b>0.028</b>	<b>\$2,337,970</b>	<b>\$16,698,420</b>	<b>\$596,544,078</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

<div> <div>PUHE</div> <div>Puukohola Heiau National Historic Site</div> </div>								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	7	0.002	\$0	\$9,320	\$6,068,153	12,131	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	1	0.000	\$0	\$0	\$560,573	4,119	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$710,778	70	GPD	
Water Systems:	1	0.000	\$0	\$0	\$236,969	8,000	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	7	0.038	-	\$420,933	\$11,049,057	-	-	
All Other§ :	11	0.004	\$0	\$27,470	\$6,166,898	-	-	
<b>TOTAL:</b>	<b>28</b>	<b>0.018</b>	<b>\$0</b>	<b>\$457,723</b>	<b>\$24,792,429</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

PUHO		Puuhonua O Honaunau National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	17	0.073	\$167,347	\$1,060,664	\$14,552,469	23,901	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	5	0.045	\$0	\$149,685	\$3,339,770	20,358	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$1,300,224	310	GPD
	Water Systems:	2	0.272	\$0	\$50,000	\$184,006	1,490	GPD
	Unpaved Roads† :	5	0.221	\$0	\$102,159	\$462,202	-	-
	Paved Roads‡:	3	0.101	-	\$146,701	\$1,451,076	-	-
	All Other§ :	34	0.004	\$0	\$530,332	\$144,421,273	-	-
	TOTAL:	68	0.012	\$167,347	\$2,039,540	\$165,711,020	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

RABR		Rainbow Bridge National Monument					
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:	1	0.026	\$0	\$23,625	\$894,344	900	SF
Housing*:	0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
Trails:	1	1.339	\$147,756	\$1,071,456	\$800,418	3,935	LF
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
All Other§ :	1	0.011	\$0	\$25,000	\$2,362,681	-	-
TOTAL:	3	0.276	\$147,756	\$1,120,081	\$4,057,442	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

REDW		Redwood National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	100	0.061	\$1,003,960	\$2,827,739	\$46,489,647	141,369	SF
	Housing*:	12	0.127	\$315,800	\$520,876	\$4,106,778	20,892	SF
	Campgrounds:	6	0.058	\$0	\$31,405	\$542,084	17	AC
	Trails:	39	0.115	\$2,010,028	\$3,193,353	\$27,734,016	628,475	LF
	Waste Water Systems:	15	0.025	\$54,563	\$73,943	\$2,973,583	42,751	GPD
	Water Systems:	10	0.001	\$0	\$12,923	\$9,175,596	116,300	GPD
	Unpaved Roads† :	166	0.044	\$5,995,268	\$11,041,933	\$251,372,271	-	-
	Paved Roads‡:	39	0.179	-	\$7,354,979	\$41,109,739	-	-
	All Other§ :	52	0.043	\$0	\$689,047	\$16,152,548	-	-
	TOTAL:	439	0.064	\$9,379,620	\$25,746,198	\$399,656,261	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

RICH		Richmond National Battlefield Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	13	0.132	\$103,900	\$1,096,344	\$8,277,179	32,178	SF
	Housing*:	3	0.121	\$0	\$86,582	\$717,339	4,821	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	11	0.042	\$0	\$80,056	\$1,886,807	35,013	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$183,883	536	GPD
	Water Systems:	2	0.000	\$0	\$0	\$1,488,783	537	GPD
	Unpaved Roads† :	14	0.007	\$0	\$21,937	\$3,248,738	-	-
	Paved Roads‡:	26	0.237	-	\$3,443,077	\$14,538,750	-	-
	All Other§ :	44	0.038	\$69,096	\$8,781,637	\$230,963,311	-	-
	TOTAL:	114	0.052	\$172,996	\$13,509,632	\$261,304,791	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

RIRA		River Raisin National Battlefield						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.057	\$15,332	\$99,031	\$1,742,946	6,071	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	2	0.000	\$0	\$0	\$204,679	1,129	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	2	3.308	-	\$1,733,721	\$524,165	-	-	
All Other§ :	3	0.063	\$18,965	\$158,667	\$2,520,474	-	-	
TOTAL:	9	0.399	\$34,297	\$1,991,418	\$4,992,264	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ROCR		Rock Creek Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		43	0.039	\$272,891	\$2,488,027	\$64,511,953	131,575	SF
Housing*:		2	0.673	\$42,950	\$850,343	\$1,264,127	5,420	SF
Campgrounds:		0	0.000	\$0	\$0	\$0	0	AC
Trails:		40	0.005	\$0	\$76,530	\$16,986,926	219,124	LF
Waste Water Systems:		0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:		0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :		15	0.000	\$0	\$0	\$6,164,694	-	-
Paved Roads‡:		87	0.111	-	\$34,247,976	\$308,738,336	-	-
All Other§ :		159	0.019	\$2,292,252	\$8,684,840	\$448,854,600	-	-
<b>TOTAL:</b>		<b>346</b>	<b>0.055</b>	<b>\$2,608,093</b>	<b>\$46,347,716</b>	<b>\$846,520,635</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ROMO		Rocky Mountain National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	308	0.049	\$1,698,373	\$4,407,304	\$89,200,836	278,603	SF
	Housing*:	126	0.144	\$1,955,017	\$4,284,761	\$29,838,578	157,153	SF
	Campgrounds:	119	0.039	\$140,416	\$717,744	\$18,502,949	164	AC
	Trails:	169	0.126	\$13,439,116	\$16,230,736	\$129,185,234	1,945,027	LF
	Waste Water Systems:	49	0.142	\$2,085,102	\$2,394,800	\$16,833,032	348,671	GPD
	Water Systems:	27	0.063	\$2,834,461	\$4,424,868	\$70,388,337	162,880	GPD
	Unpaved Roads† :	73	0.188	\$1,693,851	\$7,013,742	\$37,216,987	-	-
	Paved Roads‡:	117	0.092	-	\$26,478,202	\$289,120,764	-	-
	All Other§ :	125	0.036	\$21,577	\$1,713,877	\$48,216,693	-	-
	TOTAL:	1,113	0.093	\$23,867,912	\$67,666,035	\$728,503,409	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

RORI		Rosie the Riverter-WWII Home Front Natl Hist Park						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.000	\$0	\$0	\$9,717,266	18,246	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	0	0.000	\$0	\$0	\$0	-	-	
TOTAL:	2	0.000	\$0	\$0	\$9,717,266	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

Roger Williams National Memorial								
ROWI	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.078	\$0	\$176,607	\$2,257,910	4,104	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	1	0.048	\$0	\$41,312	\$868,037	3,010	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	1	0.155	-	\$26,892	\$173,388	-	-	
All Other§ :	4	0.066	\$3,868	\$899,427	\$13,665,907	-	-	
<b>TOTAL:</b>	<b>7</b>	<b>0.067</b>	<b>\$3,868</b>	<b>\$1,144,238</b>	<b>\$16,965,242</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

RUCA		Russell Cave National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		6	0.015	\$0	\$29,227	\$1,924,949	6,588	SF
Housing*:		2	0.202	\$0	\$64,764	\$320,085	2,800	SF
Campgrounds:		0	0.000	\$0	\$0	\$0	0	AC
Trails:		3	0.002	\$0	\$1,131	\$556,770	12,456	LF
Waste Water Systems:		3	0.000	\$0	\$0	\$58,144	1,500	GPD
Water Systems:		2	0.000	\$0	\$0	\$74,162	600	GPD
Unpaved Roads† :		1	0.007	\$0	\$3,055	\$445,782	-	-
Paved Roads‡:		5	0.186	-	\$387,202	\$2,086,799	-	-
All Other§ :		11	0.057	\$0	\$113,199	\$1,989,345	-	-
<b>TOTAL:</b>		<b>33</b>	<b>0.080</b>	<b>\$0</b>	<b>\$598,577</b>	<b>\$7,456,036</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SAAN		San Antonio Missions National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	27	0.064	\$1,045,940	\$2,827,778	\$44,503,686	135,881	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	1	0.000	\$0	\$0	\$75,079	0	AC
	Trails:	4	0.011	\$64,059	\$74,059	\$6,776,942	47,198	LF
	Waste Water Systems:	2	0.010	\$0	\$454	\$45,598	1,250	GPD
	Water Systems:	1	0.098	\$0	\$27,488	\$281,589	144,000	GPD
	Unpaved Roads† :	17	0.140	\$3,683	\$164,973	\$1,178,127	-	-
	Paved Roads‡:	12	0.189	-	\$1,287,636	\$6,809,589	-	-
	All Other§ :	87	0.063	\$548,820	\$3,621,465	\$57,242,385	-	-
	TOTAL:	151	0.068	\$1,662,503	\$8,003,853	\$116,912,994	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SACN		Saint Croix National Scenic Riverway						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	82	0.004	\$28,401	\$87,313	\$23,403,747	75,868	SF	
Housing*:	2	0.000	\$0	\$0	\$606,860	3,866	SF	
Campgrounds:	4	0.262	\$465,005	\$538,700	\$2,053,448	62	AC	
Trails:	11	0.007	\$14,003	\$30,707	\$4,378,532	259,468	LF	
Waste Water Systems:	10	0.097	\$56,483	\$56,483	\$581,316	182,600	GPD	
Water Systems:	15	0.023	\$21,260	\$24,958	\$1,078,982	14,300	GPD	
Unpaved Roads† :	37	0.021	\$89,313	\$93,045	\$4,535,683	-	-	
Paved Roads‡:	12	0.141	-	\$752,305	\$5,325,612	-	-	
All Other§ :	69	0.024	\$134,354	\$238,609	\$9,778,349	-	-	
TOTAL:	242	0.035	\$808,819	\$1,822,120	\$51,742,529	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SACR		Saint Croix Island International Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	7	0.017	\$24,021	\$25,728	\$1,484,581	4,929	SF	
Housing*:	1	0.059	\$121,506	\$173,649	\$2,934,376	5,427	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	2	0.537	-	\$190,433	\$354,843	-	-	
All Other§ :	3	0.094	\$6,775	\$217,298	\$2,302,537	-	-	
TOTAL:	13	0.086	\$152,302	\$607,108	\$7,076,337	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SAFR		San Francisco Maritime National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	22	0.101	\$1,035,160	\$15,805,872	\$156,035,842	398,070	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.015	\$0	\$31,828	\$2,175,502	2,406	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$73,394	2,000	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	7	0.269	-	\$2,108,173	\$7,839,767	-	-
	All Other§ :	21	0.088	\$48,870,936	\$51,744,196	\$589,741,501	-	-
	TOTAL:	53	0.092	\$49,906,097	\$69,690,070	\$755,866,006	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SAGA		Saint-Gaudens National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	28	0.241	\$736,068	\$3,542,273	\$14,728,134	68,676	SF
	Housing*:	1	0.074	\$1,378	\$27,947	\$375,363	3,500	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	3	0.635	\$0	\$100,000	\$157,535	7,666	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$120,938	2,800	GPD
	Water Systems:	2	0.032	\$0	\$27,988	\$881,883	10,100	GPD
	Unpaved Roads† :	15	0.002	\$0	\$655	\$313,392	-	-
	Paved Roads‡:	4	0.661	-	\$225,494	\$341,125	-	-
	All Other§ :	9	0.033	\$105,445	\$416,797	\$12,445,781	-	-
	TOTAL:	63	0.148	\$842,892	\$4,341,155	\$29,364,150	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SAGU		Saguaro National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	45	0.087	\$168,363	\$1,172,342	\$13,474,334	43,967	SF
	Housing*:	2	0.213	\$0	\$106,151	\$498,271	3,632	SF
	Campgrounds:	6	0.000	\$0	\$0	\$417,167	5	AC
	Trails:	98	0.111	\$1,973,023	\$3,727,453	\$33,558,086	1,042,571	LF
	Waste Water Systems:	7	0.205	\$61,474	\$160,374	\$783,720	32,100	GPD
	Water Systems:	7	0.026	\$0	\$72,185	\$2,748,518	21,850	GPD
	Unpaved Roads† :	30	0.007	\$0	\$108,102	\$15,496,715	-	-
	Paved Roads‡:	32	0.388	-	\$12,639,758	\$32,571,210	-	-
	All Other§ :	58	0.026	\$0	\$436,736	\$16,647,823	-	-
	TOTAL:	285	0.159	\$2,202,860	\$18,423,101	\$116,195,843	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SAHI		Sagamore Hill National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	11	0.190	\$185,086	\$5,862,714	\$30,864,329	25,920	SF
	Housing*:	6	0.083	\$254,288	\$1,147,995	\$13,836,345	21,109	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	4	0.072	\$0	\$50,982	\$711,513	4,029	LF
	Waste Water Systems:	4	0.034	\$0	\$5,000	\$145,164	7,000	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	3	0.030	\$12,832	\$17,323	\$581,295	-	-
	Paved Roads‡:	14	0.141	-	\$618,065	\$4,380,281	-	-
	All Other§ :	7	0.009	\$66,378	\$651,938	\$71,653,414	-	-
	TOTAL:	49	0.068	\$518,584	\$8,354,017	\$122,172,341	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

SAIR Saugus Iron Works National Historic Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	12	0.176	\$19,125	\$1,958,037	\$11,111,046	20,658	SF	
Housing*:	2	0.000	\$0	\$0	\$1,094,857	2,700	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	2	0.000	\$0	\$0	\$221,890	1,866	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	1	0.000	\$0	\$0	\$50,850	-	-	
Paved Roads‡:	1	0.643	-	\$378,222	\$587,981	-	-	
All Other§ :	17	0.006	\$0	\$84,772	\$14,072,614	-	-	
<b>TOTAL:</b>	<b>35</b>	<b>0.089</b>	<b>\$19,125</b>	<b>\$2,421,031</b>	<b>\$27,139,238</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SAJH		San Juan Island National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	19	0.280	\$357,553	\$1,442,137	\$5,153,595	16,268	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	4	0.000	\$0	\$0	\$196,343	1	AC
	Trails:	4	0.261	\$200,098	\$473,078	\$1,815,048	58,575	LF
	Waste Water Systems:	5	0.000	\$0	\$0	\$189,410	755	GPD
	Water Systems:	3	0.000	\$0	\$0	\$706,658	700	GPD
	Unpaved Roads† :	12	0.043	\$75,669	\$209,644	\$4,843,044	-	-
	Paved Roads‡:	6	0.157	-	\$1,426,015	\$9,065,873	-	-
	All Other§ :	10	0.114	\$215,996	\$625,163	\$5,488,993	-	-
	TOTAL:	63	0.152	\$849,316	\$4,176,037	\$27,458,962	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SAJU		San Juan National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.038	\$1,404,375	\$3,171,058	\$83,866,292	192,083	SF
	Housing*:	2	0.000	\$63,479	\$143,950	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	4	0.046	\$0	\$111,150	\$2,415,804	8,027	LF
	Waste Water Systems:	3	0.197	\$80,000	\$80,000	\$405,420	30,000	GPD
	Water Systems:	5	0.000	\$0	\$0	\$12,492,120	94,800	GPD
	Unpaved Roads† :	3	0.018	\$0	\$5,400	\$308,070	-	-
	Paved Roads‡:	7	0.029	-	\$298,347	\$10,402,286	-	-
	All Other§ :	54	0.017	\$13,756,624	\$323,678,801	\$19,519,477,677	-	-
	TOTAL:	88	0.017	\$15,304,478	\$327,488,706	\$19,629,367,668	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SAMA		Salem Maritime National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	14	0.081	\$953,353	\$2,683,607	\$33,030,878	63,157	SF
	Housing*:	1	0.036	\$1,200	\$23,073	\$639,722	1,638	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	5	0.022	\$0	\$57,776	\$2,606,413	4,048	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	1	0.054	\$0	\$11,335	\$210,890	1	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	25	0.023	\$45,700	\$905,031	\$39,282,825	-	-
	TOTAL:	46	0.049	\$1,000,253	\$3,680,821	\$75,770,728	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SAMO		Santa Monica Mountains National Recreation Area						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	74	0.024	\$138,342	\$1,046,351	\$43,914,240	110,064	SF	
Housing*:	13	0.022	\$39,137	\$100,516	\$4,496,205	17,900	SF	
Campgrounds:	1	0.040	\$0	\$12,844	\$318,713	1	AC	
Trails:	71	0.018	\$46,151	\$655,017	\$35,581,015	502,876	LF	
Waste Water Systems:	9	0.019	\$1,650	\$23,464	\$1,208,793	32,822	GPD	
Water Systems:	12	0.143	\$0	\$549,647	\$3,857,014	136,455	GPD	
Unpaved Roads† :	53	0.005	\$9,358	\$108,821	\$21,667,876	-	-	
Paved Roads‡:	38	0.183	-	\$5,109,746	\$27,972,814	-	-	
All Other§ :	87	0.011	\$20,136	\$303,489	\$28,792,168	-	-	
TOTAL:	358	0.047	\$254,773	\$7,909,895	\$167,808,837	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SAND		Sand Creek Massacre Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	5	0.029	\$0	\$29,278	\$1,021,826	4,864	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	1.896	\$18,613	\$36,639	\$19,321	2,640	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$38,924	100	GPD
	Water Systems:	3	0.000	\$0	\$0	\$233,365	300	GPD
	Unpaved Roads† :	3	0.000	\$0	\$0	\$386,179	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	5	0.072	\$0	\$164,886	\$2,305,660	-	-
	TOTAL:	18	0.058	\$18,613	\$230,804	\$4,005,275	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SAPA		Saint Pauls Church National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.039	\$0	\$311,601	\$8,004,519	38,950	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	1	0.128	\$40,500	\$961,830	\$7,518,370	-	-	
TOTAL:	3	0.082	\$40,500	\$1,273,431	\$15,522,889	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SAPU		Salinas Pueblo Missions National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	13	0.013	\$18,664	\$63,803	\$5,103,694	15,299	SF
	Housing*:	2	0.316	\$0	\$134,994	\$427,517	3,150	SF
	Campgrounds:	1	0.000	\$0	\$0	\$47,479	1	AC
	Trails:	6	0.031	\$0	\$46,693	\$1,521,936	17,452	LF
	Waste Water Systems:	4	0.000	\$0	\$0	\$440,896	2,127	GPD
	Water Systems:	3	0.087	\$85,877	\$144,256	\$1,666,771	1,005	GPD
	Unpaved Roads† :	6	0.000	\$0	\$0	\$608,485	-	-
	Paved Roads‡:	5	0.187	-	\$624,568	\$3,334,244	-	-
	All Other§ :	63	0.000	\$0	\$26,931	\$108,870,520	-	-
	TOTAL:	103	0.009	\$104,541	\$1,041,246	\$122,021,542	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

SARA		Saratoga National Historic Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	28	0.074	\$200,309	\$1,022,853	\$13,756,343	32,972	SF
	Housing*:	1	0.081	\$1,577	\$31,879	\$394,873	1,584	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	22	0.143	\$40,469	\$1,195,310	\$8,373,741	130,386	LF
	Waste Water Systems:	1	0.025	\$0	\$1,373	\$55,963	200	GPD
	Water Systems:	1	0.000	\$0	\$0	\$277,042	1,000	GPD
	Unpaved Roads† :	12	0.000	\$0	\$759	\$3,213,469	-	-
	Paved Roads‡:	28	0.336	-	\$10,504,784	\$31,289,572	-	-
	All Other§ :	71	0.021	\$0	\$1,741,769	\$82,158,746	-	-
	TOTAL:	164	0.104	\$242,355	\$14,498,727	\$139,519,748	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SARI		Salt River Bay National Hist and Ecological Preserve						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.032	\$1,077	\$81,546	\$2,521,856	4,800	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	1	0.000	\$0	\$0	\$2,615,503	5	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	3	0.480	\$0	\$220,000	\$457,873	-	-	
Paved Roads‡:	1	0.149	-	\$67,500	\$452,145	-	-	
All Other§ :	16	0.000	\$0	\$65,000	\$214,752,222	-	-	
TOTAL:	22	0.002	\$1,077	\$434,046	\$220,799,600	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SCBL		Scotts Bluff National Monument						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	10	0.269	\$833,764	\$1,305,074	\$4,857,875	13,677	SF	
Housing*:	1	0.050	\$11,414	\$11,414	\$228,700	2,041	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	6	0.115	\$85,220	\$136,589	\$1,187,447	22,576	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$543,286	3,254	GPD	
Water Systems:	1	0.000	\$0	\$0	\$1,434,718	1,656	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	10	0.004	-	\$62,778	\$17,595,028	-	-	
All Other§ :	13	0.082	\$0	\$304,442	\$3,691,215	-	-	
TOTAL:	42	0.062	\$930,398	\$1,820,297	\$29,538,268	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SEKI		Sequoia and Kings Canyon National Park						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	478	0.102	\$5,123,075	\$17,120,902	\$167,773,058	480,066	SF	
Housing*:	149	0.093	\$525,106	\$2,601,346	\$28,052,024	141,708	SF	
Campgrounds:	15	0.017	\$0	\$738,645	\$43,761,044	463	AC	
Trails:	82	0.099	\$9,243,776	\$17,365,211	\$175,907,466	4,318,553	LF	
Waste Water Systems:	19	0.197	\$6,483,390	\$11,080,503	\$56,335,400	372,900	GPD	
Water Systems:	22	0.114	\$10,451,372	\$24,502,647	\$214,340,050	926,395	GPD	
Unpaved Roads† :	39	0.003	\$0	\$124,207	\$38,231,800	-	-	
Paved Roads‡:	136	0.230	-	\$106,314,433	\$463,201,080	-	-	
All Other§ :	82	0.109	\$1,617,179	\$4,297,130	\$39,338,957	-	-	
TOTAL:	1,022	0.150	\$33,443,899	\$184,145,023	\$1,226,940,878	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SEMO Selma to Montgomery National Historic Trail								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	7	0.033	\$0	\$428,067	\$13,032,390	26,487	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$264,910	3,000	GPD	
Water Systems:	1	0.000	\$0	\$0	\$1,189,107	3,000	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	6	0.004	-	\$403,372	\$100,691,263	-	-	
All Other§ :	22	0.009	\$0	\$110,475	\$11,798,899	-	-	
<b>TOTAL:</b>	<b>37</b>	<b>0.007</b>	<b>\$0</b>	<b>\$941,915</b>	<b>\$126,976,569</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SERO		Southeast Regional Office					
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:	0	0.000	\$0	\$0	\$0	0	SF
Housing*:	0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
Trails:	0	0.000	\$0	\$0	\$0	0	LF
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
All Other§ :	1	0.000	\$0	\$0	\$1,118,036	-	-
TOTAL:	1	0.000	\$0	\$0	\$1,118,036	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SHEN		Shenandoah National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	322	0.047	\$812,548	\$5,589,320	\$119,556,357	445,381	SF
	Housing*:	19	0.090	\$125,637	\$495,398	\$5,511,335	31,442	SF
	Campgrounds:	5	0.016	\$0	\$525,123	\$33,861,837	106	AC
	Trails:	142	0.128	\$4,119,994	\$5,729,350	\$44,691,676	1,691,328	LF
	Waste Water Systems:	39	0.177	\$1,562,574	\$3,353,343	\$18,913,437	217,900	GPD
	Water Systems:	26	0.161	\$2,578,610	\$6,292,925	\$39,077,805	465,491	GPD
	Unpaved Roads† :	107	0.320	\$1,461,800	\$6,427,102	\$20,100,435	-	-
	Paved Roads‡:	297	0.168	-	\$58,265,745	\$346,825,494	-	-
	All Other§ :	236	0.042	\$179,120	\$6,733,171	\$161,766,375	-	-
	TOTAL:	1,193	0.118	\$10,840,282	\$93,411,478	\$790,304,752	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SHIL		Shiloh National Military Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	34	0.013	\$59,492	\$341,212	\$25,336,716	64,598	SF
	Housing*:	9	0.003	\$0	\$3,227	\$1,190,378	7,911	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	9	0.000	\$0	\$0	\$517,578	13,500	GPD
	Water Systems:	7	0.000	\$0	\$0	\$1,007,791	2,626	GPD
	Unpaved Roads† :	6	0.020	\$4,001	\$5,402	\$265,868	-	-
	Paved Roads‡:	30	0.196	-	\$5,230,698	\$26,724,817	-	-
	All Other§ :	15	0.007	\$0	\$1,574,076	\$211,903,110	-	-
	TOTAL:	110	0.027	\$63,493	\$7,154,615	\$266,946,259	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

SITK		Sitka National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.037	\$370,023	\$833,102	\$22,295,035	30,311	SF
	Housing*:	2	0.000	\$0	\$0	\$1,814,119	6,561	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	4	0.099	\$68,604	\$68,604	\$696,015	12,199	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	1	0.000	\$0	\$0	\$16,853	-	-
	Paved Roads‡:	3	0.471	-	\$288,397	\$612,640	-	-
	All Other§ :	36	0.137	\$805,225	\$866,498	\$6,342,779	-	-
	TOTAL:	56	0.065	\$1,243,852	\$2,056,602	\$31,777,441	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SLBE		Sleeping Bear Dunes National Lakeshore						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		337	0.077	\$2,622,864	\$7,049,989	\$91,864,592	345,732	SF
Housing*:		36	0.098	\$255,266	\$874,855	\$8,915,925	43,660	SF
Campgrounds:		9	0.108	\$0	\$833,731	\$7,754,721	294	AC
Trails:		24	0.013	\$17,987	\$204,145	\$15,690,186	511,560	LF
Waste Water Systems:		6	0.013	\$24,581	\$24,581	\$1,938,550	25,500	GPD
Water Systems:		28	0.151	\$133,634	\$934,249	\$6,194,955	419,380	GPD
Unpaved Roads† :		28	0.085	\$60,320	\$264,416	\$3,100,375	-	-
Paved Roads‡:		25	0.229	-	\$6,784,662	\$29,593,175	-	-
All Other§ :		123	0.010	\$362,850	\$1,836,942	\$190,760,156	-	-
<b>TOTAL:</b>		<b>616</b>	<b>0.053</b>	<b>\$3,477,502</b>	<b>\$18,807,569</b>	<b>\$355,812,634</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SOAR		Southern Arizona Office						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	1	0.001	\$0	\$492	\$903,212	5,400	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	0	0.000	\$0	\$0	\$0	-	-
	TOTAL:	1	0.001	\$0	\$492	\$903,212	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SPAR		Springfield Armory National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	4	0.160	\$2,553,598	\$6,176,741	\$38,598,634	61,909	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	1	0.000	\$0	\$0	\$490,152	-	-	
Paved Roads‡:	5	0.395	-	\$483,853	\$1,223,619	-	-	
All Other§ :	1	0.699	\$2,072,261	\$4,125,444	\$5,901,279	-	-	
TOTAL:	11	0.233	\$4,625,859	\$10,786,038	\$46,213,683	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

STEAMTOWN NATIONAL HISTORIC SITE								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	19	0.066	\$2,306,843	\$9,704,093	\$146,252,189	393,373	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	1	0.021	\$62,295	\$172,662	\$8,269,804	10,000	GPD	
Water Systems:	1	0.000	\$0	\$0	\$3,271,502	12,000	GPD	
Unpaved Roads† :	11	0.009	\$0	\$109,549	\$12,768,527	-	-	
Paved Roads‡:	5	0.437	-	\$4,124,703	\$9,436,431	-	-	
All Other§ :	202	0.081	\$148,011	\$22,586,816	\$279,558,716	-	-	
<b>TOTAL:</b>	<b>239</b>	<b>0.080</b>	<b>\$2,517,149</b>	<b>\$36,697,822</b>	<b>\$459,557,170</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

STLI		Statue of Liberty National Monument						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	66	0.051	\$6,586,921	\$58,362,166	\$1,134,348,116	836,188	SF	
Housing*:	6	0.000	\$0	\$0	\$2,166,845	8,700	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	6	0.000	\$0	\$0	\$9,118,667	24,167	LF	
Waste Water Systems:	4	0.023	\$291,782	\$2,462,076	\$108,496,834	60,000	GPD	
Water Systems:	4	0.031	\$29,750	\$2,003,844	\$65,179,572	50,000	GPD	
Unpaved Roads† :	2	0.000	\$0	\$0	\$1,213,494	-	-	
Paved Roads‡:	1	0.194	-	\$10,362,651	\$53,414,453	-	-	
All Other§ :	32	0.114	\$35,260,005	\$68,465,464	\$599,171,915	-	-	
TOTAL:	121	0.072	\$42,168,458	\$141,656,200	\$1,973,109,896	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

STMA		Stephen T. Mather Training Center						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	3	0.146	\$277,433	\$2,323,551	\$15,870,811	38,710	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	1	1.548	-	\$602,912	\$389,460	-	-	
All Other§ :	2	0.000	\$0	\$0	\$113,650	-	-	
TOTAL:	6	0.179	\$277,433	\$2,926,463	\$16,373,921	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

STRI		Stones River National Battlefield						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	6	0.030	\$44,712	\$184,114	\$6,116,939	20,606	SF
	Housing*:	2	0.125	\$0	\$62,583	\$500,210	3,500	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	5	0.011	\$10,396	\$17,842	\$1,656,538	27,307	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	1	0.259	\$0	\$61,828	\$238,898	50	GPD
	Unpaved Roads† :	10	0.000	\$0	\$0	\$581,244	-	-
	Paved Roads‡:	18	0.543	-	\$4,079,220	\$7,508,691	-	-
	All Other§ :	34	0.021	\$83,375	\$708,515	\$34,237,000	-	-
	TOTAL:	76	0.101	\$138,482	\$5,114,102	\$50,839,519	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

STSP		Star Spangled Banner						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		1	0.328	\$0	\$265,684	\$810,179	2,646	SF
Housing*:		0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:		0	0.000	\$0	\$0	\$0	0	AC
Trails:		0	0.000	\$0	\$0	\$0	0	LF
Waste Water Systems:		0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:		0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :		0	0.000	\$0	\$0	\$0	-	-
Paved Roads‡:		0	0.000	-	\$0	\$0	-	-
All Other§ :		0	0.000	\$0	\$0	\$0	-	-
<b>TOTAL:</b>		<b>1</b>	<b>0.328</b>	<b>\$0</b>	<b>\$265,684</b>	<b>\$810,179</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

SUCR		Sunset Crater Volcano National Monument						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	14	0.011	\$5,650	\$22,303	\$2,034,987	6,108	SF	
Housing*:	8	0.072	\$0	\$100,220	\$1,389,123	7,888	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	3	0.014	\$0	\$7,257	\$522,198	8,558	LF	
Waste Water Systems:	2	0.000	\$0	\$0	\$545,785	2,120	GPD	
Water Systems:	1	0.070	\$283,510	\$328,966	\$4,674,684	2,057	GPD	
Unpaved Roads† :	1	0.000	\$0	\$0	\$13,036	-	-	
Paved Roads‡:	12	0.281	-	\$8,177,355	\$29,052,921	-	-	
All Other§ :	15	0.000	\$0	\$0	\$1,917,552	-	-	
TOTAL:	56	0.215	\$289,160	\$8,636,101	\$40,150,287	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

TAPR		Tallgrass Prairie National Preserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	16	0.027	\$104,636	\$406,128	\$15,133,220	38,097	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	3	0.063	\$0	\$51,611	\$821,602	38,008	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$359,343	301	GPD
	Water Systems:	1	0.000	\$0	\$0	\$2,003,899	200	GPD
	Unpaved Roads† :	8	0.091	\$0	\$95,836	\$1,058,911	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	11	0.123	\$757,965	\$757,965	\$6,184,230	-	-
	TOTAL:	41	0.051	\$862,601	\$1,311,539	\$25,561,206	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

THKO		Thaddeus Kosciuszko National Memorial						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.023	\$11,153	\$63,951	\$2,835,722	4,488	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	1	0.001	\$0	\$65	\$91,656	240	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	0	0.000	\$0	\$0	\$0	-	-	
TOTAL:	2	0.022	\$11,153	\$64,016	\$2,927,378	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

<div> <div>THRB</div> <div>Theodore Roosevelt Birthplace National Hist Site</div> </div>								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.406	\$4,011,393	\$6,437,860	\$15,838,369	19,200	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	0	0.000	\$0	\$0	\$0	-	-	
<b>TOTAL:</b>	<b>1</b>	<b>0.406</b>	<b>\$4,011,393</b>	<b>\$6,437,860</b>	<b>\$15,838,369</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

THRI Theodore Roosevelt Inaugural National Hist Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.076	\$0	\$762,426	\$10,085,002	14,440	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	1	0.888	-	\$112,715	\$126,924	-	-	
All Other§ :	2	0.179	\$0	\$344,332	\$1,926,783	-	-	
<b>TOTAL:</b>	<b>5</b>	<b>0.100</b>	<b>\$0</b>	<b>\$1,219,473</b>	<b>\$12,138,709</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

THRO		Theodore Roosevelt National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	59	0.061	\$265,871	\$1,150,676	\$18,721,333	63,154	SF
	Housing*:	20	0.271	\$1,433,369	\$1,527,049	\$5,628,445	37,199	SF
	Campgrounds:	5	0.003	\$0	\$16,994	\$6,480,820	88	AC
	Trails:	32	0.025	\$45,026	\$208,582	\$8,288,241	529,286	LF
	Waste Water Systems:	7	0.096	\$450,894	\$525,737	\$5,503,668	48,672	GPD
	Water Systems:	9	0.024	\$12,752	\$175,215	\$7,372,738	177,225	GPD
	Unpaved Roads† :	23	0.010	\$0	\$25,184	\$2,530,716	-	-
	Paved Roads‡:	49	0.165	-	\$34,257,809	\$207,998,782	-	-
	All Other§ :	34	0.015	\$0	\$755,145	\$48,867,968	-	-
	TOTAL:	238	0.124	\$2,207,912	\$38,642,390	\$311,392,710	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

THST Thomas Stone National Historic Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	7	0.002	\$0	\$12,594	\$6,386,372	22,194	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	2	0.000	\$0	\$0	\$263,290	5,016	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$3,222,468	28,800	GPD	
Water Systems:	1	0.000	\$0	\$0	\$1,620,479	15,000	GPD	
Unpaved Roads† :	3	0.000	\$0	\$0	\$747,521	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	5	0.001	\$0	\$13,361	\$9,428,641	-	-	
<b>TOTAL:</b>	<b>19</b>	<b>0.001</b>	<b>\$0</b>	<b>\$25,955</b>	<b>\$21,668,771</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

TICA		Timpanogos Cave National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	16	0.099	\$391,160	\$724,119	\$7,307,717	18,241	SF
	Housing*:	1	0.112	\$0	\$26,513	\$235,671	1,868	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	7	0.142	\$383,847	\$1,677,237	\$11,823,642	14,510	LF
	Waste Water Systems:	3	0.056	\$25,542	\$25,542	\$455,865	8,133	GPD
	Water Systems:	1	0.051	\$0	\$102,539	\$2,007,138	3,000	GPD
	Unpaved Roads† :	3	0.000	\$0	\$0	\$486,649	-	-
	Paved Roads‡:	8	0.307	-	\$516,942	\$1,682,433	-	-
	All Other§ :	10	0.018	\$22,150	\$246,110	\$13,875,777	-	-
	TOTAL:	49	0.088	\$822,699	\$3,319,003	\$37,874,892	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

TIMU		Timucuan Ecological and Historic Preserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	25	0.035	\$91,832	\$416,627	\$11,751,980	38,841	SF
	Housing*:	5	0.055	\$0	\$166,440	\$3,028,656	15,297	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	13	0.200	\$52,062	\$341,112	\$1,706,133	86,410	LF
	Waste Water Systems:	10	0.037	\$0	\$12,798	\$342,063	35,235	GPD
	Water Systems:	7	0.000	\$0	\$0	\$1,343,459	6,252	GPD
	Unpaved Roads† :	10	0.025	\$1,762	\$45,870	\$1,867,004	-	-
	Paved Roads‡:	6	0.217	-	\$344,912	\$1,589,806	-	-
	All Other§ :	75	0.083	\$1,279,078	\$2,263,314	\$27,154,421	-	-
	TOTAL:	151	0.074	\$1,424,734	\$3,591,074	\$48,783,523	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

TONT		Tonto National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		17	0.015	\$3,680	\$69,033	\$4,476,601	13,796	SF
Housing*:		4	0.129	\$573	\$85,270	\$663,576	4,988	SF
Campgrounds:		1	0.000	\$0	\$0	\$155,544	1	AC
Trails:		3	0.245	\$0	\$290,674	\$1,185,290	10,560	LF
Waste Water Systems:		1	0.000	\$0	\$0	\$491,255	6,666	GPD
Water Systems:		1	0.127	\$0	\$268,572	\$2,122,630	6,000	GPD
Unpaved Roads† :		6	0.003	\$0	\$2,268	\$691,171	-	-
Paved Roads‡:		4	0.124	-	\$565,360	\$4,555,835	-	-
All Other§ :		72	0.005	\$0	\$128,316	\$27,136,396	-	-
<b>TOTAL:</b>		<b>109</b>	<b>0.034</b>	<b>\$4,253</b>	<b>\$1,409,493</b>	<b>\$41,478,298</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

TUAI Tuskegee Airmen National Historic Site								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	15	0.114	\$35,112	\$1,197,655	\$10,471,431	46,329	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	1	0.000	\$0	\$0	\$980,187	1,234	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	2	0.000	\$0	\$0	\$686,325	-	-	
Paved Roads‡:	2	0.000	-	\$0	\$271,714	-	-	
All Other§ :	28	0.003	\$0	\$101,298	\$30,417,150	-	-	
<b>TOTAL:</b>	<b>48</b>	<b>0.030</b>	<b>\$35,112</b>	<b>\$1,298,953</b>	<b>\$42,826,807</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

TUIN		Tuskegee Institute National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	9	0.241	\$122,892	\$5,686,184	\$23,577,764	41,740	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.000	\$0	\$0	\$89,217	404	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	2	1.650	\$218,653	\$224,896	\$136,285	-	-
	Paved Roads‡:	5	0.199	-	\$439,924	\$2,210,425	-	-
	All Other§ :	14	0.024	\$17,740	\$210,188	\$8,652,048	-	-
	TOTAL:	31	0.189	\$359,285	\$6,561,192	\$34,665,739	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

TULE		Tule Lake Unit						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		9	0.089	\$305,187	\$940,507	\$10,547,730	25,174	SF
Housing*:		0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:		0	0.000	\$0	\$0	\$0	0	AC
Trails:		0	0.000	\$0	\$0	\$0	0	LF
Waste Water Systems:		0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:		0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :		0	0.000	\$0	\$0	\$0	-	-
Paved Roads‡:		0	0.000	-	\$0	\$0	-	-
All Other§ :		1	0.000	\$0	\$0	\$8,133,565	-	-
<b>TOTAL:</b>		<b>10</b>	<b>0.050</b>	<b>\$305,187</b>	<b>\$940,507</b>	<b>\$18,681,296</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

TUMA		Tumacacori National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.053	\$111,756	\$303,279	\$5,688,522	19,733	SF
	Housing*:	1	0.000	\$0	\$0	\$223,427	1,150	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.133	\$10,226	\$10,226	\$76,990	9,716	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$1,010,449	54,000	GPD
	Water Systems:	3	0.162	\$116,327	\$116,327	\$719,542	22,132	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	4	0.074	-	\$51,117	\$687,437	-	-
	All Other§ :	26	0.058	\$100,000	\$287,816	\$4,976,300	-	-
	TOTAL:	48	0.057	\$338,309	\$768,765	\$13,382,667	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

TUZI		Tuzigoot National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	7	0.009	\$10,864	\$32,745	\$3,452,844	7,511	SF
	Housing*:	2	0.053	\$6,099	\$23,037	\$434,885	3,720	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	3	0.269	\$100,674	\$285,216	\$1,059,193	14,976	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$271,762	1,000	GPD
	Water Systems:	1	0.151	\$0	\$48,878	\$323,781	1,000	GPD
	Unpaved Roads† :	3	5.262	\$0	\$224,640	\$42,694	-	-
	Paved Roads‡:	5	0.238	-	\$2,753,804	\$11,575,819	-	-
	All Other§ :	6	0.178	\$375,824	\$1,149,902	\$6,442,399	-	-
	TOTAL:	28	0.191	\$493,461	\$4,518,221	\$23,603,377	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

ULSG		Ulysses S Grant National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	7	0.016	\$154,421	\$376,483	\$24,268,549	37,808	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	2	0.041	-	\$27,973	\$680,396	-	-	
All Other§ :	3	0.000	\$0	\$0	\$5,307,860	-	-	
TOTAL:	12	0.013	\$154,421	\$404,455	\$30,256,804	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

UPDE		Upper Delaware Scenic and Recreational River						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	28	0.112	\$500,193	\$1,612,793	\$14,359,264	40,518	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	2	0.093	\$0	\$45,000	\$485,013	2,746	LF	
Waste Water Systems:	1	0.000	\$0	\$0	\$643,734	43,000	GPD	
Water Systems:	1	0.000	\$0	\$0	\$151,454	18,000	GPD	
Unpaved Roads† :	7	0.005	\$0	\$2,010	\$403,198	-	-	
Paved Roads‡:	7	0.171	-	\$1,611,415	\$9,434,232	-	-	
All Other§ :	61	0.005	\$0	\$348,258	\$70,504,197	-	-	
TOTAL:	107	0.038	\$500,193	\$3,619,475	\$95,981,093	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

VAFO		Valley Forge National Historical Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	97	0.152	\$6,494,995	\$19,876,779	\$130,606,555	231,026	SF
	Housing*:	16	0.066	\$385,236	\$1,268,753	\$19,363,279	45,123	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	17	0.032	\$0	\$614,651	\$19,107,010	127,157	LF
	Waste Water Systems:	3	0.002	\$0	\$3,088	\$1,524,492	6,800	GPD
	Water Systems:	1	0.000	\$0	\$0	\$3,327,263	35,000	GPD
	Unpaved Roads† :	24	0.018	\$0	\$256,080	\$14,127,056	-	-
	Paved Roads‡:	45	0.131	-	\$9,941,049	\$75,995,165	-	-
	All Other§ :	164	0.004	\$603,429	\$1,794,584	\$403,570,047	-	-
	TOTAL:	367	0.051	\$7,483,660	\$33,754,983	\$667,620,867	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

VALR		WWII Valor in the Pacific NM						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	20	0.075	\$2,108,870	\$2,840,666	\$37,717,928	75,157	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.136	\$0	\$68,001	\$498,435	3,500	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$231,000	2,000	GPD
	Water Systems:	1	0.000	\$0	\$0	\$464,194	101,000	GPD
	Unpaved Roads† :	1	0.098	\$400,000	\$580,248	\$5,898,106	-	-
	Paved Roads‡:	9	0.014	-	\$211,859	\$15,560,619	-	-
	All Other§ :	29	0.010	\$0	\$157,429	\$16,463,142	-	-
	TOTAL:	62	0.050	\$2,508,870	\$3,858,201	\$76,833,424	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

VAMA		Vanderbilt Mansion National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	10	0.056	\$2,289,339	\$16,499,210	\$296,277,226	90,964	SF
	Housing*:	3	0.120	\$24,400	\$1,040,633	\$8,662,137	4,814	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	12	0.045	\$0	\$26,528	\$590,790	9,249	LF
	Waste Water Systems:	5	0.057	\$0	\$63,315	\$1,116,938	2,100	GPD
	Water Systems:	1	0.377	\$0	\$630,000	\$1,670,729	100	GPD
	Unpaved Roads† :	5	0.000	\$0	\$0	\$29,475,337	-	-
	Paved Roads‡:	15	0.203	-	\$4,331,575	\$21,374,690	-	-
	All Other§ :	6	0.058	\$46,621	\$10,324,541	\$177,799,811	-	-
	TOTAL:	57	0.061	\$2,360,359	\$32,915,802	\$536,967,659	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

VICK		Vicksburg National Military Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	13	0.031	\$142,150	\$657,943	\$21,300,350	64,769	SF
	Housing*:	2	0.305	\$6,312	\$99,405	\$325,656	3,515	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	1	0.073	\$12,089	\$12,089	\$164,503	1,400	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	2	0.000	\$0	\$0	\$323,277	-	-
	Paved Roads‡:	47	0.081	-	\$3,903,087	\$47,976,362	-	-
	All Other§ :	40	0.013	\$6,237,842	\$10,998,414	\$857,416,899	-	-
	TOTAL:	105	0.017	\$6,398,393	\$15,670,938	\$927,507,047	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

VIIS		Virgin Islands National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	85	0.065	\$496,787	\$2,303,402	\$35,349,659	86,759	SF
	Housing*:	22	0.155	\$0	\$1,695,670	\$10,953,697	31,669	SF
	Campgrounds:	3	0.000	\$0	\$0	\$4,075,147	50	AC
	Trails:	23	0.294	\$289,429	\$1,134,997	\$3,864,728	98,307	LF
	Waste Water Systems:	16	0.380	\$1,029,420	\$1,463,224	\$3,850,666	4,179	GPD
	Water Systems:	24	0.005	\$0	\$53,000	\$10,670,880	6,500	GPD
	Unpaved Roads† :	16	0.278	\$226,080	\$1,241,492	\$4,457,803	-	-
	Paved Roads‡:	20	0.208	-	\$3,601,571	\$17,322,234	-	-
	All Other§ :	113	0.023	\$1,158,666	\$3,660,163	\$159,785,165	-	-
	TOTAL:	322	0.061	\$3,200,382	\$15,153,520	\$250,329,980	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

VOYA		Voyageurs National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	148	0.074	\$1,362,847	\$2,014,902	\$27,368,637	90,909	SF
	Housing*:	15	0.056	\$23,498	\$145,043	\$2,612,101	11,220	SF
	Campgrounds:	11	0.150	\$350,175	\$883,602	\$5,889,474	25	AC
	Trails:	56	0.070	\$945,696	\$1,737,359	\$24,834,743	995,212	LF
	Waste Water Systems:	15	0.006	\$11,408	\$11,408	\$1,950,734	15,950	GPD
	Water Systems:	16	0.089	\$138,421	\$138,421	\$1,553,522	13,375	GPD
	Unpaved Roads† :	11	0.004	\$3,830	\$5,171	\$1,466,868	-	-
	Paved Roads‡:	18	0.326	-	\$6,385,148	\$19,567,081	-	-
	All Other§ :	176	0.068	\$240,262	\$1,630,510	\$23,924,581	-	-
	TOTAL:	466	0.119	\$3,076,138	\$12,951,565	\$109,167,739	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

WABA		Washita Battlefield National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	7	0.013	\$65,974	\$66,747	\$4,969,664	14,568	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	1	0.000	\$0	\$0	\$193,605	7,180	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	1	0.090	\$72,000	\$72,000	\$796,131	106,875	GPD	
Unpaved Roads† :	1	0.017	\$0	\$31,600	\$1,834,319	-	-	
Paved Roads‡:	2	0.235	-	\$53,920	\$229,897	-	-	
All Other§ :	6	0.020	\$0	\$12,600	\$618,419	-	-	
TOTAL:	18	0.027	\$137,974	\$236,867	\$8,642,035	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WACA		Walnut Canyon National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	9	0.535	\$1,502,768	\$2,210,324	\$4,127,745	9,656	SF
	Housing*:	6	0.111	\$0	\$232,050	\$2,092,186	6,783	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	4	0.227	\$0	\$527,252	\$2,322,988	14,669	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$1,473,253	1,330	GPD
	Water Systems:	1	0.144	\$371,140	\$379,714	\$2,641,384	1,662	GPD
	Unpaved Roads† :	3	0.000	\$0	\$0	\$131,521	-	-
	Paved Roads‡:	4	0.298	-	\$1,943,354	\$6,523,041	-	-
	All Other§ :	66	0.054	\$0	\$626,331	\$11,553,564	-	-
	TOTAL:	94	0.192	\$1,873,908	\$5,919,024	\$30,865,682	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WACC Western Archeology and Conservation Center								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	1	0.000	\$0	\$0	\$9,629,967	50,247	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	0	0.000	\$0	\$0	\$0	-	-	
<b>TOTAL:</b>	<b>1</b>	<b>0.000</b>	<b>\$0</b>	<b>\$0</b>	<b>\$9,629,967</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WAPA		War in the Pacific National Historic Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	6	0.044	\$91,350	\$352,878	\$7,931,887	15,059	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	11	0.186	\$0	\$344,763	\$1,853,401	13,423	LF
	Waste Water Systems:	1	0.357	\$53,549	\$59,923	\$167,811	250	GPD
	Water Systems:	1	0.000	\$0	\$0	\$113,141	1,000	GPD
	Unpaved Roads† :	6	0.257	\$67,753	\$129,989	\$506,108	-	-
	Paved Roads‡:	7	0.261	-	\$1,347,962	\$5,160,719	-	-
	All Other§ :	14	0.094	\$13,819	\$2,553,913	\$27,240,696	-	-
	TOTAL:	46	0.111	\$226,472	\$4,789,427	\$42,973,762	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WEAR		Western Artic National Parklands						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	31	0.005	\$21,175	\$123,858	\$23,393,099	37,055	SF
	Housing*:	7	0.026	\$33,447	\$105,532	\$4,069,026	12,868	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$73,186	300	GPD
	Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	17	0.092	\$15,764	\$35,604	\$386,412	-	-
	TOTAL:	56	0.009	\$70,387	\$264,995	\$27,921,723	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WEFA		Weir Farm National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	18	0.080	\$620,556	\$1,259,172	\$15,798,781	32,732	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.343	\$0	\$71,216	\$207,795	4,380	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$665,934	330	GPD
	Water Systems:	2	0.000	\$0	\$0	\$410,058	230	GPD
	Unpaved Roads† :	3	0.273	\$0	\$77,538	\$283,723	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	6	0.001	\$105,082	\$1,481,316	\$1,173,775,755	-	-
	TOTAL:	32	0.002	\$725,639	\$2,889,242	\$1,191,142,046	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WHHO		White House (President's Park)						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	36	0.018	\$0	\$5,015,456	\$284,186,677	227,196	SF
	Housing*:	0	0.000	\$0	\$0	\$0	0	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	0	0.000	\$0	\$0	\$0	0	LF
	Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
	Water Systems:	3	0.000	\$0	\$0	\$0	6,501	GPD
	Unpaved Roads† :	6	0.076	\$980,600	\$980,600	\$12,903,895	-	-
	Paved Roads‡:	11	0.050	-	\$2,139,014	\$42,904,479	-	-
	All Other§ :	24	0.039	\$0	\$4,494,414	\$115,732,517	-	-
	TOTAL:	80	0.028	\$980,600	\$12,629,484	\$455,727,569	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WHIS      Whiskeytown National Recreation Area								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	140	0.377	\$133,810	\$11,430,981	\$30,344,396	90,313	SF	
Housing*:	6	0.080	\$1,863	\$168,132	\$2,091,122	8,277	SF	
Campgrounds:	10	0.319	\$0	\$2,758,020	\$8,640,758	70	AC	
Trails:	31	0.050	\$203,486	\$681,455	\$13,674,377	382,995	LF	
Waste Water Systems:	9	0.118	\$392,000	\$2,659,600	\$22,509,120	44,320	GPD	
Water Systems:	11	0.124	\$376,925	\$2,699,318	\$21,694,183	74,350	GPD	
Unpaved Roads† :	44	0.047	\$163,719	\$990,257	\$20,909,093	-	-	
Paved Roads‡:	70	0.190	-	\$10,032,491	\$52,795,695	-	-	
All Other§ :	49	0.008	\$312,286	\$1,739,644	\$205,642,675	-	-	
<b>TOTAL:</b>	<b>370</b>	<b>0.088</b>	<b>\$1,584,089</b>	<b>\$33,159,897</b>	<b>\$378,301,419</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

WHMI		Whitman Mission National Historic Site						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	9	0.008	\$0	\$48,613	\$5,900,769	14,415	SF
	Housing*:	1	0.000	\$0	\$0	\$298,279	1,767	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	1	0.070	\$0	\$50,815	\$726,559	7,340	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$260,536	4,110	GPD
	Water Systems:	1	0.012	\$0	\$16,018	\$1,282,603	4,418	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	5	0.077	-	\$343,456	\$4,433,156	-	-
	All Other§ :	7	0.012	\$5,646	\$34,470	\$2,767,077	-	-
	TOTAL:	26	0.031	\$5,646	\$493,372	\$15,668,980	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WWSA		White Sands National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	27	0.049	\$256,257	\$520,664	\$10,589,390	20,521	SF
	Housing*:	3	0.218	\$2,088	\$152,235	\$698,449	3,491	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	5	0.000	\$0	\$0	\$566,461	46,838	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$2,466,563	11,100	GPD
	Water Systems:	1	0.012	\$0	\$33,479	\$2,829,009	11,000	GPD
	Unpaved Roads† :	10	0.000	\$0	\$0	\$4,885,418	-	-
	Paved Roads‡:	7	0.114	-	\$3,031,062	\$26,669,319	-	-
	All Other§ :	42	0.008	\$0	\$118,882	\$15,239,498	-	-
	TOTAL:	97	0.060	\$258,345	\$3,856,322	\$63,944,106	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WICA		Wind Cave National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	44	0.032	\$106,668	\$514,131	\$15,935,311	58,599	SF
	Housing*:	15	0.018	\$15,357	\$98,575	\$5,551,049	24,707	SF
	Campgrounds:	1	0.015	\$0	\$26,019	\$1,732,364	80	AC
	Trails:	12	0.003	\$0	\$12,991	\$4,780,204	182,436	LF
	Waste Water Systems:	1	0.000	\$0	\$0	\$7,723,325	25,000	GPD
	Water Systems:	12	0.011	\$29,118	\$131,845	\$11,855,588	41,080	GPD
	Unpaved Roads† :	14	0.001	\$1,730	\$14,477	\$10,694,518	-	-
	Paved Roads‡:	38	0.214	-	\$8,955,369	\$41,767,094	-	-
	All Other§ :	30	0.050	\$184,426	\$1,932,151	\$38,335,392	-	-
	TOTAL:	167	0.084	\$337,300	\$11,685,557	\$138,374,845	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WICL		William Jefferson Clinton Birthplace Home National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	3	0.153	\$247,961	\$347,379	\$2,266,138	6,062	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	1	0.000	\$0	\$0	\$8,148	121	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-	
All Other§ :	5	0.046	\$0	\$24,896	\$537,532	-	-	
TOTAL:	9	0.132	\$247,961	\$372,275	\$2,811,818	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WICR		Wilsons Creek National Battlefield						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	40	0.070	\$589,944	\$964,844	\$13,857,520	72,430	SF
	Housing*:	1	0.000	\$0	\$137,800	\$0	6,589	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	18	0.085	\$208,781	\$287,871	\$3,381,657	57,793	LF
	Waste Water Systems:	5	0.236	\$180,000	\$199,225	\$845,315	2,740	GPD
	Water Systems:	4	0.300	\$202,060	\$202,060	\$674,486	2,050	GPD
	Unpaved Roads† :	3	0.451	\$0	\$37,899	\$83,984	-	-
	Paved Roads‡:	24	0.236	-	\$4,047,622	\$17,163,858	-	-
	All Other§ :	18	0.019	\$113,000	\$2,073,105	\$106,559,074	-	-
	TOTAL:	113	0.056	\$1,293,784	\$7,950,426	\$142,565,895	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WIHO		William Howard Taft National Historic Site						
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	2	0.002	\$10,526	\$18,002	\$11,917,278	17,045	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-	
Paved Roads‡:	2	0.101	-	\$25,827	\$255,361	-	-	
All Other§ :	4	0.000	\$0	\$0	\$1,233,277	-	-	
TOTAL:	8	0.003	\$10,526	\$43,829	\$13,405,917	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WORI Womens Rights National Historical Park								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
Buildings:	13	0.064	\$809,280	\$1,337,056	\$20,930,721	43,207	SF	
Housing*:	0	0.000	\$0	\$0	\$0	0	SF	
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC	
Trails:	0	0.000	\$0	\$0	\$0	0	LF	
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD	
Unpaved Roads† :	1	0.000	\$0	\$0	\$56,940	-	-	
Paved Roads‡:	3	0.348	-	\$60,824	\$174,621	-	-	
All Other§ :	8	0.003	\$0	\$8,546	\$3,327,710	-	-	
<b>TOTAL:</b>	<b>25</b>	<b>0.057</b>	<b>\$809,280</b>	<b>\$1,406,426</b>	<b>\$24,489,991</b>	<b>-</b>	<b>-</b>	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WOTR Wolf Trap National Park for the Performing Arts								
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM	
<b>Buildings:</b>	22	0.037	\$1,823,547	\$5,998,822	\$162,403,509	122,404	SF	
<b>Housing*:</b>	0	0.000	\$0	\$0	\$0	0	SF	
<b>Campgrounds:</b>	0	0.000	\$0	\$0	\$0	0	AC	
<b>Trails:</b>	3	0.029	\$9,746	\$50,422	\$1,717,749	21,493	LF	
<b>Waste Water Systems:</b>	2	0.024	\$0	\$48,934	\$2,065,581	16,621	GPD	
<b>Water Systems:</b>	1	0.000	\$0	\$0	\$295,821	7,750	GPD	
<b>Unpaved Roads† :</b>	1	0.000	\$0	\$0	\$27,244	-	-	
<b>Paved Roads‡:</b>	13	0.462	-	\$4,740,830	\$10,259,271	-	-	
<b>All Other§ :</b>	13	0.045	\$150,507	\$572,734	\$12,647,485	-	-	
<b>TOTAL:</b>	55	0.060	\$1,983,800	\$11,411,742	\$189,416,660	-	-	

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.





## NPS Asset Inventory Summary - By Park

WRST		Wrangell St Elias National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	142	0.081	\$5,073,271	\$11,094,257	\$137,507,182	201,194	SF
	Housing*:	65	0.060	\$365,527	\$559,534	\$9,358,700	28,872	SF
	Campgrounds:	2	0.032	\$0	\$20,593	\$637,100	13	AC
	Trails:	26	0.214	\$3,804,224	\$7,185,527	\$33,568,665	1,071,525	LF
	Waste Water Systems:	15	0.061	\$0	\$80,154	\$1,320,268	16,893	GPD
	Water Systems:	11	0.002	\$7,122	\$15,564	\$9,854,906	15,737	GPD
	Unpaved Roads† :	3	0.063	\$0	\$152,247	\$2,424,601	-	-
	Paved Roads‡:	5	0.219	-	\$686,212	\$3,129,018	-	-
	All Other§ :	112	0.069	\$282,564	\$1,957,171	\$28,518,060	-	-
	TOTAL:	381	0.096	\$9,532,707	\$21,751,259	\$226,318,501	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

WUPA		Wupatki National Monument						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	9	0.014	\$0	\$48,083	\$3,454,654	11,072	SF
	Housing*:	4	0.218	\$28,431	\$357,728	\$1,638,511	6,872	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	4	0.374	\$247,002	\$595,488	\$1,591,521	5,530	LF
	Waste Water Systems:	2	0.000	\$0	\$0	\$882,936	2,616	GPD
	Water Systems:	1	0.167	\$178,165	\$465,383	\$2,794,815	1,635	GPD
	Unpaved Roads† :	7	0.033	\$0	\$97,574	\$2,936,799	-	-
	Paved Roads‡:	16	0.261	-	\$12,755,607	\$48,929,597	-	-
	All Other§ :	60	0.042	\$638,807	\$1,118,961	\$26,949,957	-	-
	TOTAL:	103	0.173	\$1,092,405	\$15,438,824	\$89,178,789	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

YELL		Yellowstone National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	1,430	0.089	\$17,175,975	\$98,932,080	\$1,111,095,955	3,030,955	SF
	Housing*:	254	0.141	\$3,866,324	\$16,873,947	\$119,707,496	560,299	SF
	Campgrounds:	9	0.000	\$0	\$0	\$2,339,041	32	AC
	Trails:	229	0.053	\$3,271,951	\$9,681,143	\$182,874,949	5,876,641	LF
	Waste Water Systems:	23	0.053	\$3,613,349	\$21,165,742	\$396,153,482	1,844,215	GPD
	Water Systems:	23	0.254	\$3,748,661	\$53,998,984	\$212,333,862	2,869,057	GPD
	Unpaved Roads† :	122	0.007	\$121,500	\$766,383	\$113,098,133	-	-
	Paved Roads‡:	406	0.365	-	\$437,479,862	\$1,197,582,317	-	-
	All Other§ :	314	0.099	\$1,880,819	\$17,653,794	\$178,546,583	-	-
	TOTAL:	2,810	0.187	\$33,678,578	\$656,551,935	\$3,513,731,817	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

YOSE		Yosemite National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		852	0.092	\$44,606,607	\$101,951,852	\$1,108,578,361	1,437,439	SF
Housing*:		315	0.129	\$5,698,999	\$16,875,789	\$130,661,810	424,041	SF
Campgrounds:		21	0.035	\$0	\$4,296,820	\$123,532,055	21	AC
Trails:		295	0.068	\$2,800,353	\$16,906,984	\$250,217,555	4,101,834	LF
Waste Water Systems:		22	0.291	\$26,657,992	\$64,617,120	\$222,275,081	1,788,458	GPD
Water Systems:		28	0.125	\$3,082,491	\$32,143,889	\$256,299,167	1,121,265	GPD
Unpaved Roads† :		80	0.081	\$575,498	\$5,851,385	\$72,627,556	-	-
Paved Roads‡:		203	0.236	-	\$277,336,816	\$1,174,515,198	-	-
All Other§ :		283	0.065	\$14,463,148	\$32,798,040	\$507,955,523	-	-
<b>TOTAL:</b>		<b>2,099</b>	<b>0.144</b>	<b>\$97,885,088</b>	<b>\$552,778,696</b>	<b>\$3,846,662,306</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

YUCH		Yukon Charley Rivers National Preserve						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
	Buildings:	57	0.047	\$27,599	\$767,939	\$16,270,771	32,164	SF
	Housing*:	12	0.035	\$57,269	\$69,708	\$2,007,793	5,268	SF
	Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
	Trails:	2	0.000	\$0	\$0	\$4,779,892	142,560	LF
	Waste Water Systems:	3	0.000	\$0	\$0	\$365,647	2,750	GPD
	Water Systems:	3	0.110	\$0	\$92,583	\$842,694	2,750	GPD
	Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
	Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
	All Other§ :	21	0.000	\$0	\$0	\$4,152,653	-	-
	TOTAL:	98	0.033	\$84,868	\$930,230	\$28,419,450	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

YUHO		Yucca House National Monument					
	Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:	0	0.000	\$0	\$0	\$0	0	SF
Housing*:	0	0.000	\$0	\$0	\$0	0	SF
Campgrounds:	0	0.000	\$0	\$0	\$0	0	AC
Trails:	0	0.000	\$0	\$0	\$0	0	LF
Waste Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Water Systems:	0	0.000	\$0	\$0	\$0	0	GPD
Unpaved Roads† :	0	0.000	\$0	\$0	\$0	-	-
Paved Roads‡:	0	0.000	-	\$0	\$0	-	-
All Other§ :	3	0.025	\$0	\$114,131	\$4,605,070	-	-
TOTAL:	3	0.025	\$0	\$114,131	\$4,605,070	-	-

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.



## NPS Asset Inventory Summary - By Park

ZION		Zion National Park						
		Number of Asset Locations	FCI	CSDM	DM	CRV	Qty	UM
Buildings:		113	0.048	\$433,907	\$5,661,459	\$116,937,570	278,042	SF
Housing*:		36	0.110	\$378,450	\$1,751,015	\$15,980,490	49,666	SF
Campgrounds:		4	0.087	\$7,873	\$1,446,874	\$16,580,604	76	AC
Trails:		34	0.045	\$1,083,318	\$3,765,465	\$83,380,406	478,557	LF
Waste Water Systems:		9	0.075	\$0	\$514,972	\$6,885,345	98,908	GPD
Water Systems:		10	0.036	\$31,162	\$1,097,494	\$30,277,039	452,271	GPD
Unpaved Roads† :		13	0.015	\$68,938	\$174,907	\$11,615,890	-	-
Paved Roads‡:		97	0.096	-	\$43,573,822	\$451,827,712	-	-
All Other§ :		63	0.056	\$44,454	\$4,125,839	\$73,358,044	-	-
<b>TOTAL:</b>		<b>379</b>	<b>0.077</b>	<b>\$2,048,102</b>	<b>\$62,111,847</b>	<b>\$806,843,100</b>	<b>-</b>	<b>-</b>

Figures in the table above represent a snapshot of the NPS Facility Management Software System (FMSS) data as of the end of the fiscal year.

\* Housing is defined as buildings that are associated with the NPS Employee Housing Program/DOI Quarters Program, including support buildings (e.g., detached garages, shower and laundry facilities, storage).

† Unpaved Roads includes unpaved parking areas, bridges, tunnels and roadways.

‡ Paved Roads includes paved parking areas, bridges, tunnels and roadways.

§ All Other assets include utility systems, dams, constructed waterways, marinas, aviation systems, railroads, ships, monuments, fortifications, towers, interpretive media, and amphitheaters.

**FCI (Facility Condition Index)** - A measure of a facility's relative condition at a particular point in time. The FCI rating is a ratio of the cost of repair of the assets deficiencies divided by the current replacement value for the asset.

**CSDM (Critical Systems Deferred Maintenance)** - The cost of critical or serious deferred maintenance located in critical asset components. This figure is currently unavailable for the paved roads category.

**DM (Deferred Maintenance)** - The cost of maintenance that was not performed when it should have been or was scheduled to be and which, therefore, is put off or delayed.

**CRV (Current Replacement Value)** - The current replacement value represents the standard industry costs and engineering estimates of materials, supplies and labor required to replace a facility at its existing size and functional capability. The CRV is estimated in alignment with federal requirements and industry standards and is used in calculating the FCI. However, it is important to note that the results of this calculation alone do not suggest that the NPS plans to replace an asset or set of assets within the portfolio.

**Qty (Quantity) and UM (Unit of Measure)** - Quantity and unit of measure are used together to describe the quantity. In the unit of measure column, SF= square footage, AC= acres, LF= linear feet, GPD= gallons per day, and MI= miles. These are the industry standard units of measure for each asset type and are consistently used across the federal government.